Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.






Table of Contents

	AGE PAGE	1101	PAGE	PAGE
Acroelinium	.71 Chives	Gaillardia80	Matricaria83	Rose Multiflora90
Ageratum	.71 Chrysanthemum 77	Garden Plan2	Maurandia 83	Rosemary67
Alfalfa	.68 Cineraria	Garlie	Melon8, 43 to 46	Roots 100 to 102
Alsike			Mesembryanthemum82	Rue
Alyssum			Mexican Fire Bush82	
Amaranthus				Ruta Baga66
Amaranth, Globe			Mignonette84	Rye70
			Mignonette Vine102	
Anemone			Millet	Saffron67
Anise			Mimosa84	
Antirrhinum		Gomphrena81	Mimulus 84	Sage67
Aquilegia	71 Coleus	Gourd81	Mirabilis84	Salpiglossis4, 90
Arabis	.71 Collards35	Grass Seeds68, 69	Momordica84	Salsify58
Artichoke	.19 Columbine		Monkey Flower84	Salvia 92
Asparagus19			Moon Flower84	Savory, Summer67
Aster72			Morning Glory84	Scabiosa92
		and bugui hungonina		Scarlet Flax92
Baby's Breath	.73 Cooking Receipts 11 to 16		Morning Glory, Dwarf.78	Scarlet, Runner Beans 92
Bachelor's Button	mg Coreopsis	Helianthus81	Moss Rose84	Schizanthus92
Balloon Vine	~4 Contander	Helichrysum81	Mourning Bride84	Sea Kale Beet26
	e= Corn	Heliotrope81	Mushroom 46	
Balm		Herbs67	Muskmelon8, 43, 44	Seed Drills103
Balsam	Corn Salau	Hesperis 81	Musk Plant84	Sensitive Plant92
" Apple	.84 Cosmos	Hibiscus Africanus81	Mustard	Smilax92
" Pear	.84 Cowpea		Myosotis80	Snapdragon92
Barley	.69 Cress	Hollyhock82	Myrsiphyllum84	Sorghum70
Basil, Sweet	.67 Crimson Trefoil68	Honeysuckle 80	Lagrarphymum04	Sorrel58
Beans	or Crimson Trefon00	Horehound67	W	Spinach59
Beans, Scarlet Runne	Cucumber	Horse Radish39	Nasturtium46, 85	Spinach Beet26
Beet 3, 26	or Cucurona	Hotbeds18	Nicotiana85	Squash3, 60, 61
Begonia74,		Humulus Japonicus82	Nigella 85	Stock93
		Hungarian 69		
Bellis,		Hunnemannia79	Œnothera85	Straw Flower93
Bignonia		Hyacinth Bean82	Okra46	Sugar Beet27
Bird seeds			Onions47 to 49	Sugar Cane70
Bleeding Heart	100 Daisy79	Hyssop67		Summer Cypress82
Books	105 Dandelion38		Onion Sets49	Sunflower70, 93
Borage		Iberis82	Oxalis 85	Swede 66
Borecole		Ice Plant82		Sweet Peas 4, 94 to 98
Brazilian Morning		Impatiens Balsamina.82	Pansy86	Sweet Rocket 93
Glory	S2 Devil-in-a-Bush83	Immortelles82	Papaver	Sweet Sultan 77
Broccoli	09		Parsley50	
Brussels Sprouts	Diety tia (Dicentra)100	Ipomœa79, 82, 84	Parsnip 50	Sweet William98
			Peas 6, 51 to 55	Swiss Chard26
Buckwheat		Japanese Hop82	" Everlasting86	
Bulbs100 to	Dimor photeca	Job's Tears82	" Sweet4, 94 to 98	Togetes 100
Butterfly Flower	.74 Dolichos	Joseph's Coat82		Tagetes98
er 11	Dusty Miller 77		Pelargonium86	Tecoma74
Cabbage3, 28 to	Dwarf Morning Glovy 78		Pentstemon88	Tetragonia59
Caladium	100 Dwarf Morning Glory18	Kale40	Peony88	Thyme
Calceolaria	.74 Echinocystis99	Kochia82	Pepper55,	Tobacco,
Calendula		Kohl Rabi40	Pepper Grass38	Tomato
California Poppy			Periwinkle88	Tritoma102
Calliopsis		w 2 1 12 0 00	Pe-Tsai	Tropæolum98
Campanula		Lady-in-the-Green83	Petunia88	Trowels103
Canary Bird Flower		Lantana83	Phlox Drummondi88	Trumpet Vine74
		Larkspur82	Pie Plant58	
Candytuft		Lathyrus Latifolius82		Tuberose102
Canna Dall		" Odoratus82	Pinks	Turnip
Canterbury Bell		Lavender	Plant Bed Cloth103	
Caraway		Lawn Grass69	Poor Man's Orchid90	Wegetable Oyster58
Carpet of Snow	nlements 103	Leek40	Poppy	Verbena98
Cardiospermum	74 Farm Seeds, Miscel-	Lettuce4, 41, 42	Portulaca 90	
Carnation	76 laneous69, 70	Lilies	Primrose90	Vetch or Tare70
Carrot	31 Fennel, Florence39		Primula90	Vinca98
Cassaba		Linum83	Pumpkin	Viola Tricolor98
Castor Bean		Lobelia83	Pyrethrum90	Virgin's Bower77
Cauliflower		Love-in-a-Mist83	1 yr com am	Virginian Stock98
Celery 3, 33,		Lucerne or Alfalfa68	Dedich A 58 to 50	
		Lupin83	Radish 4, 56 to 58	Wallflower99
Celery Cabbage			Rape70	Watermelon 8, 45, 46
Celeriac	6) 6		Red Hot Poker102	
Celosia		Madeira Vine102	Reference Tables 104, 105	Weeders 103
Centaurea		Malcomia83	Reseda84	Wild Cucumber99
Cheiranthus	.77 Forget-Me-Not80	Mangel Wurzel 27	Rhodanthe90	Wind Flower71
Chervil		Marigold	Rhubarb58	Wistaria Chinensis99
Chicory		Marjoram, Sweet67	Ricinus90	Wormwood67
Chinese Cabbage		Marvel of Peru83	Rocket, Sweet90	
Chinese Primrose		Mathiola83	Roquette58	Zinnia99
	2 40134	11	2.54.00.00	
Commencial State Commencial Comme		·		

ORDER SHEET FOR STANDARD SEEDS EXTRA ORDER APPLICATION SHEETS AND ENVELOPES SENT ON RETURN NOTE D. M. Ferry & Co. give no warranty, express or implied, as to description, purity, productiveness or any other matter of any seeds or bulbs they send out, and they will not be in any way responsible for the crop. \$ Cts. PRICE For full instructions about ordering See Page 1 of SEED ANNUAL PRICE DETROIT, MICH. AMOUNT ENCLOSED Amount bound townard. POSTAL MONEY ORDER, \$ EXPRESS MONEY ORDER, TOTAL, hrom POSTAGE STAMPS. NAMES OF ARTICLES WANTED CURRENCY, NAMES OF ARTICLES WANTED DRAFT, COIN. BE SURE TO FILL IN THESE BLANKS R.F.D. 96. P.O.Box State PLEASE LEAVE THESE SPACES BLANK No GOODS SENT COD. UNKNOWN CORRESPONDENTS MUST BE CERTIFIED PERSONAL CHECKS OF Bulbs Bulbs Pounds Ounces Packets Ounces Packets Express or Freight Office Post Office. Name. County Street Pounds



D. M. FERRY & CO'S SEED ANNUAL 1917

Whatever Your Lot

Sow Ferry's seeds. The cost of living continues to rise but sunshine and rain are free. Still as of old the summer sun shines and summer rains fall in your own backyard. There is no land so poor that it cannot be made to grow something. Shall it be something worth while or weeds?

You can afford to enjoy a bigger garden this year because the value of the yield was never before so great as compared with the cost of fresh or preserved vegetables. The yield is great, too, in satisfaction for Ferry's pure bred seeds are selected for generations to produce the choicest possible fruits. We place at your service the facilities of the largest and best equipped seed growing and selling organization in the world. It costs more to produce the kind of seeds we sell but you cannot afford to plant anything but the best. The best is always the cheapest.

OUR TERMS ARE STRICTLY CASH WITH THE ORDER. We do not send C. O. D., as the cost of collecting return charges is quite an unnecessary item of expense and the prices being given, we can conceive of no necessity to warrant goods being so sent.

HOW TO SEND MONEY. Remittances may be made at our risk by any of the following methods, viz: Postal Money Order, Draft on New York or Chicago, or Express Company's Money Order.

The rates charged for Postal Money Orders and Express Money Orders are now so low that these are the best ways to remit. We will bear the expense of sending money in either of these ways, or of the cost of a New York or Chicago Draft if no more expensive than a Postal Money Order. Deduct the cost of the order from amount sent. Express Money Orders can be obtained at all offices of the principal Express Companies. They are cheap and absolutely safe.

When Money Orders cannot be obtained, letters containing money should always be registered. Money in ordinary letters is unsafe. If currency is sent by express, the charges should be prepaid, and if local checks are used they must be certified.

NAME AND ADDRESS SHOULD ALWAYS BE GIVEN. Frequently we receive unsigned letters. Sometimes they contain money and orders. Sometimes too, letters are received in which the name of the town is left out and the postmark is blurred. We cannot fill orders unless we know the name and address of the buyer. The easiest way for you is to use our order sheet filling in the blanks.

FREE OF POSTAGE OR EXPRESS CHARGES. Packets, Ounces, Two Ounces, Quarter Pounds or Pounds, ordered at list prices, will be sent free by mail or express.

Customers ordering enough for a freight shipment, 100 pounds or more, or desiring to pay their own express charges, may deduct 8 cents per pound from prices of this catalogue on all seeds quoted by the pound or less.

Where perishable or other goods are ordered to be sent by freight or express to such great distances that the cost of transportation will nearly or quite equal the value of the goods, we must decline to ship unless purchasers remit us, in addition to the price of goods, sufficient funds to prepay transportation charges. When this requirement is not complied with, we reserve the right of declining the order and returning money to the person ordering.

In common with some other seedsmen we have, for the convenience of our customers as well as ourselves, discontinued the use of the terms bushel, peck, quart and pint and now quote all seed listed in our catalogue by weight.

Ten pounds of Beans, Corn or Peas are now supplied at the 100 pound rate. On Grass, Clover, Miscellaneous Farm Seed and other seeds where 100 pound prices are quoted we supply 25 pounds at 100 pound rate.

HUNDRED POUND LOTS. When ordered at the 100 pound rate we deliver free at depot or express office in Detroit, Michigan: the freight or express charges to be paid by the party ordering.

SEEDS BY WEIGHT. We supply half pound and over at pound rates; less than half pound lots are charged at ounce, two-ounce or quarter pound rates. We do not, however, put up half pounds of beans, corn or peas.

BAGS. To every order for 10 pounds and upwards, to the amount of 100 pounds, 30 cents must be added for a new bag in which to ship.

SEEDS IN PACKETS. We offer the following inducements to those wishing to purchase seeds in packets: Select packets to the value of \$1.15 and send us \$1.00; for \$2.35 send \$2.00; for \$3.60 send \$3.00; for \$4.85 send \$4.00; for \$6.15 send \$5.00; for \$12.50 send \$10.00; for \$26.00 send \$20.00. The seeds will be sent by mail, postpaid, but these low rates apply to seeds in packets only and at catalogue prices and not to seeds by weight.

NON-WARRANTY. Sometimes though not often our seeds do not come up after planting. This may be due to one or more of several reasons, such as covering too deeply or not deeply enough, too much or too little water, too cold weather or a baking sun which forms a crust too hard for the tender shoots to penetrate. Sometimes insects destroy plants at the surface before they are seen by the gardener. We cannot personally direct the use of our goods after they leave our hands; neither can we fully control anywhere or at any time the operation of natural law as it affects seeds; therefore, we give no warranty, express or implied, as to description, purity, productiveness, or any other matter of any seeds or bulbs we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

D. M. Ferry & Co.

Detroit, Mich., January 1, 1917.

PLAN FOR KITCHEN GARDEN

WHERE SPACE IS LIMITED

For the convenience of those who have only a limited space at their command, the accompanying plan is suggested as an aid in laying out a small kitchen garden.

Where the rows are made the distances apart indicated on this diagram, thirty-five feet are required in one di-

rection.

If the rows are to run east and west it is desirable to have the corn at the north end, otherwise the corn is likely to shade too much the rows near it on the north side.

The rows may be as long as space permits or individual preferences may call for, and where space is less limited, more rows of favorite sorts may be added or provision made for other vegetables or flowers that may be desired.

The Asparagus, Horse Radish and Rhubarb should be permanent beds.

Among the varieties of vegetables that we recommend, mentioned somewhat in order of planting, are the following:

Tomato, Early-Earliana, Chalk's Early Jewel and Early Detroit.

Cabbage, First Early—Early Jersey

Wakefield.

Cabbage, Second Early and Intermediate—Early Summer, Succession and Early Winnigstadt. Cauliflower-Early Favorite

Early Snowball.

Onion-Bunching and White Portu-Pepper-Large Bell or Bull Nose

and Giant Crimson.

The above sorts do best when started indoors and transplanted. Others mentioned below may be sown outdoors.

Lettuce, Clustering or Loose Leaved-Black Seeded Simpson and Ferry's Early Prize Head.

Lettuce, Cabbage or Heading-California Cream Butter and Big Boston. Onion—Yellow Globe Danvers,

Southport Red Globe and White Globe

Radishes—French Breakfast, Early Scarlet Turnip, White Tipped, Early Long Scarlet and Crimson Giant Turnip.

Spinach-Early Giant Thick Leaved and Long Season.

Parsley-Plain and Champion Moss Curled. Asparagus—Palmetto and Conover's Colossal.

Peas—Nott's Excelsior and Premium Gem (dwarf) and Champion of England (tall).

Beet—Detroit Dark Red and Crosby's Egyptian. Corn, Early-Mammoth White Cory, Crosby's Early and Golden Bantam.

Corn, Main Crop-Ferry's Early Evergreen and Stowell's Evergreen.

Beans, Dwarf Wax Podded-Golden Wax and Prolific German Wax, Black Seeded.

Beans, Dwarf Green Podded—Early Red Valentine and Stringless Green Pod.

Beans, Pole—Kentucky Wonder and White Crease

Cucumber—Early White Spine and Improved Long

Squash, Summer—Mammoth White Bush Scallop and Mammoth Summer Crookneck.

- 12	Rhubarb Horse Radis			
4 ft.	Asparagus	Salsify Parsnip		
3 ft.	Early Corn	Summer Squ <mark>ash</mark>		
4 ft.	Main Crop Corn			
2 ft. 2 ft.	Dwarf Peas " " Followed by Celery			
3 ft.	Early Cabbage and Cauliflower or Brussels Sprouts			
11/4	Early Beets (followed by Turnips or Fall Spinach)			
17,4	Lettuce (followed by Winter Radish) Parsley			
14 14 14 14	Onions Early Radish			
11/4	Dwarf Beans	" and Carrot or Endive		
3 ft.	Late Cabbage	Pepper		
3 ft.	Tomatoes Pole Beans			
5 ft.	Cucumbers, Melons or Late Squ	nash (One or more hills of each)		

Squash, Fall and Winter—Delicious and Hubbard. Musk Melon-Emerald Gem, Admiral Togo and Osage.

Water Melon—Peerless and Monte Cristo.

Carrot—Danvers and Chantenay.

Parsnip—Hollow Crown and Long White Dutch. Salsify-Mammoth Sandwich Island.

Cabbage, Fall and Winter-Early Winnigstadt, Fottler's Brunswick and Premium Late Flat Dutch. Turnip—Extra Early White Milan and Early Pur-

ple Top, Strap Leaved.

Even a small yard should have its flowers. Plant a few Sweet Peas or some Nasturtiums, either Dwarf or Trailing. Our mixtures of Asters, Pansies, Petunias, Phlox Drummondi, Poppies, Morning Glories, Marigolds, Verbenas and Zinnias, all are easily grown. A few packets of flowers well grown will give an abundant harvest of pleasure.

Each packet of seed gives cultural directions sufficient to insure success under normal conditions, and more detailed suggestions for many sorts will be

found in the following pages. Buy Ferry's seeds of your local dealer.

NOVELTIES AND SPECIALTIES

Detroit Dark Red Turnip Beet

Careful comparisons with all the prominent varieties on the market in this country and in Europe prove that the Detroit Dark Red Turnip Beet is the most uniform in shape and size and the most attractive in color. It is unsurpassed in quality. Universally recognized as the best beet for the market, the home garden and for canning. (See colored plate, page 53, and further description, page 26) Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Cabbage—Copenhagen Market

This is undoubtedly the most valuable cabbage of recent introduction. Our strain produces the characteristic large round heads that for their solidity and excellent quality make this variety so valuable for first early crop. (See cut



COPENHAGEN MARKET

on this page and further description, page 28) Pkt. 5c; Oz. 45c; 2 Oz. 80c; 1/4 Lb. \$1.25; Lb. \$4.50

Cabbage-Hollander or Danish Ball Head

We have given a great deal of attention to this variety and offer seed of our own growing which, judging from our trials, will produce more uniformly typical heads than can be grown from stock obtainable elsewhere. Very hardy, sure heading, very solid, of good quality and as one of the best keepers is particularly desirable for distant markets or for late spring use. (See cut and further description, page 30) Our own strain, Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00 Choice Danish grown, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Celery-Columbia

This is the best celery for the private garden. It is also excellent for the home market and is shipped extensively. Columbia matures early. It has no superior in beauty of golden shading, solidity and size of stalk. In rich nutty flavor we have found it unsurpassed. Try it and be convinced. (See cut on page 34 and further description, page 33) Pkt. 5c; Oz. \$1.00; 2 Oz. \$1.60; ¼ Lb. \$2.75; Lb. \$10.00

Cucumber—Improved Long Green

The Long Green is probably the best known and most extensively cultivated of all cucumbers. We have therefore given our stocks of Improved Long Green especial attention for many years, and are confident the stock we offer under this name is in a class by itself. The fruits are very long, often twelve to fifteen inches, uniformly slender and beautiful dark green. The large warts and spines are well distributed over the surface. We believe the stock we offer has no equal. (See cut and further description, page 38) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Squash—Mammoth White Bush Scallop

The handsomest of the summer squashes for the early market and the home garden. Our strain produces fruits of largest size, distinctly scalloped and somewhat flattened in shape. The fruits are uniformly warted and a beautiful, clear waxy white, instead of the yellowish white so often seen in the old Early White Bush Scallop. The stock we offer is exceptionally true to type. (See cut and further description, page 60) Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Squash—Delicious

The increased demand for this squash shows conclusively that its high quality has become more generally known and appreciated. Many prefer it to Hubbard, so long regarded as the standard of excellence. Delicious is a fall and winter squash of medium size. Although not very thick the shell is hard and strong. The flesh is bright yellow, thick, very fine grained and of most excellent flavor. We believe the seed we offer is equal to the best obtainable. (See cut and further description, page 61) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Sweet Peas—Early Flowering Spencers

A new class of Sweet Peas of which Yarrawa, offered by us last year, was the forerunner. The addition this year of several very desirable new shades and colors assures this class of a prominent place in Sweet Pea lists of the future. The flowers have all the excellent qualities of the later flowering Spencers but will bloom a full month or more earlier and furnish an abundance of flowers during the entire season. They are equally valuable for growing under glass or for planting outdoors. The following list represents the most recent introductions and the most desirable varieties of the class. (See cut, page 97, and further description, page 95)

Early Heather Bell. Rich and pleasing mauve, changing to mauve lavender after cutting. Pkt. 25c.

Early Melody. Rose pink on white ground. "25c.

Early Morning Star. Deep orange scarlet standard, orange pink wings. "25c.

Early Song Bird. An excellent pale pink. "25c.

Early Snow Flake. The most desirable Early Flowering White Sweet Pea. "25c.

Early Spring Maid. Bright pink on cream ground. "25c.

Yarrawa. Bright rose pink with creamy base. "15c.

Marigold-El Dorado

Salpiglossis

The charm of many a garden is often found in having some space devoted to flowers that are different from the well known favorites we are all familiar with. Salpiglossis is one of these desirable additions that should have a place in your garden. The dainty funnel shaped flowers in various shades of yellow, scarlet, crimson, blue or purple are beautifully veined or penciled and are borne on long graceful stems. They are excellent for cutting. (See colored plate, page 91, and further description, page 90)

Fine Mixed Pkt. 5c. Large Flowering Mixed Pkt. 10c.

Lettuce—May King

For many years we have made careful comparative trials of early varieties of Lettuce, including all novelties that promised to be of distinctive merit, but we have found none offered to be so reliable as May King as a first early heading sort. It is the best extremely early heading variety yet introduced for forcing under glass. It is equally desirable for first early planting out of doors where marketable heads are required as early as possible. Our stock is of superior quality. (See cut and further description, page 41) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.50

Lettuce—Big Boston


This compact, large heading lettuce leads all others as a shipping variety. In the north Big Boston is the sort most extensively cultivated in the open ground for early summer and fall markets. It is particularly adapted to muck lands. In the south Big Boston is used more than any other variety for shipment north in the winter. No other variety that we know of gives satisfaction under so many varying conditions. We heartily recommend our stock of Big Boston to the most discriminating trade. We believe the seed we offer is the best obtainable. (See description, page 41) Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Lettuce—Unrivaled Summer

A large, light bright green heading lettuce similar in habit of plant to Big Boston but a trifle earlier maturing as an outdoor summer variety and having no red or bronze shading on the leaves. The seed is white. The heads are large, firm and of excellent quality. (See cut and further description, page 41) Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¹/₄ Lb. 55c; Lb. \$1.75

Radish—Early Scarlet Turnip White Tipped

The stock we offer is exceptionally attractive in its splendid coloring. The scarlet is unusually deep and affords a very distinct and pleasing contrast with the large clear white tip. (See cut on this page and further description, page 56) Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 80c.



EARLY SCARLET TURNIP WHITE TIPPED RADISH



Beans-Detroit Mammoth Lima

This new pole lima bean is the result of many years of careful selection and is entirely distinct from any other variety we have ever tried. The mammoth pods are nine to eleven inches long, medium dark green in color and contain five to seven beans of the most excellent quality. It comes into bearing medium early and the vines, which are vigorous and strong growing, are exceptionally productive.

We believe that in introducing this variety we are presenting one of the most valuable novelties of recent years and one that is sure to become a standard sort. (See further description, page 25, and colored plate on opposite page which shows pods slightly reduced in size)

Pkt. 25c..

Beans-Michigan White Wax

This splendid variety may be briefly described as a white seeded Golden Wax. It is one of the earliest of the dwarf, snap beans. The vines are very vigorous and unusually productive. The pods are golden yellow, fully as attractive as our well known Golden Wax and of the same exceptionally fine quality. The seed is white, a most valuable feature heretofore unattained in a bush bean of highest quality. (See cut on this page and further description, page 20) Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Beans-Baldwin Wonder Wax

This variety is a most prolific, wax podded pole sort of excellent quality for snaps for the home garden. The vines are hardy and vigorous in growth, and when in condition for use as snaps the pods are very long, about seven inches, uniformly cylindrical, exceptionally brittle and stringless. The color is a very attractive light yellow. We consider Baldwin Wonder Wax the most desirable bean of its class yet introduced. (See further description, page 24) Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Corn-Charlevoix

In introducing Charlevoix Corn we are presenting a variety of the most distinctive merit and one with so many excellent qualities that it is certain to prove a valuable sort both for the home and market garden. This variety was originated at Charlevoix, Michigan, where it has been grown and selected for over fifteen years by one of the best gardeners in the state. The ears are about seven inches long, usually twelve rowed, and when in condition for use are deep creamy yellow in color. The grain is rather short, very sweet and tender and is unsurpassed in quality. In season it is about the same as Early Minnesota but remains in condition for use longer than most of the early or intermediate sorts.

We recommend a trial of this new variety; you are sure to be pleased with it. (See colored plate opposite and further description, page 35)

Pkt. 25c.

Corn—Mammoth White Cory


We consider this unquestionably the most desirable extra early corn. It is not only the best for the home garden but also for the market gardener's use, as it makes a large and attractive ear of good quality, earlier than any other corn. Mammoth White Cory was introduced by us in 1897. Our stock has been grown and selected with great care and is of first quality. (See cut and further description, page 35) Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Peas-Gradus

The vines of this very early wrinkled pea are similar in appearance to Telephone but are of medium height. The pods are very large, uniformly well shaped, pointed, handsome and are more attractive in appearance than those of the first earlies. The peas are very large and of splendid quality. (See further description, page 51, and colored plate, page 53) Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Peas—Alderman

We consider this in many respects the very best early main crop pea of the valuable Telephone type. The vines are tall growing, strong




MICHIGAN WHITE WAX BEAN


and vigorous and are exceedingly productive. The pods are of largest size, similar to but a little larger and a shade darker than those of Duke of Albany and about the same in season. The peas are unsurpassed in quality. Our stock of Alderman has been grown and selected with the greatest care and we recommend it unreservedly. (See further description, page 52) Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$14.00

Peas—Thomas Laxton

The earliness, productiveness, handsome appearance and unsurpassed quality make the Thomas Laxton a most valuable sort for market gardeners' use as well as for planting in the home garden. The vines are similar to Gradus but are darker in color. The pods are large and very attractive, with square ends, similar to but larger, longer and darker than those of Champion of England and as uniformly well filled. We consider that the control of the cont sider Thomas Laxton one of the best extra early peas yet introduced. Our stock is of superior quality. (See further description, page 51) Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$15.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation:
if ordered shipped prepaid add 8c per pound to the 100 pound price.





ADMIRAL TOGO AN ORANGE FLESHED ROCKY FORD

Muskmelon—Osage or Miller's Cream

Our strain of Osage is now so carefully developed that we believe it to be unequaled for very small seed cavity and the size and flavor of its richly colored fruits. They are of the medium to large size so desirable for later markets as well as the home garden. We are confident the seed we offer will please the most critical trade. (See cut and further decription, page 44) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Muskmelon-Admiral Togo

This small orange fleshed variety is an ideal melon for the table. It stands shipment as well as any of the green fleshed sorts, and has proven distinctly superior in quality. The fruits are exactly similar in size and shape to the green fleshed Netted Gem or Rocky Ford, and will pack equally well in the standard crate. Our stock is carefully bred in size and shape. It is densely netted. The flesh is very thick. We recommend Admiral Togo

to the most discriminating buyers. (See cut on this page and further description, page 44) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.25

Watermelon—Tom Watson

Unquestionably the most popular shipping melon. The fruits are large and long. The rind is tough. The flesh is rich red, sweet and tender. In many large markets the Tom Watson is without a rival. It supplies the demand completely for a melon of superior quality that will also ship well. (See cut and further description, page 45) Pkt. 5c; Oz. 10c; 2 Oz. 20c; 4 Lb. 30c; Lb. \$1.00

Tomato-Earliana

Each season we make thorough outdoor trials of all of the most promising tomato novelties in comparison with our own stocks, and for many years we have carefully observed the habit of growth, color, time of maturity and quality of practically every new variety catalogued by anyone. Each weekly picking of every variety is accurately tabulated in four groups as to number and weight of marketable fruits as well as those that seem small, rough or otherwise unsuitable. In none of these trials have we found a variety whose first pickings equaled our strain of Earliana in weight and quality of marketable fruits. The vines are small which permits close setting of the plants but they are also very productive for such an early variety. The fruits are bright deep scarlet, nearly round, smooth and of excellent quality. We consider our strain of Earliana to be the best first early tomato yet introduced. Our stock has been very carefully selected and grown under our own supervision and we believe the seed we offer is the best on the market. (See further description, page 62) Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50


Tomato—Early Detroit

We are convinced that our strain of Early Detroit is the best early purplish pink tomato for shipping. The variety as offered by us has met the exacting requirements of this most critical class of trade, especially of southern growers who supply the early markets of the north. Early Detroit is not only the most productive of the purplish pink tomatoes for the early market, but in uniformity and size of fruit, freedom from cracking, and from tendency to blight, it leads all others of its class. It continues better than any other market

sort with which we are acquainted to give large smooth fruits to the end of its season. It is also a desirable tomato for the home garden. Since its introduction by us in 1909 we have given the variety particular attention, and the seed we offer is of very superior quality. (See further description, page 62) Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00

Tomato—John Baer

An extra early scarlet fruited variety of superior merit. Although its first pickings are not equal to those of Earliana, the later pickings of John Baer show that it averages the largest of the extra early sorts, as well as being most attractive in color. Not only is this one of the very earliest to ripen its first fruits, but it continues to furnish marketable fruits much longer than other very early varieties. The vines are hardy, exceptionally vigorous, and show less tendency to blight than other varieties of this class. An invaluable variety for market gardeners, and the best extra early shipping sort. Also recommended as a most desirable early variety for canners. (See cut on this page and further description, page 62) Pkt. 5c; Oz. 55c; 2 Oz. \$1.00; ½ Lb. \$1.60; Lb. \$5.50



JOHN BAER TOMATO




A Caterpillar Tractor Plowing at Our Oakview Seed Farm



Harvesting a Crop of Dill Seed at Our Oakview Farm



Note Taking in the Pea Trials at Our Experimental Gardens



A Few of Our Travelers who Call on Yor- Dealer Each Year to Get His Order for Ferry's Garden Seeds

COOKING RECEIPTS

• INDEX. IN THE RESERVE OF THE PROPERTY OF THE

Good vegetables are delicious when properly cooked. They are among the choicest dishes that can be obtained. Fortunately as the price of meat has advanced the quality of vegetables has improved. From motives of economy, pleasure and health, no housekeeper can afford to overlook the home garden as a main source of food supply, especially if there are children in the family. Moreover since the appearance of food has much to do with its digestibility the garden can minister to health through the sense of sight also, for from the garden come the little extra things which make the difference between a dainty table and one that is commonplace or unattractive. Vegetables from the home garden are so fresh that proper cooking and serving add the last touches needed for perfection.

Few people realize what a variety of dishes the garden affords. The range is great. Also there are many excellent ways of cooking the same thing. We hope the following pages will help you to share in the opportunities that a little care and attention make possible to every one.

General Suggestions

Cooking vegetables in hard water requires more time than is mentioned in these receipts.

It is essential to avoid overcooking vegetables, as you lose thereby their delicacy of flavor, and if prolonged it usually makes them tough or tasteless.

The age and freshness of vegetables determine the time required for proper cooking. Cabbages, beets and carrots fresh from the garden will cook more quickly and are much better flavored than those taken from cold storage, or those which have become wilted on the market. Even from your own garden, vegetables freshly gathered have a more delicate flavor and require somewhat less cooking than those that have become slightly wilted.

Always cook strong flavored vegetables such as cabbage, onions and turnips in uncovered vessels; also cook uncovered all vegetables whose color you wish to retain, such as young peas, beets and rhubarb.

Thoroughly wash all vegetables in clean, cold water before preparing for cooking. Spinach may be washed to advantage as many as eight times.

Unless otherwise directed, all spoon measurements are level.

Soak in cold water half an hour before cooking all leaf and stalk vegetables such as turnips, cabbage and celery.

Start all vegetables in boiling water. Salt most vegetables after half done.

See page 16 for sauces to go with vegetables.

ASPARAGUS

This is one of the earliest and most delicious of spring vegetables. Where space is available a permanent bed 8 or 10 feet square will be found a valuable addition to the home garden.

CREAMED ASPARAGUS

Prepare asparagus by washing, trimming, and catting into ½ inch pieces. Boil about 25 minute except the tips which should not be put in till the last 10 minutes. Drain and serve with white sauce (see page 16), or in bread cases, saving out the tips to use as a garnish.

ASPARAGUS ON TOAST WITH BUTTER SAUCE

Trim the hard or tough end from lower part of stalk, wash, remove scales and tie with a piece of soft twine or tape. Cover with boiling salted water and cook until tender, or from 20 to 30 minutes, leaving tips above water the first 10 minutes. Lift bunches out of water by tape, drain, remove tape and lay on pieces of toast. Serve with butter, or a sauce made as follows:

1/4 cup butter
1/2 teaspoon salt

½ teaspoon finely chopped parsley ¾ teaspoon lemon juice

½ teaspoon pepper ¾ teaspoon lemon juice
Put butter in a bowl, and work with a wooden
spoon until creamy, add salt, pepper, and parsley,
then lemon juice very slowly.

ASPARAGUS WITH HOLLANDAISE SAUCE

Prepare asparagus same as for asparagus on toast. Serve with Hollandaise sauce (see page 16).

BEANS

Beans, in their many varieties are among the most valuable and extensively used of all vegetables. With the exception of the limas all are suitable when rung for use as snaps.

CREAMED NEW SNAP BEANS

Take 2 quarts of beans, cut in half-inch pieces and wash carefully; drain and cover with boiling water; boil until tender. Do not cover beans while cooking Drain and cover with white sauce (see page 16) made with either butter or bacon drippings. The bacon drippings improve the flavor of the beans and are much less expensive than butter.

SHELL BEANS

Dry beans should be thoroughly washed and picked; and are much improved in quality if allowed to soak in cold water a couple of hours before cooking. Cook from 1 to 1½ hours in a sufficiently small quantity of water so that there will be none to drain off when beans are fully cooked.

LIMA BEANS

Lima beans are most delicious when used as green shells, especially if freshly shelled and pods are not too mature.

BEETS

Garden beets are generally recognized as one of the best root vegetables, and in the form of sugar possess a high food value.

The tops of most varieties, especially the Swiss Chard, make delicious greens.

BOILED BEETS

Wash and cook whole in boiling water until soft, which will require from one to three hours. Drain and put in cold water, and the skin may be easily removed. Cut in slices or cubes, season with butter, salt and pepper or serve with white sauce.

The length of time required to cook will depend on whether the roots are fresh, old beets requiring considerably more time.

BEET GREENS WITH YOUNG BEETS

The beets usually used for greens are those that are pulled in thinning out the seed row, and are most desirable if roots have not reached 1 inch in diameter. Wash thoroughly and cook until tender in boiling salted water. Both tops and root are used; the flavor may be improved by the addition of a piece of bacon. Season with butter, salt and pepper. Serve with or without vinegar.

PICKLED BEETS

Cut cold boiled beets into cubes or slices and cover with vinegar, adding 1 teaspoon salt, dash of pepper and 1 tablespoon sugar to each half cup of vinegar used.

SWISS CHARD

This kind of beet is grown exclusively for the numerous, fleshy, tender leaves and leaf stalks, which are superior to those of other beets for use as greens. Later in the season the wax-like leaf stems are cooked like asparagus or are pickled. When properly prepared it will be found a most delicious vegetable.

PLAIN BOILED CHARD

Wash and cut the stalks 1 inch wide; put in saucepan and cover with boiling water; boil 30 minutes, or until tender; drain; dust with salt, 1 teaspoon to the quart of chard; garnish with hard-boiled egg. Serve with either lemon juice or vinegar. May also be boiled with smoked bacon.

CREAMED CHARD

Strip the green from the ribs; boil the green alone; drain and cream same as spinach.

Cut the ribs in 3-inch pieces; put in saucepan; cover with boiling water and boil 35 minutes, or until tender drain; dust with salt; pile in center of shallow dish and pour the creamed green around.

Garnish with 1 hard-boiled egg chopped fine.

BRUSSELS SPROUTS

This vegetable is used in the fall and early winter and by some considered more tender and delicious than any cabbage. The small, cabbage-like heads when properly prepared make a very tempting and nutritious side-dish. Wash and pick oft outer leaves. Place the heads in pan of boiling water, to which has been added a handful of salt and a small piece of soda. Do not cover while cooking. Boil quickly until tender, which should take about 15 minutes. Drain off water, spread a little butter over them, pepper slightly and serve hot.

CABBAGE

Cabbage is a desirable vegetable that may be had at all times of the year. Its characteristic flavor and food value have made it one of the most extensively grown vegetables for home use.

BOILED CABBAGE

Remove outer leaves, cut in quarters and remove part of core. Soak a few minutes in cold water to which has been added a teaspoon of vinegar or salt This will draw out any insects that may be lodging under the leaves. Drain. Have sufficient boiling water to which has been added a tablespoon of salt and a small piece of soda. Let the cabbage boil quickly till tender, leaving the dish uncovered while cooking. This may be served in the following ways

1st, Seasoned with butter, salt and pepper. 2nd, With white sauce (see page 16). 3rd, Scalloped as per directions below.

SCALLOPED CABBAGE

Cut one-half boiled cabbage in pieces; put in buttered baking dish, sprinkle with salt and pepper, and mix well with ½ as much white sauce. Cover with buttered crumbs, and bake until crumbs are brown

COLE SLAW

Select a small, solid cabbage, remove outer leaves Cut in quarters, and with a sharp knife slice as thin as possible. Soak until crisp in cold water, drain, dry between clean cloths and serve with cream dressing made as follows:

1 teaspoon mustard A few grains cayenne 1 teaspoon salt 1 teaspoon melted butter 2 teaspoons flour Yolk 1 egg

Mix dry ingredients, add butter, egg and vinegar slowly. Cook over boiling water until mixture thickens; cool and add to heavy cream beaten until stiff.

HOT SLAW

Slice cabbage as for Cole Slaw, using one-half cabbage. Heat in a dressing made of yolks of two eggs slightly beaten, one fourth cup of cold water, one tablespoon butter, one fourth cup hot vinegar, and one half teaspoon salt, stirred over hot water until thickened.

CARROTS

The carrot is one of the most wholesome of our garden vegetables, and is deserving of more general cultivation for table use. Whether used in soups, or stews, for garnishing, as a side dish alone, or in combination with peas or other vegetables, it is always attractive. Carrots should be merely washed and scraped (not peeled) before cooking, as the best flavor and brightest color are near the skin.

CREAMED CARROTS

Wash, scrape and cut the carrots into small cubes, put on to boil with boiling water enough to cover; boil until tender, without a cover. Serve with white sauce.

CARROTS AND PEAS

Wash, scrape, and cut carrots in strips, cubes or fancy shapes; cook until soft in boiling salted water. Drain, add an equal quantity of cooked green peas.

Season with butter, salt, and pepper, or serve with white sauce.

CARROTS AND ONIONS

Fry out bacon cut fine or use half lard and half butter. Put in some finely cut onions (two fair sized bulbs to a quart of carrots) and fry a golden brown. Have carrots scraped and cut in small pieces. Add about a half glass of hot water, cover tightly and cook over a slow fire for about two hours or until the carrots are done. Season to suit.

CAULIFLOWER

Cauliflower, although one of the most delicious vegetables, is but little grown except by professional growers, because of the erroneous notion that it is so difficult to grow that only skilled gardeners can produce it. The flavor is more delicate than cabbage; it is also more easily digested, and may be served in so many attractive ways that it is surely worthy of more general use.

CREAMED CAULIFLOWER

Remove leaves, cut stem off close, and let stand from fifteen minutes to one-half hour in salted water. Put it stem side down in boiling water sufficient to cover it, to which has been added one teaspoon salt.

Cook uncovered from one-half to one hour, drain, separate florets and reheat in one and one-half cups white sauce. Hollandaise sauce may be used in place of the white sauce (see page 16).

CELERY

Regarded as one of the most appetizing fall and winter vegetables for eating uncooked. It is very palatable and nutritious when cooked, and is also a desirable addition to many soups and stews.

CREAMED CELERY

Wash, scrape and cut celery into inch pieces, and cook about 20 minutes, or until soft, in boiling salted water; drain, and to two cups celery add one of white sauce.

SCALLOPED CELERY

Mix boiled celery with a thick white sauce and pour into a buttered baking dish and cover with a layer of grated cheese and buttered crumbs. Brown in hot oven.

CORN

Corn, especially the sweet or sugar varieties, is one of the most generally cultivated of all vegetables. It is extremely high in amount of food content, containing one-third more food value, pound for pound, than whole milk. Not only is it a very palatable and nutritious table food that may be served in a number of ways, but is also one of the standard sorts for canning.

BOILED CORN

Green corn for boiling is decidedly superior in quality if picked just before cooking, its excellent qualities being greatly diminished if ears have become withered or stale.

Remove husks and silky threads. Cook ten to twenty minutes in boiling water. Place on platter covered with a napkin; draw corners of napkin over corn, or cut from cob and season with butter and salt.

ROAST CORN

To roast sweet corn leave the husks on the cob, put in a slow oven and bake one-half hour. Do not remove husk till ready to serve.

CORN FRITTERS

One dozen ears of sweet corn, grated, three beaten eggs, two tablespoons milk, two tablespoons flour, 1 teaspoon salt and a little pepper. Bake in small cakes on a griddle with plenty of butter. Serve hot.

CUCUMBERS

This is one of the vegetables that can be grown to perfection by any one who can control a few square yards of reasonably good soil. Every family should be supplied from their own garden, since the fruit is so much better when gathered fresh from the vines as desired for use than it is in the more or less wilted condition in which it is found on the market. The popularity of the cucumber is due largely to its pleasant flavor when served uncooked as an appetizer. It is also largely used for salads, either alone or in combination with other vegetables, and while not usually regarded as a cooking vegetable, we believe the following receipts worthy of a trial.

BOILED CUCUMBERS

Old cucumbers may be pared, cut in pieces, cooked until soft in boiling salted water, drained, mashed, and seasoned with butter, salt and pepper.

FRIED CUCUMBERS

Pare cucumbers and cut lengthwise in one-third inch slices. Dry, sprinkle with salt and pepper, dip in crumbs, egg, and crumbs again, fry in deep fat and drain.

EGG PLANT

The egg plant is increasing in popularity as a palatable substitute for meat. When cooked in fat it has considerable food value, and when properly prepared will be found as desirable as many of the better known vegetables.

FRIED EGG PLANT

Peel and cut an egg plant into one-quarter mch slices, dust with salt and pepper, roll in beaten egg yolk, then in fine bread crumbs, and fry in deep fat.

STUFFED EGG PLANT

1 egg plant 1 beaten egg 1 cup softened stale bread crumbs Salt, pepper and 2 tablespoons butter paprika to taste ½ tablespoon finely chopped onion

Cook egg plant fifteen minutes in enough boiling salted water to cover. Cut a slice from the top and remove pulp, taking care not to come too close to the skin. Chop pulp and add crumbs.

Melt butter in frying pan, add onion and fry five minutes. Add chopped pulp, crumbs and seasoning and cook five minutes. Let cool slightly, add beaten egg and refill egg plant. Cover with buttered bread crumbs (½ tablespoon melted butter to ½ cup crumbs) and bake twenty-five minutes in a hot oven.

KALE

Extensively grown, especially in the south, for the leaves, which are used as greens. It is as easily grown as cabbage, and by many considered decidedly superior in flavor.

KALE WITH BACON

Cut away the outer and decayed leaves, and the stalks, wash with care and drain. Cook in boiling water, slightly salted, until tender (about thirty minutes). Drain thoroughly, chop fine and serve with white sauce (page 16). Garnish with thin strips of bacon, fried brown, and white of hard boiled egg cut in rings; the yolk may be grated and sprinkled over the top. To vary the flavor substitute bacon drippings for butter, in the white sauce.

KOHL RABI

The edible part is the turnip shaped bulb formed above ground. It is tender and of excellent quality when used before fully grown, combining somewhat the flavors of cabbage and turnip. The bulbs are most desirable for use when about the size of an egg.

FRIED KOHL RABI

Parboil for half an hour, cut in half and fry in melted butter fifteen or twenty minutes. Serve over them the butter in which they were cooked, and dredge with salt and pepper. The time required to cook kohl rabi depends largely upon the age at which it is used.

KOHL RABI AU GRATIN

Slice kohl rabi, boil twenty minutes, or until nearly tender, and arrange layers in a baking dish with white sauce (page 16). Season each layer with pepper and salt, sprinkle the top with grated cheese and buttered crumbs (1 tablespoon butter to 1 cup crumbs) and bake twenty minutes in moderate oven.

LETTUCE

Every garden, regardless of size, should contain a liberal planting of this popular vegetable.

Although most extensively used as a salad plant it will also be found desirable as a cooked vegetable; the coarse outside leaves may be shredded and used in soups.

STEWED LETTUCE

Trim away the outer leaves, wash carefully, and boil in plenty of salted water until tender. Drain and press out all water. Put into saucepan with pepper, salt and a little butter. Dredge lightly with flour and add three tablespoons of good gravy or one-quarter cup cream. Simmer gently for a quarter of an hour, stirring constantly. Add 1 dessertspoon of vinegar or lemon juice and serve hot. If cream is used omit lemon juice or vinegar.

OKRA OR GUMBO

Okra is extensively grown in the Southern States and has many excellent qualities which make it worthy of more general cultivation. Although known in some sections only through its use in gumbo soup, it may be cooked in many appetizing ways, either alone or combined with other vegetables or meats.

Okra should always be cooked in agate, porcelain or earthenware, as vessels made of iron, copper or brass will discolor the pods and often make them unfit for use.

STEWED OKRA

Cut the ends off the pods of young okra, boil for one hour in salted water, then drain and reheat in a saucepan with some melted butter. Fry brown, keeping well stirred to prevent scorching; season well with salt and pepper, and when thoroughly heated serve. If desired a cup of tomato sauce may be added when starting to fry.

BAKED OKRA

Arrange alternate layers of sliced cooked okra and tomato in a well buttered baking dish, separating them with layers of boiled rice well seasoned with salt and pepper and dotted with butter. Cover the top with fine buttered bread crumbs (1 tablespoon butter to 1 cup crumbs) and brown in hot oven.

OKRA SOUP

2 lbs. chicken, or beef without fat or bone 1 onion chopped 2 cups okra chopped fine 14 lb. butter 2 dqts. cold water 1 onion chopped fine Salt and pepper

Cut the beef or chicken into small pieces and season well with pepper and salt. Fry it in the soup kettle with the onion and butter until very brown. Then add the cold water and let it simmer for an hour and a half; add the okra, and let it cook slowly for about three hours longer.

ONION

The onion is one of the most generally used of all vegetables. It not only contains considerable nutriment and has valuable medicinal properties, but is most useful in counteracting the bad effects of sedentary life. The disagreeable odor it imparts to the breath may be avoided in a great measure by thorough cooking, or by eating a few leaves of parsley.

SMALL ONIONS IN CREAM

Put small enions in a dish of cold water and remove skins while under water. They should then be put in rapidly boiling water, and this changed after the first five minutes of cooking, then put in fresh boiling salted water, and cook for from half an hour to forty minutes. Serve with white sauce. For onions "Au Gratin" fill a buttered baking dish with creamed onions; cover with grated cheese and let heat in oven five or six minutes.

ONION SOUFFLE

1 cup white sauce (page 16)
½ cup stale bread crumbs
1 teaspoon chopped parsley
1½ cups cold boiled onions, chopped fine
2 eggs (yolks and whites beaten separately)

Add to white sauce the bread crumbs, parsley, onions and yolks of eggs, in order given. Mix thoroughly and fold in with a fork the stiffly beaten whites. Put in buttered baking dish or individual ramekins, sprinkle with buttered crumbs and brown in oven.

PARSNIP

The value of the parsnip as a culinary vegetable is well known, and because of its excellent keeping qualities should be planted in every home garden, especially where other vegetables are not procurable throughout the winter.

PARSNIP FRITTERS

Wash and cook forty-five minutes in boiling salted water. Drain and plunge parsnips into cold water and the skins will slip off easily. Mash, season with butter, salt and pepper, and shape in small flat round cakes, roll in flour and fry in butter.

PARSNIPS AND DRAWN BUTTER SAUCE

Clean and scrape young parsnips and cut into small pieces; cook until tender in boiling salted water (about 10 minutes). Drain and serve with half the quantity of drawn butter sauce.

Drawn Butter Sauce

1/3 cup butter
3 tablespoons flour
1/2 cups hot water

½ teaspoon salt
½ teaspoon pepper

Melt half the butter, add flour with seasoning. Pour on the hot water gradually, then add remainder of butter in small pieces.

PEAS

Probably no vegetable is more universally appreciated than young peas fresh from the garden. They contain a comparatively high percentage of protein, and are usually considered, with green corn, as having the highest food value of all garden products. Proper cooking when the peas are in prime condition for the table insures a food delicacy that is unsurpassed.

BOILED PEAS

Remove from pods and cook in a small quantity boiling salted water until tender. Add salt the last five minutes of cooking. Drain; season with butter, pepper and salt. If they have lost much of their natural sweetness they are improved by the addition of a small amount of sugar.

They may be served with half the quantity of white or drawn butter sauce.

PEA TIMBALES

Rub 1 quart of cooked peas through a sieve. To every cup of pea pulp add two beaten eggs, two table-spoons melted butter, two-thirds teaspoon salt, one-eighth teaspoon pepper and a few drops of onion juice. Pack in buttered moulds and bake in a moderate oven until firm. Serve with one cup of white sauce to which has been added one-third cup of peas.

PEPPER

Peppers when properly prepared make some of the most attractive salads for the table, and their value as a food as well as an appetizer, is giving them increasing popularity. They may be used either green or ripe for salads, chili sauce and chow chow, and are a desirable addition to meat and vegetable dishes of many kinds.

STUFFED GREEN PEPPERS

Slice the stem end from sweet peppers. Cut away inside seed and pulp, and fill with a mixture made of one cup fine crumbs, one grated onion, one-half cup chopped nuts, one teaspoon salt and two teaspoons of melted butter. Set in a pan containing a little water and melted butter and bake from twenty minutes to half an hour, basting occasionally.

ESCALLOP OF PEPPERS AND CORN

Cut enough sweet corn from cob to make three cups. Take two or three sweet green peppers and remove inside pulp and seeds; then slice in very thin circles, and arrange in alternate layers, salting each layer, until dish is filled, finishing the top with peppers. To a cup of cream, or milk, add one beaten egg and two tablespoons of melted butter; pour this over the whose and bake for half an hour in a hot oven. Canned corn may be used, in which case less cream will be needed.

WARMED OVER POTATOES

To a quart of cold peeled potatoes add a table-spoonful of fat, preferably bacon fat; season well with salt and pepper and heat slowly. Chop fine and when thoroughly heated add a cupful of sour cream. Sweet cream will do but the sour gives a little better flavor. If well warmed and properly seasoned they are much better than when first cooked.

RHUBARB

Rhubarb, also known as pie plant or wine plant, is the earliest spring vegetable, and is grown for its long leaf stalks, which are extensively used for pies, sauce and other dishes. Its piquant flavor makes it a desirable appetizer and an excellent accompaniment to the heavier and plainer foods of the diet.

RHUBARB PIE

1½ cups rhubarb ½ cup sugar 1 egg 2 tablespoons flour

Skin, and cut stalks of rhubarb in half inch pieces before measuring. Mix sugar, flour and egg; add to rhubarb and bake between crusts. Rhubarb may be scalded first, thus losing some of the acidity and requiring less sugar.

SALSIFY

Salsify is rapidly gaining in favor as a desirable vegetable for fall and winter use. Its excellent keeping qualities are such that roots stored in the fall may be had throughout the winter months. The flavor is similar to that of oysters, and when cooked is palatable and delicious.

CREAMED SALSIFY

Remove tops from two bunches of salsify, scrape and cut in slices. Put in a bowl of cold water with a little lemon juice to retain whiteness. Drain and cook three quarters of an hour in enough boiling water to cover; add salt after fifteen minutes' cooking. Drain and serve with highly seasoned white sauce.

SCALLOPED SALSIFY

Boil salsify as for above, but drain before quite done. Arrange in layers with slightly browned buttered crumbs. Season each layer with pepper, salt and paprika. Pour one-half cup milk and one beaten egg well mixed over all and bake in moderate oven about fifteen minutes.

SQUASH

The squash is one of the most valuable garden vegetables. It is very palatable when cooked, and when used for pies is as delicious as pumpkin. The summer varieties come to the table early in the season, and should be used when soft and tender; the winter sorts when stored, may be had from August until the following spring.

FRIED SUMMER SQUASH

Select a very young summer squash and cut it in small pieces, removing seed and stringy portion. If squash is not young and fresh it should be peeled. Fry half an onion in one tablespoon of butter. When beginning to brown add squash and season with salt and pepper. Cook ten minutes, add one-quarter cup hot water and continue cooking until squash is tender.

BOILED OR STEAMED SUMMER SQUASH

If young and soft simply wash and steam till tender. If hard, pare and remove seeds, cook in boiling water till soft, turn into cheese-cloth strainer and press out juice till nearly dry; add butter, salt and pepper and serve.

BAKED WINTER SQUASH

Cut squash into pieces about two inches square and remove seeds and stringy portion. Sprinkle with salt and pepper and dots of butter. Put in a dripping pan and bake in a moderate oven about fifty minutes, or until soft. Serve in shell with butter, or scooped from shell and mashed. Season to taste.

BOILED OR STEAMED WINTER SQUASH

Wash shell, cut into pieces for serving, cook in boiling water or steam it in shell till tender; season as eaten; or if preferred, remove from shell, mash and season before serving.

SPINACH

When properly prepared no plant makes more wholesome and nutritious greens than spinach. It is of easy culture, and if a succession of plantings is made, edible greens may be had throughout an extremely long season.

SPINACH WITH EGGS

Carefully pick over spinach and wash in several different waters, changing from one pan to another each time. Heat gradually, adding but little water, and this may be omitted if spinach is very young and juicy. Cook over a slow fire until tender. Drain, chop fine and mash with a potato masher. Season with butter, pepper and salt, mound on platter and garnish with poached eggs.

SPINACH WITH CHEESE SAUCE

One quart spinach prepared as above, one tablespoon grated onion, salt and pepper, grated nutmeg, yolks of three hard boiled eggs. Mix well and add cheese sauce. Serve on rounds of toast and garnish with whites of eggs, chopped or cut in rings.

Cheese Sauce

1 cup white sauce, well seasoned

1 cup grated cheese

Cook in double boiler, keeping well stirred until cheese is melted.

TOMATOES

Probably as favorably known as any other vegetable. It is extensively used for culinary purposes, and is one of the leading vegetables for canning. When in season the fresh tomatoes are very desirable for salads.

TOMATOES STUFFED WITH EGG AND PEPPERS

Cut the inside from large, solid tomatoes and refill with a mixture of equal parts of chopped hard-boiled eggs and chopped sweet, green peppers, well moistened with melted butter and onion juice and seasoned with salt. Put in a baking dish, cover, and let bake for twenty minutes in a moderate oven.

Tomatoes may be stuffed in a great variety of ways, using fillings of chopped onion, fried cucumber,

spinach, or bread dressing with sage, etc.

FRIED TOMATOES

Put 1 tablespoon butter in frying pan and when melted lay in thickly sliced tomatoes which have been rolled in egg and crumbs. Fry and when brown turn carefully to avoid breaking the slices. Before serving season both sides with salt and pepper.

A half teaspoon of onion juice may be added to the

butter in which they are cooking if desired.

Serve plain or with white sauce.

DEVILED TOMATOES

Wash, peel and slice three or four large, solid tomatoes. Season with salt and pepper, dredge slightly with flour and fry in butter. Serve on a hot platter

with dressing made as follows:

Cream four tablespoons butter, add two teaspoons powdered sugar, one teaspoon mustard, one quarter teaspoon salt and a few grains of cayenne. Mix well and add yolk of a hard boiled egg rubbed to a paste, one egg beaten slightly and two tablespoons of vinegar. Cook in a double boiler, stirring until thick.

TURNIPS

The turnip is an agreeable and wholesome vegetable which is much in demand for fall and winter use. While more delicious if used when young and tender, the roots keep exceptionally well and make a palatable dish throughout the winter months.

TURNIP AU GRATIN

Cut boiled turnips in thin slices and arrange in a buttered baking dish in layers 1 inch deep; sprinkle each layer with melted butter, pepper, salt and grated cheese. Finish with cheese on top and bake for 20 minutes.

MASHED YELLOW TURNIPS

Peel and quarter 2 large sized turnips, cover with boiling water and cook until tender. Drain, mash and add 2 tablespoons of butter, 1 teaspoon of salt and a pinch of pepper.

CREAMED TURNIPS

Wash turnips and cut in half inch cubes. Cook in boiling salted water until tender, or from 20 to 30 minutes. Drain and serve with white sauce.

WHITE SAUCE For Every Vegetable

Use twice the quantity of vegetables cut in cubes as you use of the White Sauce.

The proportion of the sauce we have used in these receipts, to cubed vegetables is always in the ratio of 1 to 2, but this can be varied to suit individual tastes.

2 tablespoons butter 1 cup cold milk

2 tablespoons flour // Dash pepper (white pref-Dash paprika [erably)

Have all the ingredients measured before beginning to mix.

Melt butter in a shallow saucepan; remove from fire; add flour and mix until smooth. Return to fire and add cold milk, in three portions, stirring all the time. Add salt, pepper and paprika, and then boil for three minutes.

This sauce can be used for all creamed vegetables, such as cabbage, carrots, cauliflower, celery, onions, salsify and turnips.

Using one-fourth the quantity of flour with the other ingredients as stated above will give you the foundation for all cream of vegetable soups, except tomato.

HOLLANDAISE SAUCE

1/2 cup butter1/2 teaspoon saltYolks two eggsFew grains cayenne1 tablespoon lemon juice1/3 cup boiling water

Put butter in a bowl, cover with cold water, and wash, using a spoon. Divide in three pieces; put one piece in a saucepan with yolks of eggs and lemon juice, place saucepan in a larger one containing boiling water, and stir constantly with a wire whisk until butter is melted; then add second piece of butter, and, as it thickens, third piece. Add water, cook 1 minute and season with salt and cayenne.



OUR SEED WAREHOUSE "A"

The Essentials to the Production of

Good Vegetables and Beautiful Flowers

Good Soil A rich, sandy loam is the best, but a fair degree of success may be secured from any soil which can be made rich and friable. Vegetables of the best quality cannot be grown on barren sand, a cold, hard, lumpy clay, nor in the shade of orchard or other trees.

Liberal Manuring Asoil which does not need encicled the season of the street of the trees.

Liberal Manuring Asoil which does not need encicled the season of the season o

Thorough Preparation

Rich soil and liberal manufung will avail little without thorough and judicious working; if this is well done all that follows will be easy; if it is neglected, only partial success is possible and that at the cost of a great deal of hard work.

is possible and that at the cost of a great deal of hard work.

The garden should be well plowed or dug to a good depth, taking care, if it is a clay soil, that the work is not done when it is too wet. If a handful from the furrow moulds with slight pressure into a ball which cannot be easily crumbled into fine earth again, the soil is too wet and if stirred then will be hard to work all summer. The surface should be made as fine and smooth as possible with the harrow or rake. It is generally desirable to plow the whole garden at once and to do this in time for the earliest crops, but the part which is not planted for some weeks should be kept mellow by frequent cultivation.

Good Seeds There is no more prolific source of disappointment and failure among amateur properly Planted gardeners than hasty, careless or consists of a minute plant enclosed in a hard and more or less impervious shell with a sufficient amount of food stowed in or around the germ to sustain it until it can expand its leaves, form roots and provide for itself. Moisture, heat and a certain amount of air are necessary to secure germination. The germinating seed first absorbs water and swells. The starchy matters gradually become soluble. The seed-coats are ruptured, the rootlet emerges to go downward and the stemlet starts upward. The embryo lives for a time on the stored food, but gradually the plantet secures a foothold in the soil and gathers food for itself. Germination is complete when the plantlet is able to shift for itself.

A dry seed may retain its vitality and remain unchanged

A dry seed may retain its vitality and remain unchanged A dry seed may retain its vitality and remain unchanged for years, but after germination has commenced a check of a day or two in the process may be fatal. There is no time in the life of a plant when it is so susceptible of njury from the over-abundance or want of sufficient heat and moisture as at the period between the commencement of germination and the formation of the first true leaves. It is just then that the gardener should aid in securing favorable conditions. These are:

FIRST—A proper and constant degree of moisture. The soil should always be moist, never wet. To secure this cover the seed as soon as it is planted with well pulverized, freshly prepared earth pressing it firmly over the seed. This firming of the soil is very important as it brings the particles of earth into close contact with seeds and roots, prevents the drying out of the soil and facilitates quick growth. The best results are ob-tained in small gardens by laying a board on the row and then walking upon the board, or the back of the hoe may be used, but for truck farms and field crops a roller is equally satisfactory.

SECOND—A proper degree of heat, secured by sowing the seed when the temperature of the soil is that most favorable to the germination of the seed of that particular plant. Too high a temperature is often as detrimental as one too low. The proper temperature for each sort may be learned from a careful study of the following pages and the experience of the most successful gardeners in your vicinity.

THIRD—Covering the seed to such a depth that while a uniform degree of heat and moisture is preserved the necessary air can readily reach the germinating seed and the tiny stem push the forming leaves into the light and air. This depth will vary with different seeds and conditions of the soil and can be learned only from practical experience. In general, seeds of the size of the turnip should not be covered with more than half an inch of earth pressed down, while corn may be an inch, beans an inch to two inches and peas one to three inches deep.

FOURTH—Such a condition of soil that the ascending stem can easily penetrate it and the young roots speedily find suitable food. We can usually secure this by thorough preparation of the ground and taking care never to sow fine seeds when the ground is wet. Occasionally a heavy or long continued rain followed by a bright sun will so bake and crust the surface that it is impossible for the young plant to find its way through it, or a few days of strong wind will so dry the surface that the young plants will be killed. In such cases the only remedy is to plant again.

Judicious Cultivation

Not only should every weed be removed as soon as it appears, but the crust which forms after a rain should be broken up and the ground stirred as soon as it is dry enough to develop and the roots occupy the ground, cultivation should be shallower until it becomes a mere stirring of the surface. The yield and quality of vegetables have often been decidedly lowered by injudiciously deep and close cultivation after the roots of the plants had fully occupied the ground. A very small garden, well cultivated and cared for, will give larger returns and be in every way more satisfactory than a much larger one poorly prepared and neglected.

HOW TO BUILD AND MANAGE HOTBEDS

For early vegetables, some provision for starting certain for this earlier than can be done in the open air is desirable; for this purpose nothing is better than a good hotbed and its construction is so simple and the expense so slight that every garden should have one. A hotbed proper not only protects the plants from the cold, but supplies bottom heat. By this term the gardener means that the soil is constantly kept several degrees warmer than the air above, that being the condition, so far as heat is concerned, which is most favorable for rapid and vigorous growth, and gardeners usually secure it by making a compact pile of some fermenting material and covering it with the earth in which the plants are to grow.

Heating Material The best heating material that is easily available is fresh horse manure, containing a liberal quantity of straw bedding. Such manure, if thrown into a loose pile, will heat violently and unevenly and will soon become cold. What is wanted in the hotbed is a steady and moderate but lasting heat. To secure this, the manure should be forked over, shaken apart and if dry, watered and allowed to stand a few days and then be forked over again piled and allowed to heat a second time the object heing again, piled and allowed to heat a second time, the object being to get the whole mass into a uniform degree of fermentation and as soon as this is accomplished it is fit for use.

Sash Some gardeners use sash made especially for hotbeds and glazed with small lights cut from odds and ends and so furnished at very low rates. Such sash can usually be procured in any of our large cities and costs much less than if made to order. For garden use, however, we much prefera smaller sash that can be easily handled and the use of larger and better glass. We recommend that for home gardens the sash be about two and one-half by four or five feet and that the glass be not less than 10x14, laid with not more than one-quarter inch lap. In giving the order to one unaccustomed to the work, it would be well to state what they are to be used for, and that they be well to state what they are to be used for, and that they need to be made like skylight sash.

The Frame the skyight sash.

The Frame the back twelve to fourteen inches high, the front ten to twelve. It should be well fitted to the sash so as to leave as little opening as possible and yet allow the sash to be easily moved up and down, even when the frame is quite wet.

The Soil
This should be light, rich, friable. Any considerable amount of clay in it is very objectionable. If possible, it should be unfrozen when put into the bed; for this reason it is much better to prepare it the fall before and cover the pile with enough coarse manure or straw to keep out the frost.

Making the Bed This requires careful attention as future success depends largely upon the manner in which this work is done. Having cleared away snow and ice, build a rectangular bed one foot larger each way than the frame to be used, carefully shaking out and spreading each forkful and repeatedly treading down the manure so as to make the bed as uniform as possible in solidity, composition and moisture. It is of the utmost importance that this shaking apart and evenly pressing down of the manure should be carefully and thoroughly done; unless it is, one portion will heat quicker than the other and the soil will settle unevenly, making it impossible to raise good plants.

The proper depth of the bed will vary with the climate, season and the kind of plants to be raised. A shallow bed will quickly give a high temperature which will soon subside; a deeper one, if well made, will heat more moderately, but continue much longer. For general purposes, a bed about two feet deep will be best.

The bed completed, the frame and sash may be put on and fresh manure carefully packed around the outside to the very top (if the weather is at all severe, this outside banking should be replenished as it settles). The bed should then be allowed to stand with the sash partially open for a day or two to allow the steam and rank heat to pass off.

The earth should then be evenly distributed over the surface of the bed and carefully leveled. The earth should not be shoveled or dumped in one or more places in the bed and then leveled; if this is done uneven settling of the bed and then leveled; if this is done uneven settling of the bed in variably results. Care should be taken that the soil is dry and friable. If wet or frozen soil must be used, it should be jaced in small ples until well dried out before spreading.

degrees, but it soon subsides and when it recedes to 90 degrees the seed may be planted. The importance of using dry soil and allowing the first rank heat to pass off is very great. Every season thousands of hotbeds fail of good results from these causes and seedsmen are blamed for failure resulting from overheat, or wet, soggy soil.

Management of the Bed The essentials for success are a steady uniform degree of heat and moisture; keeping the soil at all times a few degrees warmer than the air and the careful "hardening off" (by exposure to the air and diminishing the supply of water) of the plants before transplanting into the open air. Simple as these may seem to be, there are many difficulties in the way of securing them, prominent among which is overheating the air under a bright sun.

which is overheating the air under a bright sun.

Without experience one would scarcely believe how quickly the temperature inside of a well built hotbed will rise to 90 or 100 degrees upon a still, sunny day, even when the temperature outside is far below freezing, or how quickly the temperature will fall to that outside, if upon a windy, cloudy day the sash is left open ever so little. A rush of cold air driven over the plants is far more injurious than the same temperature when the air is still. Again, in cloudy weather, a bed will go several days without watering, but will dry up in an hour when open on a sunny day.

A Cold-Frame is a simple construction of boards for wintering over young plants, Cabbage, Lettuce, Cauliflower, etc., and is also useful to protect and harden off plants from the greenhouse or hotbed before fully exposing them in the open air.

Select a dry, southern exposure, form a frame from four to six feet wide and as long as required. The back should be fourteen to eighteen inches high and the front eight to twelve, with a cross-tie every three feet. The frame may be covered with sash or cloth. Seeds of the vegetables to be wintered, sown in open border early in September, will be ready to plant in cold frames about the last of October. The soil should be well prepared and smoothly raked before planting. Admit air freely on pleasant days, but keep close in severe weather. on pleasant days, but keep close in severe weather.

These frames are particularly useful in the south and may hese frames are particularly useful in the south and may be covered more cheaply with cloth shades than by sash. The shades are made as follows: Make light but strong wooden frames to fit over the bed and of a width to receive some common brand of cotton cloth. The cloth may be unbleached and should be stretched over and securely tacked to the frames. We have found that Plant Bed Cloth, which we have for sale, is superior to any ordinary cloth for this purpose to is superior to any ordinary cloth for this purpose.

In transplanting, the main points to be Transplanting plants so as to avoid injury to the roots, setting out as soon as plants so as to avoid injury to the roots, setting out as soon as possible to prevent the air coming in contact with the roots, setting firmly so as to enable the plant to take a secure hold of the soil and shading to prevent the hot sun from withering and blighting the leaves. Where a rank or soft growth of tops has been made in hotbed it is frequently desirable to trim off some of the larger leaves before taking up to transplant; this will retard too rapid evaporation of moisture from the plant and usually will prevent wilting usually will prevent wilting.

In transplanting from a hotbed, harden the plants by letting them get quite dry a day or two before, but give an abundance of them get quite ary a day or two before, but give an abundance of water a few hours before they are taken out. It is most apt to be successful if done just at evening, or immediately before or during the first part of a rain, about the worst time being just after a rain, when the ground being wet it is impossible to sufficiently press it about the plant without its baking hard. If water is used at all it should be used freely and the wet surface immediately covered with dry soil.

Watering The best time to water plants is early in the morning or in the evening. Water may be given to the roots at any time, but should never be sprinkled over the leaves while they are exposed to bright sunshine. If watering a plant has been commenced, continue to supply it as it is needed, or more injury than good will result from what has been given. One copious watering is better than many scanty sprinklings. The ground should always be stirred with a hoe or rake before it becomes so very dry as to cake or crack.

ILLUSTRATED AND DESCRIPTIVE CATALOGUE OF VEGETABLE SEEDS

WITH GENERAL DIRECTIONS FOR CULTIVATION

The varieties in each class (for example, Wax Podded Beans) are usually arranged in their order of earliness. The descriptions of the varieties offered by us are based upon our very careful observations of the types as understood by us after many years of experience in carrying on a very large business. Our comparative trials of vegetables and flowers have been conducted on a large scale at our Experimental Gardens and Oakview Stock Seed Farm, both out of doors and in greenhouses, and our inspection each year of crops grown for us has extended not only from the Atlantic to the Pacific but has included many of the countries of Europe. Nevertheless it should always be remembered that many vegetables are much affected in their habit of growth of plant and size, form and quality of the fruits by conditions of soil, climate, location and mode of culture which are often beyond our control, and our descriptions are for what may be expected under conditions that are approximately normal and favorable for good development.

The cultural directions in this catalogue are necessarily limited but they are as complete as space permits. For additional cultural information see list of books on the inside of back cover of this Seed Annual.

ARTICHOKE

The seed we offer is that of the true artichoke which is an extensively used vegetable in Europe. In it the edible portion is the thickened scales at the base of the flower-heads or buds. The plant is very different from what is known in America as Artichoke or Jerusalem Artichoke, in which the edible portion is the tuber.

In February or March sow and transplant in hotbed so as to give plenty of room until danger of frost is over. Then set in very rich, well drained soil in rows four feet apart and two feet apart in the row. The plants can be raised in seed beds out of doors, but in that case will not be likely to produce heads the first year. Late in the fall cut off the old tops and thoroughly protect the crowns with leaves or straw to prevent severe freezing.

The second year thin the starting shoots to three of the best, which will commence to form heads about July 1st. The plants may also be blanched like cardoons. This is done by cutting back the stems close to the ground in July, the rapidly growing shoots which then start up may be tied and blanched like celery. As artichoke plants do not yield satisfactorily after three or four years, it is best to start a new plantation as often as once in three years.

Green Globe
The plant of this variety is of medium height with rather deep green leaves. The buds or flower-heads are green, nearly round or somewhat elongated. The scales are rather narrow and spiny, and are moderately fleshy at the base. Pkt. 5c; Oz. 50c.

ASPARAGUS

This is one of the earliest and most delicious of spring vegetables. We strongly urge all those having enough available space to put in a bed for their own use, following carefully the cultural directions given below.

Beds are usually formed by setting roots which can be procured of us. If you wish to grow plants from the seed yourself, pour warm water on the seed and allow it to stand until cool; pour it off and repeat two or three times with fresh warm water. Sow in spring in drills about eighteen inches apart and two inches deep in light, rich soil, planting fifteen to twenty seeds to each foot of row. When the plants are well up, thin to about one inch apart and give frequent and thorough cultivation during the surumer. If this has been well done, the plants will be fit to set the next spring.

this has been well done, the plants will be fit to set the next spring.

The permanent beds should be prepared by deep plowing or spading and thoroughly enriching the ground with stable manure or other fertilizer; a moist, sandy soil is best. If the subsoil is not naturally loose and friable, it should be made so by thoroughly stirring with a subsoil plow or spade. Set the plants about four inches deep and one to two feet apart in rows four to six feet apart. After the plants are well started, give frequent and thorough cultivation. Early the next spring spade in a heavy dressing of manure and about one quart of salt and double the quantity of fresh wood ashes to each square rod and cultivate well as long as the size of plants will permit, or until they begin to die down. The next season the bed may be cut over two or three times, but if this is done, all the shoots, no matter how small, should be cut. After the final cutting, give a good dressing of manure, ashes and salt. Cultivate frequently until the plants meet in the rows. In autumn after the tons are fully rine and sellow they should be cut and


In autumn after the tops are fully ripe and yellow, they should be cut and burned. A bed fifteen by fifty feet, requiring about one hundred plants if well cultivated and manured, should give the following season an abundant supply for an ordinary family and continue productive for eight or

Palmetto A very early maturing and prolific variety, producing an ty. SEED—Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c. ROOTS—Postpaid, \$1.50 per 100; by freight, express or parcel post, not prepaid, \$1.00 per 100; \$6.00 per 1000

Conover's Colossal This sort is one of the largest and most ex-green, sometimes tinged with purple at the top, very tender and of the best quality. SEED—Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c. ROOTS—Postpaid, \$1.50 per 100; by freight, express or parcel post, not prepaid, \$1.00 per 100; \$6.00 per 1000

Columbian Mammoth White

This excellent variety, introduced by us in 1893, furnishes shoots of exceptionally large size and of superior tenderness and flavor. The color is clear white until four to six linehs above the surface. A large proportion of the seeds will produce white shoots and the green ones can be rejected when setting out the permanent bed. SEED—Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c. ROOTS—Postpaid, \$1.75 per 100; by freight, express or parcel post, not prepaid, \$1.25 per 100; \$6.50 per 1000



No crop responds more readily than Beans to good soil and cultivation. A light, rich, well drained loam which was manured for the previous crop is the most desirable. If too rank manure is used it is apt to make the plant run too much to vine.

Beans are very sensitive to both cold and wet and it is useless to plant them before the ground has become dry and warm. The largest returns will result from planting in drills from two to three feet apart. Cover the seed one and one-half to two inches deep and thin the young plants three to six inches apart in the row. If planted in hills, make the hills about two feet apart each way. For succession, plant at intervals of one to two weeks till midsummer. The plants up to the time of blossoming should have frequent shallow cultivation, but any mutilation of the roots by cultivation after the plants come into bloom is likely to cause the blossoms to blast and so cut off the crop. Cultivation should always be very shallow and it is useless to expect a crop from a field so poorly prepared as to need deep stirring after planting.

We give careful attention to selecting and improving the different varieties and keeping them pure and we invite the most critical comparison of our stocks with those of any other grower.

The varieties of garden beans we offer have been separated for convenience into five groups: Wax Podded Dwarf or Bust sorts, Green Podded Dwarf or Bust sorts, Green Podded Dwarf or Bust sorts, Green Podded Dwarf or Bust sorts, Seren Podded Dwarf or Bust sorts, and pole Limas. Nearly all of these sorts, except the Limas, are suitable when young for use as snaps, which in some localities are called 'snapshorts.' The low growing sorts are called Bunch beans in some sections. In northern latitudes the term "butter beans" is often applied to low growing wax podded sorts. In the south, however, by "butter beans" is usually meant limas.

DWARF OR BUSH—WAX PODDED SORTS

Challenge Dwarf Black Wax

Continued experience has satisfied us of the great merit of this variety as the earliest sorts, we have found it the first to give a full picking of pods which were of very excellent quality. The plants although small are compact and erect, bearing pods well up from the ground. The pods are an attractive medium yellow in color, medium sized, about four and one-fourth inches long, roundish oval, considerably curved, fleshy, crisn, tender, and

fleshy, crisp, tender and stringless. Seed jet black, longer and more curved than Prolific German Wax. We consider this the best first early wax bean for the home or market garden. Pkt. 10c; 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

D. M. Ferry & Co's This is one of the ear-

liest and best dwarf sorts for the home market and private gardens. The plants are erect, compact, and very. productive. The pods are of medium length, four and productive. The pods are of inedium length, four and one-half to five inches, nearly straight, broad, flat, golden yellow, very fleshy and wax-like. The variety cooks quickly as snaps, shelling well when green, and is of superior quality used in either way. Seed medium sized, oval, white, more or less covered with two shades of purplish red. The amount and shade of color on this and all parti-colored beans will be affected greatly by conditions of soil and ripening. This very extensively used sort was introduced by many careful tests that none of the so-called improved strains is equal to the seed we offer of this standard eed we offer of this standard variety. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Michigan This splendid variety is one White Wax of the earliest dwarf, It is a white snap beans.



CHALLENGE DWARF BLACK WAX

snap beans. It is a whiteseeded Golden Wax bean of the original Golden Wax quality. Michigan White Wax was introduced by us in 1907. It is a
vigorous and very productive garden variety. The pods are abundantly produced and are uniform in size and color which is
a very attractive light golden yellow. They are four and one-half to five inches long, comparatively broad, meaty and of the same
superior quality as our Golden Wax. Seed medium sized, oval, clear white. This last feature alone gives the variety an advantage
over all other early wax podded beans in that as snaps they cook without discoloring and thus are more attractive on the table
It is a most desirable home garden, market and canning sort. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Grenell Rust Proof Wax deep yellow pods are about five inches long, are broader and flatter than our Golder.
Wax but are slightly inferior in quality. Seed similar to our Golden Wax but darker. This variety is sometimes called an
Improved Golden Wax and is popular with some gardeners. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Refugee Wax

The stock we offer is very productive, early and of superior quality. The plants are very vigorous and
branching. The pods are four to five inches long, thick, fleshy, round, stringless and wax-like, being of
a clear, light yellow color. Seed medium sized, cylindrical, rounded at ends, yellowish drab, heavily splashed with a bluish
black. This is much used for canning as well as for home garden and market. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid.

Keeney's Rustless Golden Wax

The plants of this very hardy and productive second early or intermediate sort are strong, vigorous and have short runners, and rather small smooth leaves Golden Wax. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Not less than 10 nounds at the 100 results of this very hardy and productive second early or intermediate sort are strong, vigorous and have short runners, and rather small smooth leaves Golden Wax. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price.

BEANS-DWARF OR BUSH

WAX PODDED SORTS—Continued

D. M. Ferry & Co's Detroit Wax and are about four to four and one-half inches in length. Seed medium sized, oval, white with more or less irregular dark brown or black markings about the eye. This is used for the home garden as well as market and shipping. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Prolific German Wax, Black Seeded

This improved strain of Black Wax we offer under this name is exceptionally productive, very hardy, reliable and of the best quality. It is very extensively used for snaps for the home garden and market. The plants are medium sized, erect in growth, with small foliage, very vigorous, early intermediate in season with longer bearing period than most sorts. The pods are of medium length, four and one-half inches, borne well up from the ground, curved, cylindrical and fleshy. They are of a clear, light golden yellow color and remain a long time in condition for use as snaps. Seed small, oblong, jet black. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Pencil Pod Wax

This very handsome black wax sort is medium early, fairly hardy and productive. It is one of the very best sorts for home use and for near markets where highest quality is desired. The polars are strong growing with roughened leaves. The pola are long, five and one-half to six inches, straight, round, fleshy and of a bright yellow color. They are tender, absolutely stringless and are produced through a long season. Seed long, round, medium sized, solid black. (Crop failed)

Currie's Rust Proof Wax is absolutely rust proof and we have found it as nearly rust proof as any wax podded bean. The plants are very vigorous, lardy and productive. The pods are light yellow, similar in shape to Golden Wax but longer, about five and one-half to six inches in length. Seed long, oval, rounded at ends, medium sized, purplish black. This is a well known market gardening and truckers' sort in some sections. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Dwarf Unrivaled Wax

The pods of this dwarf variety are longer than Golden Wax and a little lighter in color, are
rather narrow and somewhat flattened but fleshy, and when in proper condition for use are
plants are large and vigorous with leaves similar to Golden Wax in color and shape but are a little larger. The pods when well
grown are borne in abundance well up from the ground. Seed small, flat, slightly kidney shaped; color ochre-brown. This
sort is suitable for market gardeners and is also used for the home garden.

Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100

Lbs. \$25.00

Wardwell's Kidney Wax long, nearly straight, broad, light golden yellow, handsome pods. These are of large size, about six inches long, and are of good quality. They always command a ready sale, making the variety one of the most profitable for the market gardener as well as shipper. This is also very extensively used for snaps for the home garden. The plants are strong growing and bear their long pods well up from the ground. The leaves are large, broad and slightly roughened. Seed large, flattened, kidney shaped, white with dark markings about the eye. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Davis Wax a well known market sort, much used for shipping. The plants are very hardy and productive and the variety is very desirable where a handsome wax-podded, white seeded intermediate sort is wanted. The plants are very vigorous. The pods are remarkably long, about six inches, sometimes longer. They are handsome, light yellow, straight, very attractive and when young are crisp and tender. The dry beans are excellent for baking. Seed medium large, kidney shaped, clear white. Pkt. 10c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$27.50

Round Pod Kidney Wax

A very handsome midseason variety, especially desirable for snaps for the home garden. The plants are of strong growth, spreading and very productive. The leaves are large, broad and roughened. The pods are long and round, five and one-half to six inches, slightly curved, light yellow, wax-like, stringless and of the very best quality. Seed long, cylindrical, medium sized, nearly white with a little dark marking about the eye. Pkt. 10c: Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00


Scarlet Flageolet Wax This handsome variety of intermediate season seems to do especially well in the south and is a favorite with many truckers. The plants are large, strong growing, erect and produce very long, flat, rather coarse, deep yellow wax-like pods seven to eight inches in length. Seed very large, flat, bright red changing to plum-violet. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 post-paid; 100 Lbs. \$30.00

Violet Flageolet Wax

This sort is known also as Perfection Wax. The pods are very large, and are very similar to those of Scarlet Flageolet Wax. When well grown this is one of the most showy wax varieties. Seed large, tiat, dark violet. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Hodson Wax The plants of this late maturing variety are exceedingly vigorous, hardy and productive. It is rust resistant and is becoming popular with shippers. This variety is very well adapted for market gardening purposes on account of its vigor of growth, productiveness, handsome pods and freedom from bean diseases. The pods are handsome, clear creamy white, very long, about six to seven inches, straight or slightly curved, flat but fleshy and of good quality. They are crisp and tender if picked when quite young. Seed long, cylindrical, uniform in shape; color dull purplish red splashed with pale buff. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Crystal White Wax a distinct variety late maturing, sometimes called Silver Wax and not strictly a wax bean. It is desirable for pickles. The plants are vigorous, branching and very productive. The leaves are small. The pods are greenish white with silvery shade, short, about three and one-half inches in length, curved, round or thicker than wide, with crease in the back; very fleshy and brittle. Seed very small, oval, white. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00



PROLIFIC BLACK WAX

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation:
if ordered shipped prepaid add 8c per pound to the 100 pound price.

BEANS—DWARF OR BUSH **GREEN PODDED SORTS**

The green podded dwarf sorts are perhaps the most important class of garden beans and are probably more extensively used for snaps than the wax podded varieties, although the latter are considered by many as the more attractive in appearance. The green podded sorts are as a rule the more productive, being less sensitive to unfavorable conditions of soil and climate and of late years have been less susceptible to bean diseases.

Extra Early Refugee slightly curved, of medium size, about five inches long and of fine quality. The plants are a little smaller, more upright, and the leaves a little larger than those of the late Refugee, and the seed much the same in shape and color. Our stock is uniform, the vines ripening pods well together and long before those of the Refugee or Thousand to One. Seed long, cylindrical, rounded at ends, drab, nearly covered with dark purple blotches. This is an excellent snap bean for early markets and stands shipment well. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

Round Yellow Six Weeks, While this does not differ greatly from the Early Yellow Kidney Six Weeks in the appearance of the plants, the pods are shorter, much thicker, fleshier and mature earlier; the plants are usually shorter and more compact. The pods are about four and one-half inches long, attractive light green and are desirable for early snaps for the home garden and market. Seed medium sized, round, light yellow with darker marking about eye. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

The plants of this hardy variety known along Language.

Early Yellow Kidney Six Weeks large, vigorous, erect and very productive. The leaves are large. The polar so this hardy variety, known also as Long Yellow Six Weeks, are long, about six inches, straight, flat, handsome, rather light green and when young are of good quality for snaps. Seed medium sized, long, kidney shaped, light yellow with small brownish circle about the eye. This is early maturing and a fine shipper. It is much used, for the home garden and market. Pkt. 10c; Lb. 35c; 2 Lbs. 55c, postpaid; 100 Lbs. \$17.50

This excellent dwarf, green podded sort is similar in appearance to Early Yellow Kidney Six Weeks but is of much better quality. The vines are vigorous and productive. The pods are very long, six to seven inches.

Bountiful This excellent dwarf, green podded much better quality. The vines ar straight, broad, flat, of handsome appearance and absolutely stringless for snaps. They are tender and brittle much longer than most sorts. The pods are longer, broader and have much longer tips than those of Long Yellow Six Weeks. Seed medium sized, kidney shaped, light yellow with howmish airle about are Bountiful is a with brownish circle about eye. Bountiful is a most desirable early sort for snaps for the home garden. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

Extra Early Round For snaps there is nothing superior to this variety among the dwarf green


podded sorts both for the home and market the dwarf green podded sorts both for the home and market garden and many prefer it to the wax varieties. The plants are of medium size, erect, with dark green leaves. The pods are of medium length, about four and one-half inches, medium green color, curved, cylindrical, with crease in back, very fleshy, crisp and tender. Where the young plants have to contend with adverse conditions, no other dwarf bean is more certain than the Valentines are to set pods. Seed long, of medium size and unsymmetrical in shape, purplish pink splashed with pale buff. We know of no stock of Red Valentine which can be compared with that we offer in uniformly high quality of pod. Our strain combines in high degree all the good qualities of the sort. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

Black Valentine ductive green podded sort with strong, vigorous vines. The pods are nearly round or slightly flattened but very handsome, are much longer, straighter and less fleshy than Red Valentine, the plant a little more spreading, and in season a little later. A large crop can be depended on and the product is very attractive on the market. It is very extensively used for shipping. The pods are medium dark green and about six inches long. Seed small to medium sized, black, oblong, slightly flattened. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

Early Mohawk This hardy sort can be planted earlier than others and in this way will often furnish beans fit for use before any other green podded variety. The plants are large and stout, with large The plants are large and stout, with large coarse, dark green leaves. The pods are medium dark green, long, six to six and one-half inches, straight, coarse, flat, with long tapering points. Seed long, large, kidney shaped, variegated, drab, purple and brown. Pkt. 10c; Lb. 35c; 2 Lbs. 55c. postpaid; 100 Lbs. \$17.50

This early inter-

Tennessee Green Pod This early intermediate snap bean is very popular in some sections of the south and where known in other parts of the country is considered of exceptional merit. It is the longest podded dwarf sort. The plants are large, somewhat spreading and prolific. The are large, somewhat spreading and prolific. The foliage is dark green, with leaves large and crumpled. The pods are very long, often six to seven inches, flat, irregular in shape, bright but rather dark green and of exceptionally fine flavor. The green shell pods are much depressed between seeds. Seed of medium size, oval, flat, yellowish brown in color. Pkt. 10c; Lb. 35c; 2 Lbs. 55c. postpaid; 100 Lbs. \$17.50



REFUGEE OR THOUSAND TO ONE

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation:
if ordered shipped prepaid add 8c per pound to the 100 pound price.

BEANS-DWARF OR BUSH GREEN PODDED SORTS—Continued

Stringless Green Pod A very desirable dwarf green podded snap sort for the home garden and largely grown for the six inches long, cylindrical, larger than those of Red Valentine but are quite as fleshy, of equally high quality and remain crisc and tender longer. They mature a little later. Seed of medium size and length, yellowish brown. Pkt. 10c; Lb. 45c; 2 Lbs. 80c. postpaid; 100 Lbs. \$24.00

Giant Stringless Green Pod An exceedingly productive and very handsome sort. The plants are large, vigorous and spreading. The pods are large and nearly round, and of medium green color. They mature a few days later than those of Stringless Green Pod, average about one-fourth inch longer and more nearly straight. The quality is very good for snaps for home use. The variety is suitable also for the market. Seed long, slender, yellow. Pkt. 10c; Lb. 45c; 2 Lbs. 80c. postpaid; 100 Lbs. \$24.00

Dwarf Horticultural

One of the best dwarf sorts for green shell beans for the home garden and market and can be used early as a green podded snap bean. The plants are very productive, compact and upright, with large leaves. The mature pods are about five to five and one-half inches in length, broad and thick, curved, with splashes of bright red on a yellowish ground. They become fit for use as green shelled beans early and in this condition the beans are very large, easily shelled and are about equal to the Lima in quality. Seed large, oval, plump, pale buff splashed with deep red. Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Refugee or Thousand to One

A standard very productive sort, highly esteemed for late planting for snaps and very extensively used for shipping, canning and pickling. Sometimes called Late Refugee, Round Pod Refugee and Improved Refugee. The plants are very large, spreading, exceedingly hardy, with many small, smooth light green leaves. The mature pods are about five and one-fourth inches long, cylindrical, slightly curved, medium green when in condition for use as snaps but as they mature becoming light yellow, sometimes splashed with purple. Seed long, cylindrical, light drab, thickly dotted and splashed with purple. Pkt.10c; Lb.35c; 2 Lbs.60c. postpaid; 100 Lbs.\$18.50

The following four Dwarf or Bush sorts are extensively planted as field beans.

Early Marrow Pea or Dwarf White Navy and spreading, with small, thin leaves and occasional runners, ripening their crop comparatively early. The pods are light green, straight, short, about three and three-fourths inches, but usually containing six beans. The beans are small, oval, white, handsome and of superior quality for use as dry beans. (Crop failed)

Large White Marrow or Mountain
half inches long, medium green, changing to yellow. A choice family sort both for green shells and dry beans. Seed large, ovoid, clear white, cooking very dry and mealy.

Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Vineless Marrow
A very prolific and valuable sort for field culture. The plants ners, bearing its crop in the center and well up from the ground. The pods are light green, about five and three-eighths inches long. The dry beans are medium large, ovoid, very white, cook quickly and are of exceptionally fine quality. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Royal Dwarf Kidney
leaves. The pods are coarse, dark green and about six inches long. Seed large, white, kidney shaped, slightly flattened and of excellent quality, for family use either green shelled or dry. (Crop failed)

DWARF LIMAS

The dwarf lima class cannot be recommended too highly. The beans can be grown and gathered much more easily than the pole limas as the vines require no support. They can also be grown closer together than those of any pole variety. Dwarf limas are fully equal in quality to pole limas and as a rule are earlier maturing.

Limas require a longer season for maturing than other garden beans. Do not plant till the ground is dry, weather warm and danger of frost is over. If possible select rich, light soil. Plant in drills two to three feet apart, dropping the beans three to four inches apart and covering one and one-half to two inches deep. If planted in hills, make the hills two to three feet apart one way and two to two and one-half feet the other and plant four to six beans in a hill. Hoe often but only when the leaves are dry.

Bush Lima or Dwarf Sieva (HENDERSON'S) A dwarf form of the Small White Lima, valuable on that account, and because of its extreme earliness, hardiness and productiveness. The plants are without runners but continue to grow and set pods until stopped by frost. The plants are without runners dark green; flowers small, yellowish-white, borne in clusters and often above the foliage. The pods are medium dark green, short, about two and three-fourths inches, flat and contain two to four beans which are of excellent quality either green-shelled or dry. This is much used by canners, as well as for home and market garden use. Seed small, flat and white with slight tinge of yellow. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Burpee's Improved Bush Lima

This is a little the earliest maturing of the large seeded limas. The plants are vigorous and productive. The pods are medium green, very large, about five inches long, thick and usually contain four beans, which are unusually thick, of largest size and of excellent quality. Seed very large, thick and usually shows a greenish white tinge which is generally considered an indication of superior quality. One of the best and most extensively used bush limas for the market as well as home garden. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50


Dwarf Large White Lima

A bush form of the true Large White Lima and of equally good quality. The plants are uniformly as long as those of the pole variety of Large White Lima and are a little more curved. They contain from three to five very large, flat beans of very good quality for home garden or market. Seed very large, flat, white with slight greenish tinge. Pkt. 10c; Lb. 35c; 2 Lbs. 55c. postpaid; 100 Lbs. \$17.50

Fordhook Bush Lima

An improved dwarf lima of the Kumerle type. It is vigorous and erect, bearing well above the ground. The pods, which are produced in large clusters, are medium green, about four and three-fourths inches long and each contains three to five large beans of exceptionally fine quality. It is much more productive than Kumerle and matures earlier. Seed large, irregularly oval in shape, very thick, white with greenish tinge. This sort is popular for home and market use, especially in the east. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price.



FORDHOOK BUSH LIMA

BEANS-POLE OR RUNNING

Although pole beans require considerable care and labor, they are when properly grown usually of longer bearing period than the dwarf sorts and are generally more productive.

Pole beans are even more sensitive to cold and wet, as well as to drought and hot winds, than the dwarf varieties, but are of separation quality and productiveness. After settled warm weather, set poles four to eight feet long in rows four feet apart and extending north and south, the poles being three feet apart in the row. Let the poles slant slightly toward the north. Set in this way the vines climb better, and the poles are straighter and more easily seen. Around each stake plant five to eight beans one and one-half to two inches deep. When well started thin to four plants, and see that they all climb around the pole in the same way, for they will not grow if tied up in the opposite direction.

same way, for they will not grow it tied up in the opposite direction.

Another plan is to plant in rows thickly enough so that there will be one plant to eight or ten inches. Set posts five feet high firmly at each end of the rows and drive stakes made of two by two lumber at intervals of about sixteen feet along the rows. Stretch a wire, size number 10 or 12, between the posts along each row, and fasten it to the tops of the stakes with wire staples. Run a lighter wire or twine along the bottom about six inches from the ground and fasten to the posts and stakes with wire staples. Between these two stretch a wire or twine wherever there is a plant. The vines will run up these until they reach the top wire, when they will care for themselves. Another way is to omit the bottom wire and stick small stakes two to six inches in the soil and fasten to top wire.

White Creaseback This green podded, white seeded creaseback variety is valuable for its extreme earliness and in good soil wonderfully productive, bearing round, fleshy pods in clusters of from four to twelve. The pods are of medium length, usually about five inches, comparatively straight and of attractive light green color. They are of the best quality as snaps for home use and stand shipping better than most sorts. Seed small, oval, white. The beans are too small to be of much value when shelled green, but are considered by many to be of very superior quality for baking. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Kentucky Wonder

Also known as Old Homestead. We believe this variety is the most practically useful of the green podded pole beans suitable for use as snaps. It is an early, very prolific sort, with showy pods which are of most excellent quality. The vines are vigorous, climbing well and very productive, bearing pods in large clusters. The pods are medium light green, very long, often reaching nine or ten inches, curved and twisted, nearly round and very crisp when young, becoming very irregular and spongy as the beans ripen. Seed long, oval, slightly flattened, dun colored. One of the very best early pole snap beans for the home garden or market. The quality of our stock is unsurpassed. Pkt. 10c; Lb. 35c; 2 Lbs. 55c. postpaid; 100 Lbs. \$18.00

St. Louis Perfection White podded, white seeded pole sort desirable for snaps and unsurpassed in its class as green shell beans. The vines are vigorous and very productive. The pods are round, very long, often eight to nine inches, irregular in shape and quite stringless. The beans when shelled green are large, very tender and white, a very desirable feature when comparison is made with the colored beans of other varieties of this class. Seed medium long, oval or well rounded, solid white. Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Red Speckled Cut Short podded climbing sort, with red or Corn Hill speckled, oval seed, is used largely in the south for planting among corn. It will give a good crop without the use of poles. The vines are medium sized, but vigorous, twining loosely with dark colored leaves. The snap pods are short, three to three and one half inches, straight, flat to oval, fleshy and of good quality. The pods as they mature become light yellow tinged with red, the beans showing distinctly through the pod. Seed nearly oblong, cut off diagonally at the ends, light grayish white, covered about the eye and at one end with reddish or purplish brown, and irregularly dusted over most of the surface. Pkt. 10c; Lb. 35c; 2 Lbs. 55c. postpaid; 100 Lbs. \$18.00

Scotia or Striped Creaseback

A hardy and very productive green podded cornfield bean. The vines are sturdy and of good climbing habit, with small-medium, deep green leaves. The pods are long, about six inches, very cylindrical or completely rounded, distinctly creasebacked, very fleshy and of excellent quality. The color when in condition for use as snaps is light silvery green, becoming tinged with purple as the pods mature. Seed small-medium, kidney shaped, mottled putty color with dark striping. This is especially suitable for growing on corn for snaps. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50


Baldwin Wonder Wax

A hardy, vigorous and very prolific wax podded pole variety for the home garden. When in condition for use as snaps the pods are very long, about seven inches. They are uniformly cylindrical, exceptionally brittle, stringless and of excellent quality. The color of the pods at the snap stage is a most attractive light yellow. Seed medium sized, flattened kidney shaped; color putty with brownish or bronze green striping. We consider Baldwin Wonder Wax the most desirable bean of its class yet introduced. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Dutch Case Knife

The vines of this well known green podded climbing habit, but twining rather loosely and may be used for a corn hill sort of medium season. It is used for snaps when quite young. The leaves are large and crumpled. The pods are very long, seven to eight inches, flat, irregular, medium green, becoming lighter as they mature. Seed broad, kidney shaped, flat, clear white and of excellent quality whether used green or dry. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price.



KENTUCKY WONDER

BEANS—POLE OR RUNNING—Continued

Kentucky Wonder Wax similar to the green podded Kentucky Wonder but the pods are a little broader. They are very fleshy and stringless as snaps and are of excellent quality. The pods are very long, handsome light yellow, often eight to nine inches in length. Seed medium sized, oval, flattened, very irregular, usually somewhat shriveled, dark brown. Its earliness and hardiness commend this as a pole bean well adapted even for northern latitudes. Pkt. 10c; Lb. 40c; 21 bs. 55c postpaid; 10d Lbs. 220 00. tudes. Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Early Golden Cluster Wax
snap pole beans. The vines are large, strong growing, vigorous and hardy, with large, light green, crimped leaves. The pods are six to eight inches long, borne in abundant clusters, each containing from three to six pods varying in color from golden yellow to creamy white. The pods are very broad, thick and fleshy. They are of very good quality and stay in condition for use a long time. Seed medium sized, flattened, oval, dull white. Pkt. 10c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$25.00

Harlequin This very desirable horticultural variety is earlier and has much longer and more attractive pods than the well known London Horticultural or Speckled Cranberry, also it is considered of better flavor. The beans of Harlequin are of large size, ovate in shape and are of the highest quality either green shelled or dry. The vines are vigorous with large light colored leaves. The pods are very long, six to seven inches, striped or splashed a deeper and more brilliant red than London Horticultural; dry beans a trifle longer. We consider this the most attractive and finest bean of the Horticultural class. Pkt. 10c; Lb.40c; 2 Lbs.65c. postpaid; 100 Lbs.\$20.00

Condon Horticultural or One of the best of the Horticultural varieties as a general purpose late green shell bean for home or market. The vines are moderately vigorous with large, light colored leaves. The pods are medium length, four and one-half to five and one-half inches, pale green when young, becoming as they mature yellowish green striped or splashed with red. The beans are large, ovate, flesh colored, splashed and spotted with wine-red and of the highest quality, either green or dry. Many like this sort better than limas. This well known horticultural pole bean is sold also as Wren's Egg. Pkt.10c; Lb.35c; 2 Lbs.60c. postpaid; 100 Lbs.\$18.50

Lazy Wife One of the best of the later green podded pole beans for snaps or green shell use. The medium green pods, borne in large clusters, are five and one half to six and one half inches long, broad, thick, fleshy and entirely stringless. When young they have a rich, buttery flavor which is retained until they are nearly ripe. The dry beans are excellent for winter use. The seed is white, medium size, slightly oval or nearly round. winter use, (Sold out)


POLE LIMAS

Of all the pole beans, limas are considered to have the greatest economic value. The culture is the same as for other pole beans except that being more tender, the seed is usually planted one to two weeks later. In firm soils it will be found of advantage to place the beans on edge with the eye down as when planted in this manner they germinate and come up more readily.

Seibert's Early Lima
other early limas for either the home garden or market. The vines are vigorous and remarkably productive. The pods are medium green, large, flat, about five inches long, moderately curved. The green shell beans are very large, very tender and of finest quality. This standard early pole lima was introduced by us in 1895. Seed ovoid, flat with slight greenish tinge. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Small White Lima, Carolina or Sieva

lima is especially adapted for planting in the south. The vines are vigorous, with many short branches. The leaves are small, smooth, stiff, glossy dark green. The pods are dark green, short, about three inches, curved, flat. Seed small, flat, white with slight tinge of yellow. This is sometimes called Sewee. It is the most generally known "butter bean" of the south. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00



Ideal Pole Lima One of the largest and most valuable lima beans yet introduced. The vines are exceptionally vigorous and very productive, bearing large clusters of broad medium green pods each six to seven inches long. The pods usually contain four to six large beans of excellent quality. This variety matures a little later than Seibert's Early Lima but the pods are much larger. Seed large, ovoid, flat, white with slight greenish tinge. This is a splendid variety for market gardeners. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

King of the Garden Lima

The vines of this standard pole lima are very vigorous and productive. The pods are medium dark green, very large, five to six inches long, broad, flat, filled with four or into bearing earlier and make larger pods if not more than two vines are left to grow on a pole. Seed very large, ovoid, flat, white, with slight greenish tinge. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Carpinteria Pole Lima

A most desirable pole lima for the home and market garden. The vines are strong growing and vigorous, producing an abundance of fine, large, medium green pods, five to six inches long, usually closely filled with four beans of largest size, much thicker than the average pole lima. The color is distinctive in having a decided greenish tint, an indication of very finest quality. When cooked the beans are very thin skinned, extremely tender and of finest flavor. Seed very large, exceptionally thick, retaining the distinctly green tinge. Pkt. 10c; Lb. 35c; 2 Lbs. 55c. postpaid; 100 Lbs. \$17.50

This new variety which we offer this year for the first time is the largest podded of any medium dark green in color and contain five to seven beans of the most excellent quality. It comes into bearing medium early and the vines, which are vigorous and strong growing, are exceptionally productive. Seed large, ovoid, rather flat, white slightly tinged with green. (See colored plate, page 7, and further description, page 6) Pkt. 25c. A most desirable pole lima for the home and market garden. The vines are strong growing

Large White Lima This well known large pole lima variety is too late for the extreme north and is being supplanted in sized, smooth, medium green leaves. The pods are borne in clusters and are five to five and one-half inches long, broad, very thin and are of medium green color. Seed very large, ovoid, flat, white with slight tinge of green. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation:
if ordered shipped prepaid add 8c per pound to the 100 pound price.

The best results are obtained on a deep, rich, sandy loam. If wanted very early, sow such sorts as Crosby's Egyptian and Detroit Dark Red in hotbeds and transplant, cutting off the outer leaves. For general crop sow in freshly prepared soil as soon as the ground will permit, in rows eighteen inches apart covering about an inch deep and pressing the soil firmly over the seed. When the plants are well established thin four to six inches apart in the row.

For winter use the turnip varieties may be sown in June or July so as to mature late in the season. The roots are stored in a cellar and covered with sand to prevent wilting, or they may be kept outdoors in pits such as are used for apples and potatoes.

Extra Early Egyptian Blood Turnip This is the best variety for fore-early crop out-loors, being very early, with small tops. The leaves are dark green, shaded and veined with dark red. The roots are very dark red, moderately thick, a little rounded on top, distinctly flat on the bottom, and about two inches in diameter when mature. The flesh is dark purplish red, zoned lighter shade; firm, crisp and tender. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Crosby's Egyptian

This very desirable table beet does not closely resemble the original Egyptian except in its extreme earliness. The tops are small. The roots are flattened globe shaped and very smooth. The exterior color of the root is bright red. The flesh of our strain is bright vermilionered, zoned with a lighter shade, very sweet, tender and of excellent quality. This is one of the best for early planting outdoors and is much used for bunching. It becomes fit for use earlier than any other variety but it is not so well suited as Extra Early Egyptian Blood Turnip for forcing in hotbeds or for transplanting. Our stock is exceptionally uniform in shape and color, and is earlier than the older strains which are similar in shape but show the purplish red color. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50



EXTRA EARLY EGYPTIAN BLOOD TURNIP

Detroit Dark Red We believe this is the best beet for the market and home garden, and on account of its uniformly deep rich color the most desirable for canning. The tops are small and upright in growth. The leaves are dark green, shaded with red. The roots are medium sized, globular or nearly round, very smooth and of dark blood red color. The flesh is deep vermilion red, zoned with a lighter shade of the same color. The variety is very desirable for bunching. Careful comparisons with all prominent varieties on the market prove that Detroit Dark Red is the most uniform in shape and size and the most attractive in color. It is unsurpassed in quality. (See colored plate, page 53) Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 55c; Lb. \$1.75



CROSBY'S EGYPTIAN

Early Eclipse
An early beet especially desirable for the home garden and deep red, smooth, round or slightly top shaped, with a small tap and small collar. The flesh is bright red, zoned with pinkish white, very sweet, crisp and tender, especially when young.

Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Edmand's Early Blood Turnip

A desirable second early market beet, suitable also for the home garden. Tops short, rather spreading; ribs and leaf stalks dark red; blade of leaf bright green, often with wavy edge. Roots nearly round or slightly flattened; exterior color dark red, interior color purplish red with little zoning; crisp, tender, sweet and an excellent keeper. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Early Blood Turnip (Improved) An extra selected stock of Elood Turnip, having larger, coarser tops and root than Detroit Dark Red and requiring a longer time to mature. The roots are dark red and nearly round or slightly flattened. The flesh is deep red, zoned with lighter shade, sweet, crisp and coard. This is and tender. This is an excellent market and home garden sort for summer and autumn use Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Bastian's Early A medium early, bright red, turnip shaped beet blood Turnip of very good quality for market and home garden use. The tops are medium sized, with bright green leaves. The roots are thick and slightly top shaped with a medium sized tap. The flesh is light purplish red, zoned almost white; crisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$100. Lb. \$1.00

Dewing's Blood Turnip
This medium early table sort is tender, sweet and a good keeper. Tops medium sized: leaf stems and veins dark red: leaves green. Roots dark purplish-red, turnip shaped with medium sized tap. Flesh carmine with purplish tinge, zoned with lighter shade. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Early Turnip Bassano This second early variety when young is very sweet and for use as greens. The tops are large. The roots attain a large size, are light red in color and flattened turnip-shaped with rather heavy tap. The flesh is pink, zoned with creamy white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00


D. M. Ferry & Co's Half Long Blood

A half long, deep red beet, by far the best variety for winter and spring use. It is excellent to slice for pickles. The tops are very upright with exceptionally smooth leaves. The roots are deep red. half long, smooth and uniform in shape. The flesh is very deep, rich red, sweet and tender.

Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Long Dark Blood A standard long late variety of very good quality which keeps well through the winter. The roots are smooth, rather slender. growing largely under ground, with few or no side roots and when mature about eight or ten inches in length, sometimes longer when grown in deep, well-dug and well-manured soil. The exterior color of the roots is very dark purple, almost black. Flesh is dark red, tender and sweet. It is an excellent sort for pickles. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

SWISS CHARD (Sea Kale Beet) This kind of beet is grown exclusively for the numerous fleshy, tender leaves and leaf stalks, which are superior to those of other beets for use as greens. Later in the season the wax-like leaf stems are cooked like asparagus or are pickled. This variety we offer has large, broad, undulated leaves of attractive yellowish green color, and very large, broad white stalks and midribs or chards. It is well worthy of a place in the home garden as well as for market use. Swiss Chard is sometimes called Leaf Beet, Spinach Beet and Silver Beet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25




D. M. FERRY & CO'S HALF LONG BLOOD

SUGAR BEET

The Sugar Beets are desirable not only for sugar making but are valuable for stock feeding and when small may be used for the table. The best soil is a rich, friable sandy, or clayey loam. Rich, mucky soils will often give an immense yield of roots which, though excellent for feed, are of little value for sugar making.

Plant early in spring in drills two to two and one-half feet apart, and about one inch apart in the row, covering with about one and one-half inches of fine soil firmly pressed down. Cultivate frequently. When about three inches high begin thinning and continue at intervals until the roots stand about ten inches apart.



FOR SUGAR MAKING

Jaensch's Victrix This is unquestionably the most highly developed strain of beet for sugar making. The roots are of medium size, white with tinge of gray, half long, and very uniform in type. The flesh is white and is exceptionally rich in sugar content. Per Lb. 75c. postpaid. Lots of 5 Lbs. to 25 Lbs. by express at purchaser's expense, 50c per Lb.

Vilmorin's Improved
One of the richest sorts in sugar content. The tops are of medium size, with smooth, bright green leaves. The roots are of medium size, similar in appearance to Jaensch's Victrix, with white flesh and often yield from ten to sixteen tons per acre. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c. Lots of 5 Lbs. to 25 Lbs. by express at purchaser's expense, 50c per Lb.

Klein Wanzleben larger than Vilmorin's Improved and a little hardier and easier grown. The tops are rather large and the

in's Improved and a little hardier and easier grown. The tops are rather large and the leaves slightly waved. This sort often yields under careful culture from twelve to eighteen tons per acre. It is probably the best sort for the experimenter to use Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c. Lots of 5 Lbs. to 25 Lbs. by express at purchaser's expense, 50c noz. b 50c per Lb.

HALF SUGAR MANGEL FOR STOCK FEEDING

Giant Feeding Sugar Beet for stock or Half Sugar Mangel feeding, affording not only a very large crop much easier to harvest than other sorts but also having higher nutritive value, being especially rich in sugar. The roots are light bronze green above ground, grayish white below, with white flesh. On account of growing partly out of the ground and the long ovoid shape the crop can be harvested and stored easily and at less expense than any other root crop. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c. Lots of 5 Lbs. to 25 Lbs. by express at purchaser's expense, 45c per Lb. by express at purchaser's expense, 45c per Lb.



IMPROVED MAMMOTH LONG RED MANGEL WURZEL

MANGEL

The culture of the Mangel Wurzel, also called Mangel, Cattle Beet and Field Beet, is much the same as for Sugar Beets. The Mangels may be grown in almost any soil, but deep loams are necessary for heavy yields of the long varieties.

Long Red Alarge, long variety grown for stock feeding. The roots are light red, grow well out of the ground and are easily to 25 Lbs. by express at purchaser's expense, 45c per Lb.

D. M. Ferry & Co's Improved Mammoth Long Red well formed and comparatively thicker than the common sort. The flesh is white tinged with rose. This strain under careful culture is enormously productive. Our stock will produce the largest and finest roots which can be grown for feeding stock and is vastly superior to many strains offered under other names, such as Norbitan Giant, Colossal, Monarch, etc. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c. Lots of

Yellow Leviathan

The roots of this exceedingly productive sort grow about one-half out of the ground and very easily harvested. In shape they are long fusiform, or spindle shaped tapering from the middle to each end, and have a small collar. The color is light gray tinged with brown above ground, yellow below. The flesh is white, sometimes slightly tinged with yellow. The tops are green and comparatively small. The roots have less tendency to become woody than most sorts. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c. Lots of 5 Lbs. to 25 Lbs. by express at purchaser's expense, 45c per Lb.

Golden Tankard The tops are comparatively small, with the leaf stalks and veins distinctly tinged with yellow. The gray above ground, deep orange below. The flesh is yellow, zoned with white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c. Lots of 5 Lbs. to 25 Lbs. by express at purchaser's expense, 50c per Lb.

BROCCOLI The heads resemble somewhat a coarse cauliflower and the culture is the same in all essentials as rather moist. One of the most valuable features is that it withstands greater extremes of temperature than cauliflower.

Early Large White French
This is considered the best sort for most sections. The plants are very hardy, vigorous and easily grown. The heads are white, compact, hard and of good quality. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00

BRUSSELS SPROU'S Used in the fall and early winter and by some considered more tender and delicious than any cabbage. Plant resembles the cabbage, the edible part being the numerous very small heads or sprouts an inch or two in diameter formed on the stalk at each leaf joint. The culture is the same in all essentials as for cabbage, except the leaves should be broken down in the fall to give the little heads more room to grow.

Improved Half Dwarf This favorite Paris market sort is probably the most useful variety. The plants are half dwarf, growing about one and one-half to two and one-half feet high. They are very hardy and roduce compact, rounded, grayish green sprouts of good size and fine quality. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

CABBAGE

For many years cabbage seed has been a leading specialty with us. Our cabbage seeds are all grown from approved stock seeds which are largely of our own development on our Oakview Stock Seed Farm; they are all grown under our personal inspection and supervision. We believe there is no seed that is more reliable, nor any that can be more implicitly depended upon to give planters uniformly satisfactory results.

The requisites for complete success with cabbage are: First, good seed. In this crop the quality of the seed used is of the greatest importance. No satisfactory results can possibly be obtained when poor seed is planted. Second, rich, well prepared ground. A heavy, moist and rich loam is most suitable. Third, frequent and thorough cultivation. The ground should be highly manured and worked deep. Cabbage is grown all over the country and specific directions regarding the time and methods of planting applicable to all localities cannot be given. In general, north of the 40th parallel the early sorts should be sown very early in hotbeds, hardened off by gradually exposing them to the night air and transplanted as early as the ground is in good condition, setting eighteen to thirty-six inches apart, according to size of variety. South of the 40th parallel sow about the middle of September, or later according to latitude, transplanting into cold-frames if necessary to keep through winter and setting in open ground as early as possible in the spring.

The late autumn and winter varieties may be sown from the middle to the last of spring and transplanted when four to six inches high. If the weather and soil are dry the late sowings should be shaded and watered in order to hasten germination, but it is important that the plants should not be shaded or crowded in the seed-bed, or they will run up weak and slender and will not endure transplanting well. Cabbages should be hoed every week and the ground stirred as they advance in growth, drawing up a little earth to the plants each time until they begin to head, when they should be thoroughly cultivated and left to mature. Loosening the roots will sometimes retard the bursting of full grown heads.

Loosening the roots will sometimes retard the bursting of full grown heads.

Of late years many crops of early cabbages have been destroyed by maggots at the roots. An effective remedy seems to be to remove the earth carefully from around the stem so as to form a funnel-shaped cup and apply Zenoleum, Sanax Dip, or some similar preparation, diluted at the rate of one part to eighty parts of water. Apply one pint to a plant. A well known remedy is to apply an emulsion of kerosene which may be made as follows: Add one quart of kerosene oil to two quarts of boiling fish oil soap (whale oil soap), soft soap or any cheap soap which has been thinned to the consistency of cream. Stir the oil thoroughly by chivning or other method until it has united with the soap and forms a cream-like substance. Then dilute with five times as much water and apply once a week. A preventive for maggots is to spray on forcibly a carbolic acid emulsion diluted with thirty parts of water, applied the day after the cabbage plants are transplanted.

applied the day after the cabbage plants are transplanted, and repeated several times at intervals of a week.

The cabbage worms which destroy the leaves and heads later may be killed by dusting with pyrethrum powder, slug shot or Paris green. The last two are poisonous and should not be used in large quantities, or late in the season; however, should their use be necessary, care should be taken to remove the outside leaves before the heads are used. If the disease called club-root should get a foothold, do not plant the land with any of the cabbage family for a year or two. This is usually an effective remedy.

A great many of the varieties of cabbages are simply strains rather than distinct sorts and are really the same as some older and better known kinds. We are confident that every good quality can be found in a greater degree in the varieties we offer than in any other kinds.

FIRST EARLY SORTS

Early Jersey Wakefield

This most excellent variety is the earliest and surest heading of first early cabbages for the market and home garden. Most gardeners depend upon it for the bulk of their extra early crop. The plants are exceedingly hardy, not only in resisting cold but other unfavorable conditions. They are compact and erect or very slightly spreading, with few outer leaves, which are smooth, thick, nearly oval and deep green. The stem is short. The heads are of medium size, very solid, uniformly pointed and of excellent quality.

Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00




EARLY JERSEY WAKEFIELD

Copenhagen Market

The earliest large round-headed and each bage yet introduced. The heads are exceptionally large for so early a variety, very solid and of most excellent quality. The plants are vigorous but compact, with short stem and few outer leaves which are of rather upright growth. The leaves are medium light green, nearly round, comparatively thick and smooth. This is a most excellent sort, both for the home garden and market gardening trade. Our strain produces the characteristic large, round heads that for solidity and excellent quality make this variety so valuable. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25; Lb. \$4.50

Charleston or Large A strain in which the Charleston or Large A Strain in Wakefield plant is larger and a blant in the which the plant is larger and a solid but less pointed and considerably larger. The leaves are rather large, smooth and comparatively thick. Its exceeding hardiness, earliness and size of head have made it with market gardeners and shippers a popular sort to follow Jersey Wakefield. The plants are medium sized, very vigorous and slightly spreading. The heads are bluntpointed but very broad at the base. Our stock can be depended upon to produce uniformly fine, marketable heads. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Early Spring
The earliest flat headed variety. The plants are vigorous, very compact, with few outer leaves and a short stem. The leaves are nearly round, broad, smooth and of distinctive light green color, almost without bloom. The heads are broad, round, slightly flattened. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00



CHARLESTON OR LARGE WAKEFIELD

CABBAGE—SECOND EARLY AND INTERMEDIATE SORTS

Early Dwarf Flat Dutch

The plants of this valuable second early sort are short stemmed, compact and upright with comparatively few and short leaves. The outer leaves are slightly waved and serrate mature a little earlier than Early Summer. This variety is extensively used for the home garden and market. The seed we offer is of first quality. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Henderson's Early Summer

somewhat flattened cabbage, valuable for the home
garden and takes well on the market. It is also well
adapted for kraut. The plants are vigorous and strong
growing but compact, with numerous but not large,
rather spreading outer leaves which are somewhat
frilled and are sometimes called rather thin and slightly
undulating. The stem is rather short. The heads are
of medium size, round, somewhat flattened and keep
longer without bursting than most early sorts. Pkt. 5c;
Oz. 30c; 2 Oz. 50c; 1/4 Lb. 90c; Lb. \$2.75 An excellent,

Glory of Enkhuizen is very sure heading and of excellent quality. The plants are of vigorous growth, with large, rather spreading outer leaves which are noticeably curved and frilled. The heads are globular or very nearly round, very solid and of large size for so early a variety. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00


All Head Early are very large for good quality. It is desirable not only for general spring planting but by planting late it can be used as a fall and early winter cabbage. The variety is well adapted for kraut. The plants are compact, with few outer leaves which are comparatively smooth and rather thick, being nearly entire at edges and only slightly waved. The sterm is short. The heads are solid and flat but very deep. Our strain is of special value. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb.\$1.00; Lb. \$3.50



EARLY DWARF FLAT DUTCH

A sure heading sort, in-Succession A sure neading sort, intermediate or second early in season and adapted for autumn as well as late summer use. The plants are vigorous and strong growing, with a short stem and have numerous, rather short, outer leaves which are somewhat snort, otter leaves with are somewhat frilled. The heads are large, deep, very firm and of excellent quality. The seed we offer is from carefully grown select-ed stock. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

A very desirable large All Seasons A very desirable large cabbage of intermediate season, adapted for autumn as well as late summer use, and considered one as late summer use, and considered one of the most desirable for kraut. The plants are very vigorous and sure heading, with few outer leaves which are large and fairly smooth or slightly waved. The heads are nearly round or somewhat flattened, very solid and of excellent quality. It is remarkable for its ability to stand the hot sun and dry weather, remaining an exceptionally weather, remaining an exceptionally long time in condition for use. Sometimes sold as Vandergaw. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00




EARLY WINNIGSTADT

Early Winnigstadt second early or medium early sorts, very hardy, with a very hard sharply pointed head and a very sure cropper. Owing to its compact and upright habit of growth and peculiar texture of its rather short and thick, dark green leaves, the variety resists cold, wet and insect pests exceptionally well. The heads are of medium size, very closely and convolutely wrapped, sharply conical, of good quality and keep very well. The leaves are dark bluish green with much bloom. The variety is very extensively used for the home garden. It is sometimes planted late and then makes a desirable winter cabbage. Pkt. 5c; Oz. 30c; 2 Oz. 50c; ½ Lb. 90c; Lb. \$2.75

Fottler's Early Drumhead This very short stemmed flat or Brunswick Short Stem

and most extensively used second early or intermediate sorts. It is especially adapted for the home garden. The plants are of dwarf and compact but strong growth, with rather few outer leaves which are fairly smooth or slightly waved. The heads are large for size of plant, distinctly flat, solid and of excellent quality. This sort is also suitable for later use.

Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50 Lb. \$2.50



Succession

CABBAGE—LATE OR AUTUMN AND WINTER SORTS

Volga A main crop sort, very desirable where large, uniformly round heads with short stem and plants of compact growth are wanted. This sort matures very early for a variety furnishing such large heads of excellent shape. The outer leaves are thick, long oval and rather smooth. The variety is hardy, usually very solid and a good keeper. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Surehead One of the most reliable main crop or late cabbages for northburenead crop or late cabbages for north-ern tettudes, being very hardy and excep-tionally sure heading. In some sections this is used largely as a late home market cabbage and for shipping. The plants are rather up-right, with many outer leaves which are waved, thin edged, crimped and distinctly frilled; stem rather short. The heads are large and broad, thick, somewhat flattened, compact, very solid and of excellent quality. Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¼ Lb. 90c; Lb. \$2.75 Pkt. 5c; Lb. \$2.75

D. M. Ferry & Co's This strain is the result of

Premium Late Flat Dutch much care on our part to develop and maintain the good qualities which have made this sort so popular. the good quantes which have made this sort so popular. The plants are very hardy, comparatively slow growing but very sure heading; stem rather short. The plants are exceptionally vigorous, with very large, broad, spreading outer leaves which are moderately smooth or very slightly waved and slightly blisare moderately smooth or very signify waved and signify bits-tered. The heads are uniformly large, often very large, flat but deep, distinctly flattened on the top, solid and of excellent quality. This is considered by many as the standard, very large late cabbage for home garden and market. It is an ex-cellent keeper. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c;

D.M. Ferry & Co's We recommend this sort for marPremium Late Drumhead deep head. It is also
crop or late sort for the home garden. The plants are large,
fairly compact but distinctly vigorous, with medium length
stem and large outer leaves, which are upright in growth and
moderately waved. The heads are uniformly large, very large
when grown in good, rich soil, are flattened on top but very
deep, compact and of excellent quality. The heads can be kept
in good condition until late in spring. Pkt. 5c; Oz. 25c;
2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

Early Dwarf Ulm Savoy An early Savoy cabbage of small size and most excellent flavor. The plants are rather small but vigorous. The outer leaves are medium sized, much crumpled, thick, fleshy, deep green. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50



Hollander or Danish Ball Head Very hardy, sure heading, **ItolianGer or Danish Dali flead** sure heading, very solid, of good quality and as one of the very best keepers this is particularly desirable for distant markets or for late spring use. The plants are vigorous and compact, with stem of medium length. They are exceedingly hardy in resisting cold and stand dry weather well. The leaves are distinctly upright in growth, few but rather large, long and narrow, thick smooth, bluish green covered with whitish bloom. The heads are medium sized, round, exceptionally solid and stand shipment better than any other late sort. Our strain of Hollander is shorter stemmed and produces heads generally larger than other stocks. We offer seed of our own growing which, judging from our trials, will produce more uniformly typical heads from our trials, will produce more uniformly typical heads than can be grown from stock obtainable elsewhere. Our own strain, Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00 Choice Danish grown, Pkt. 5c; Oz. 25e; 2 Oz. 40c; ¼ Lb. 75c;

Mammoth Rock Red The largest and surest heading red cabbage, much better than stock offered as Red Drumhead. The plants are large and Stock othered as fixed brunneau. The plants are large save vigorous with medium length stem and spreading outer leaves which are dark green with red veining. The heads are late maturing, large, round, very solid and of very attractive deep red color. The variety is much used for cole slaw and pickling.

Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.10; Lb. \$4.00

Improved American Savoy

for home use or market.

medium size, with rather short stem, and are very sure heading. The outer leaves are medium large, thick, fleshy

and densely and uniformly crumpled. The heads are large, nearly round, fairly solid, sweet and tender. The quality is superior to sorts that have been offered as Perfection, GreenGlobe or Drumhead Savoy. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Chinese Improved The strain we offer or Pe-Tsai resembles when well grown Cos Lettuce rather than Cabbage. It is often called

Celery Cabbage on the market.

The leaves when young are crimped, of light green color and appear like smooth leaved mustard but with much broader and heavier midribs. The plant as it matures becomes more uppant as it matures becomes more upright and forms heads much like Cos Lettuce. The inner leaves blanch an attractive light yellow or creamy white with very white midribs. It is of distinctive flavor, very mild and pleasant. It is served as a salad like lettuce or cooked like asparagus.

Sow in this latitude asparagus. Sow in this latitude after July 1st at the same time as turnips. Early plantings of Pe-Tsai run quickly to seed in hot weather. Sow in drills fourteen to twenty inches apart and thin two or three times; or if grown for the market start in boxes and transplant like late cabbage. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50



D. M. FERRY'S PREMIUM LATE FLAT DUTCH

CARROT

While a sandy loam made rich by manuring the previous year is the best soil for the carrot, While a sandy loam made rich by manuring the previous year is the best soil for the carrot, any good land if thoroughly and deeply worked will produce satisfactory crops. It is advisable to sow as early in the spring as the ground is fit to work, though good crops may be grown from sowings as late as June 15. For table use sow the smaller kinds early in rows sixteen to eighteen inches apart. For field culture sow in drills eighteen to twenty-four inches apart, using from one and one-half to three pounds of seed to the acre. Cover one-half to one inch deep and see to it that the soil is pressed firmly above the seed. As soon as the plants appear, use the cultivator or wheel hoe. Thin two tosix inches apart in the row, according to the size of the variety

Earliest Short Horn

(French Forcing) One of the earliest varieties in cultivation and very desirable for forcing. The tops are very small. The roots are reddish orange and are nearly round when forced quickly in very rich, well prepared soil, but are somewhat longer when grown outdoors. When fully matured the roots are about two to two and one-half inches long, but they should be used before fully grown while young and tender. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Early Scarlet Horn This variety is excellent for early planting out of doors for the table. The tops are small. The roots are orange-red, about three inches long, top shaped but tapering abruptly to a small tap. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Early Half Long Scarlet Carentan The tops of this early half long frame sort are very small and seed may be sown very cylindrical with remarkably small neck, handsome deep orange color, coreless, tender throughout and of the best quality. They are usually four and one-half to five inches in length, but sometimes grow considerably longer. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.25



Half Long Scarlet Nantes, Stump Rooted is excellent for the market or home garden. The roots are cylindrical, smooth and of a bright orange color. The flesh is orange, becoming yellow in center but very tender throughout. This variety is of the finest quality and is one of the most symmetrical and handsome of the medium sized sorts. The mature roots are usually five to six inches Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.25



DANVERS

A most excellent, medium early, half long variety. It is one of the best in quality for the market and home garden, while its great productiveness and the ease with which it can be harvested make it desirable as a field sort. The tops are medium sized with small neck. The mature roots are thick, five and one-half to six inches in length, uniformly half long or stump rooted but tapering slightly, smooth, deep orange-red in color. The flesh is very crisp and tender. Although a medium early sort the roots are suitable for use nearly as early as any. The variety is extensively used for bunching. Pkt. 5c; Oz. 20c; 2 Oz. 35c; Chantenay 1/4 Lb. 55c; Lb. \$1.75

Guerande or Ox Heart

Especially desirable for soil so hard and stiff that longer rooted sorts would not thrive in it. The tops are comparatively small. The mature roots are four and one-half to five inches long, very thick, ending abruptly in a small tap root. The flesh is bright orange, fine grained and sweet. When young the roots are desirable for table use as a medium early carrot and when mature they are comply good. early carrot and when mature they are equally good for stock feeding. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

A half long orange carrot, grown largely on account of its great productiveness and adaptability to all classes of soil. It is a desirable second early carrot for the home garden and is also suitable for field culture. The tops are of medium size. The mature roots are of medium length, six to eight inches long, tapering uniformly to a blunt point. The flesh is deep orange, tender and of good quality. Although the roots of this variety at maturity are comparatively short they often produce as large a bulk as the longer field sorts and are more easily harvested. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75 Lb. \$1.75

Improved Long Orange
of this variety we offer are very deep orange, long
and comparatively thick, often twelve inches in length
and three inches in diameter at the crown, tapering
regularly to a point. The tops are rather large. This
intermediate to late maturing sort is suitable for table
use as well as stock feeding, combining great productiveness with uniform shape where grown in light,
deep, rich soil. When of size suitable for the table,
the roots are tender and of good quality. Pkt. 5c;
Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

D. M. Ferry & Co's One of the very best field carrots because of its Improved Short White enormous productiveness and the ease with which it can be harvested. The roots are half long, seven to nine inches in length, smooth, very heavy at the shoulder but tapering regularly to the point. The color is creamy white with light green crown. The flesh is white, solid, crisp and of excellent quality for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00



CHANTENAY

CAULIFLOWER

Cauliflower, although one of the most delicious vegetables, is but little grown except by professional gardeners because of the erroneous notion that it is so difficult to grow that only skilled gardeners can produce it. Any one will be reasonably sure of success with this most desirable vegetable if the cultural directions given below are carefully followed.

For spring and early summer crop, sow in March or early in April in hotbed. If soil is not too wet, seed should be thoroughly pressed into the ground after sowing. This insures quick germination. Cover seed with one-half inch of fine soil firmly pressed down. Transplant to cold-frame when sufficiently large to handle. As soon as danger of hard freezing is over set in the open ground in rows two and one-half to three feet apart and eighteen inches apart in the row. The plants will endure a light frost. The soil for cauliflower should be like that for cabbage, but it is better if made richer than is ordinarily used for that crop. Plenty of good manure must be well incorporated with the soil and the latter be brought into the highest state of tilth. No application, however, can be more necessary or more useful than that of cultivator and hoe.

For late crop, sow at same time as for late cabbage and treat in the same manner. It should be borne in mind that cauliflower will not head up well in hot, dry weather and hence the sowings need to be so timed as to bring the heads to maturity either before the hot summer weather sets in or not until the cooler weather of the fall. If it receive at this time a liberal supply of water, the size and quality of the heads will be greatly improved. After the head begins to form, draw the leaves over and the them together to protect it from the sun and to keep it white. The heads should be cut for use while the "curd" is compact and hard, as they soon become much impaired in quality and appearance after they open and separate into branches.

pact and hard, as they soon become much impaired in quality and appearance after they open and separate into branches.

Of the enemies of the crop, none is more formidable than the cabbage root maggot. This seems to have a special liking for the cauliflower. Probably the best and most surely effective protective measure is enveloping each plant with a tight fitting

the cauliflower. Probab collar of tarred felt. Plant lice are also serious pests of this crop. Effective remedies are dusting with fine tobacco dust, or spraying with strong tobacco tea or kerosene emulsion.

Our cauliflower trials for several years included samples of seeds from some of the most skillful American growers and while their stocks produced hardy, vigorous plants the heads formed were uniformly more open in the curd and matured a little later than those grown from the best imported seed. All the cauliflower seed we offer is produced by the most experienced growers in Europe, in such localities as are best suited to its proper development and the greatest care is taken to save seed from perfectly developed plants only,


Early Snowball

Unquestionably the earliest maturing strain of the true short leaved Snowball type of cauliflower. It is admirably adapted for forcing or wintering over for early crop and is the most popular sort for these purposes, also one of the best sorts for late summer and fall crop. Early Snowball is, moreover, a most desirable sort for the home garden. The plants are compact, with few, short, outside leaves and are well suited for close plant-

leaves and are well suited for close planting. The heads are of medium to large size, solid, compact, round, very white and curd-like and are developed earlier than those of any other sort. In our many comparative trials of samples from the best known growers and prominent seedsmen in Europe and America our stocks of Early Snowball have been unsurpassed by any in earliness. They also gave the highest percentage of well formed heads. After a careful inspection of the fields of the most expert Danish and other European growers we know we are in position to supply the most critical trade with seed which can be depended upon as the very best. Pkt. 25c; ½ Oz. \$4.25;

½ Lb. \$8.00

Extra Early Dwarf Erfurt A remarkably sure flower. It is of dwarf habit with short outside leaves and is similar in most respects to Early Snowball, and nearly as early. The heads when ready for market are of medium to large size. The curd is white, exceptionally deep and of finest quality. It will give excellent results either in the home garden or for market use and is superior to most seed sold at higher prices. Where extreme earliness is not the greatest consideration we recommend this strain after having proven it superior to many stocks offered as Snowball. Pkt. 25c; ¼ Oz. 65c; Oz. \$2.00; 2 Oz. \$3.75; ¼ Lb. \$7.00



EARLY SNOWBALL

Early Favorite
This is a second early, exceedingly hardy, easily grown sort. It is perhaps the best sort for the inexperienced grower, as it will head under conditions in which many sorts would fail. The plants are large and form large heads which, although inclined to be open, are crisp, tender and of fine quality. It keeps in condition for use a long time. Many years' experience has convinced us that it is one of the hardiest sorts. Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; ½ Lb. \$2.25

Large Algiers

A valuable late sort, sure to head, of excellent quality and popular with market cellent expected by the leaves protecting the heads so that they will endure uninjured a frost that would ruin most other sorts. This is one of the very best of the late varieties.

Pkt. 5c; Oz. 75c; 2 Oz. \$1.25; 1/4 Lb. \$2.00

Veitch's Autumn Giant A distinct and valuable stems and dark green leaves. The heads are very large, white, firm and compact and being well protected by foliage remain a long time fit for use. and transplanted early in the season to insure their full development. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25

CELERY

Sow the seed (which is slow to germinate) from about February 20 to April 20 in shallow boxes indoors or sow in a finely prepared seed bed out of doors in April in straight rows so that the small plants may be kept free from weeds. See to it that the seed is not covered too deep and that the bed is kept moist, almost wet, until the seeds germinate, as plenty of moisture is essential to get a satisfactory growth. The seed will not germinate well if planted in a hotbed or where subjected to a temperature above 60° F. When the plants are one to two inches high, thin out and transplant so that they may stand two or three inches apart each way. When they are four inches high, cut off the tops, which will cause the plants to grow stocky. Plants are usually set out when about five inches high. It is well to cut off the lower half of the roots before transplanting.

The crop is usually made to succeed some earlier one, but in order to grow good celery the soil must be made as rich as possible, the essentials to success being very rich soil and plenty of water. If good plants are used, they may be set out as late as the middle of August, but the best results are usually obtained from setting about the middle of June or first of July. The most desirable time will depend upon local climate and is that which will bring the plants to maturity during cool, moist weather. In setting, prepare broad trenches about six inches deep and four to six feet apart, in which the plants should be set six inches apart, cutting off the outer leaves and pressing the soil firmly about the roots until new rootlets are started. The only care now necessary for about six weeks is to keep the plants free from weeds by frequent cultivation.

When the plants are nearly full grown they should be "handled," which is done by gathering the leaves together while the earth is drawn about the plant to one-third its height, taking care that none of it falls between the leaves, as it would be likely to cause them to rust or rot. After a few days draw more earth about them and repeat the process every few days until only the tops of the leaves are visible. Or it may be blanched by pressing the leaves together with two wide boards held in place by stakes or by wire hooks at the top. This is the method commonly used by market gardeners and the rows need to be only about three feet apart, but celery so blanched is not so good in quality and is more likely to become pithy than that blanched with earth. Care should be taken that the plants are not disturbed while they are wet or the ground is damp; to do so increases the liability to injury from rust. A part of the crop may be simply "handled" and then at the approach of severe freezing weather taken up and set out compactly in a dark cellar or an unused cold-frame, where the temperature can be kept just above the freezing point and it will then gradually blanch so that it may be used throughout the winter. Should the plants begin to wilt, water the roots without wetting the stakes or leaves and they will revive again.

Celery is sometimes grown by a process which consists in making a spot as rich as possible and there setting the plants six to eight inches apart each way. If the soil is very rich and there is an abundance of water, the plants will blanch each other and the product will be very white and handsome, but we think it is inferior in quality to that grown by the old method.

Golden Yellow Self Blanching

This is the standard celery for early use. It is in condition as early in the fall as any and we have yet to find a strain better in quality and appearance than our stock of Golden Yellow Self Blanching. Critical gardeners generally depend upon our stock to produce their finest early celery. It is excellent for the home garden. The plants are of medium size, compact and stocky, with yellowish green foliage. As they mature the inner stems and leaves turn beautiful golden yellow so that blanching is effected at a minimum expenditure of time and labor. Its handsome color, crispness, tenderness, freedom from stringiness, and fine nutty flavor have established it as a superior first early sort.

Pkt. 5c; ¼ Oz. 45c; ½ Oz. 80c; Oz. \$1.50; 2 Oz. \$2.60; ¼ Lb. \$4.75; Lb. \$18.00



GOLDEN YELLOW SELF BLANCHING

White Plume

A handsome, very early variety. The leaves are lightbright green at base, shading nearly white at tips. As the plants mature, the inner stems and leaves turn white and require to be earthed up but a short time before they are in condition for use Although very attractive, we do not think that it compares favorably with the Golden Yellow Self Blanching either in flavor or solidity, or that it will remain in condition for use as long. White Plume has been much in demand as a market sort on account of its very attractive appear ance and requiring a very short time for blanching. It is suitable also for the home garden Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Columbia An early maturing sort of most excellent shape and quality for the home market and private garden. It is extensively grown for shipment. The plant is of medium height but very stocky and heavy. The stalks are thick, almost round, resembling in shape those of Giant Pascal. The color, however, has in it more of the rich yellow tint of Golden Yellow Self Blanching, which variety it resembles very much in appearance when trimmed and bunched for the market. The outer foliage of the plant, when growing is rather light green with tinge of yellow, becoming when blanched yellow with tinge of green. The heart when properly blanched changes from yellow with tinge of green to a light golden yellow. In season it follows in close succession Golden Yellow Self Blanching. We introduced Columbia in 1906. Our strain has no superior in beauty of golden shading, solidity and size of stalk. We consider it unsurpassed in its rich nutty flavor. Pkt. 5c; Oz. \$1.00; 2 Oz. \$1.60; ½ Lb. \$2.75; Lb. \$10.00

Dwarf White Solid growing midseason or fall variety. The stalks are moderately thick, solid and crisp, becoming when blanched attractive light yellowish white. This variety is also sold as Large Ribbed Kalamazoo and Kalamazoo. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50

Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Giant Pascal This is a green leaved variety developed from the Golden Yellow Self Blanching and we recommend it as being of the very best quality for fall and early winter use for the home garden and market. It blanches to a beautiful yellowish white color, is very solid and crisp, and of a fine nutty flavor. The stalks are of medium height, very thick, the upper portion nearly round but broadening and flattening toward the base. With high culture this variety will give splendid satisfaction as a large growing sort for fall and winter use. In the south it is prized more than almost any other kind. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

CELERY—Continued

Winter Reliance This is considered the most attractive in color and the best in quality of any of the late keeping sorts. The plants are moderately dwarf, erect and compact, with solid heart. The habit of growth is very well adapted for late keeping. When ready for the late market the stalks are a very attractive light creamy yellow. The quality is unsurpassed by any variety of its class and is decidedly superior to most of the older, long keeping sorts. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50

French's Success

A late maturing variety which keeps the best of any celery yet introduced. The growth is compact and short in stem so that the plants may be well earthed up for blanching while growing close together. The foliage is dark green. The heart is large, solid and is formed early. The stalks become when blanched almost white or very light creamy yellow, thick, yet brittle, without stringiness and of good quality. It requires more time to mature than some sorts but remains firm, solid and in fine condition until late in the spring. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50

Soup or Cutting Celery the seed is sown thickly in rows. This is not suitable for blanching but The tops grow very the seed is sown thickly in rows. The tops grow very rapidly and furnish throughout the season a succession of cuttings for soup flavoring. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1,25

CELERY SEED FOR FLAVORING. Oz. 10c; 2 Oz. 10c; 1/4 Lb. 15c; Lb. 40c.



WINTER RELIANCE



COLUMBIA

CELERIAC OR TURNIP ROOTED CELERY In this kind of celery, the roots have been developed by cultivation and not the leaf-stalks. The roots, which are the edible portion, keep well for winter use and are excellent for soups and stews. They are also cooked and sliced as a salad.

stews. They are also cooked and sliced as a salad. Sow seed at the same season and give the same treatment as common celery. Transplant to moist, rich soil, in rows two feet apart and six inches apart in row. Give thorough culture. It is not necessary to earth up or "handle" the plants. After the roots have attained a diameter of two inches, they are fit for use. To keep through winter pack in damp earth or sand and put in the cellar or leave out of doors, covering with earth and straw like beets and carrots.

Large Smooth Prague ety produces large roots of nearly globular shape and comparatively smooth surface. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

1/4 Lb. 75c; Lb. \$2.50

CHERVIL A hardy annual with aromatic leaves somewhat resembling parsley and by many considered superior to it in flavor. The young leaves are used in soups and for flavoring and garnishing meats and vegetables. Sow in early spring in rich, well prepared soil. The seed is slow to germinate, sometimes remaining in the earth four or five weeks before the plants appear. When the plants are about two inches high, transplant or thin to about one foot apart. They are ready for use in six to ten weeks from sowing.

Curled This very finely curled, double sort is much superior to the plain variety, being early maturing, handsomer and having fully as fine fragrance and flavor. 4 Lb. 40c; Lb. \$1.25

CHICORY—Large Rooted or Coffee The dried and prepared roots are much used as a substitute for coffee, and the young leaves may be used as a spring salad. Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind.

Sow seed as early in spring as the ground can be prepared, in rather light, moderately rich soil, in drills two to two and one-half feet apart for either garden or field culture. When the plants are sufficiently large, thin to six inches apart in the row and cultivate well. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

CHIVES—Allium Schoenoprasum An onion-like plant used as a salad and for flavoring soups. It also be cut, a new growth of leaves appearing soon after each cutting. The plants grow about ten inches high. One sowing will answer for about three years. Pkt. 10c; Oz. \$1.00

COLLARDS This is a tall, loose leaved cabbage-like or kale-like plant grown throughout the south and known in different sections as "Cole," "Colewort," or simply "Greens," It is extensively used for the out the entire winter. Collards usually succeed in locations where cabbage cannot be grown to perfection.

Sow the seed thickly in drills, in rich ground, transplanting when about four inches high; or sow in drills where the plants are to remain and when well started thin to two or three feet apart in the row. In the south, seed may be sown from January to May and from August to October.

Georgia, Southern or Creole

This is the white or green stemmed variety, growing two to three feet high and forming a large, loose, open head or cluster of leaves with a rather long stem. A frost, if not too severe, will improve rather than injure the quality of the leaves. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb.\$1.00

CORN SWEET OR TABLE VARIETIES

A rich, warm, alluvial soil is the best, but excellent sweet corn can be raised on any good, ordinary soil, if it is deeply and thoroughly worked before planting. In the north sweet corn may be planted as early as can be done without risking great loss from frosts or from rotting of the seed in the soil, but with the microp varieties especially, it is well to wait until the ground has become warm as the sweeter varieties are more sensitive to cold and wet than field corn or varieties of inferior quality.

If planted in rows, make the rows three to four feet apart, according to the vigor of growth of the variety, and place the seed twelve to sixteen inches apart in the row, covering one inch deep with fine soil firmly pressed down.

If planted in hills, make the hills for the early varieties three feet apart each way and plant four to six kernels to the hill. For the later sorts the hills should be three and one-half to four feet apart each way. Hoe frequently and when six inches high thin so as to leave three or four plants in the hill. Give frequent and thorough but shallow cultivation until the tassels appear.

Mammoth White Cory

We consider this the best extra early corn for the market and home garden. The ears are very large for so early a variety. The stalks are about four feet high, each generally bearing two large, finely shaped ears which become fit for use as early as those of any variety. They are twelve rowed, six to seven inches long, very symmetrical and handsome, seldom with any opening between the rows at the base. The grain is large, broad, very white and of remarkably good quality for such an early sort. We have found that Mammoth White Cory makes a large and attractive ear of good quality earlier than any other corn. Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

White Malakhof A desirable, very early sweet corn of excellent quality. The stalks are about four feet high. The ears are about five inches long, ten or twelve rowed, slender but with very small cob which is well filled with small, deep, very white, sweet and tender grains. It follows closely Mammoth White Cory in time of maturing. Pkt. 10c; Lb. 45c; 2 Lbs. 75c. postpaid; 100 Lbs. \$22.50

White Mexican

The stalks of this early variety are about four and one-half feet high. The ears are about eight inches long, slender and are usually eight rowed. This sort matures nearly as early as Mammoth White Cory. The ears are exceptionally long for so early a variety of table corn and the grain is very white. Our stock is superior to much that has been sold under this name. Pkt. 10c; Lb. 45c; 2 Lbs. 75c. postpaid; 100 Lbs. \$22.50

Crosby's Early A most excellent early variety of fine quality. The ears are five or more, with short nearly square grains which are very white, sweet and tender. The stalks are about four and one-half feet high. This variety is desirable for the home garden and market. It is a sort largely grown in Maine for canning. Pkt. 10c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$30.00

Golden Bantam


This is an early sweet corn with golden yellow grain, very tender and of excellent quality. The ears are eight rowed, six to seven inches long and of the medium size found most suitable for the table. The flavor is exceptionally rich and delicious. The stalks are four to five feet high. Our stock of this splendid home garden and market variety has been very carefully selected and is decidedly superior to much that is offered. Pkt. 10c; Lb. 70c; 2 Lbs. \$1.25 postpaid; 100 Lbs. \$35.00

Charlevoix A new, early or intermediate, yellow grained sweet corn of distinctive merit. Ears about seven inches long, usually twelve rowed and when in condition for use are light creamy yellow in color. The grain is rather short, very sweet and tender and is unsurpassed in quality. In season it is a few days later than Golden Bantam, but remains in condition much longer than that variety. An excellent sort both for the home and the market garden. (See colored plate, page 7, and further description in Supplement, page 6) Pkt. 25c.

Early Minnesota This deservedly popular variety is one of the best second early sorts for the market and the home are about eight inches long, eight rowed; kernels very broad, white, sweet and tender, not shrinking much in drying. By careful selection we have developed a stock of this standard variety which is remarkably uniform and in which all the good qualities that have made this sort so desirable are intensified. Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Kendel's Early Giant Remarkably large in ear for a second early sort and extensively grown in some localities for the market. The stalks are about five and one-half feet high. The ears are about eight to nine inches long, twelve rowed. The grain is white, rather broad and shallow, and the quality very good. Pkt. 10c; Lb 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price.



SWEET OR TABLE VARIETIES—Continued

Early Sweet or Sugar

The ears of this second early table corn are very long, about nine inches, slender, eight rowed, and the grain is white, tender and sugary. The stalks are about six feet high, hardy and productive. Our stock is distinct and true and not such a mixture of all sorts of early sweet or sugar corn as has been often offered under this name. Pkt. 10c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$18.50

Black Mexican This corn, when very young, cooks remarkably white, but the ripe grain is bluish black. For home use we consider it the best second early sort where tenderness and sweetness are the qualities most desired. It does especially well as a second early variety in the south. The stalks are about six and one-half feet high. The ears are about eight inches long and are usually eight rowed. Pkt. 10c; Lb. 45c; 2 Lbs. 75c. postpaid; 100 Lbs. \$22.50

Ferry's Early Evergreen
This excellent sort, introduced by us in 1898, has proven its merit as the best evergreen gree, all the qualities that have made Stowell's Evergreen the leading main crop sweet corn for so long a time. The ears of Ferry's Early Evergreen are about seven to seven and one-half inches long, with fourteen to twenty more or less irregular rows with very deep, white grain of the very best quality. Stalks about six and one-half to seven feet high. A very desirable main crop variety for home garden and market, and well adapted for canning. Pkt. 10c; Lb. 70c; 2 Lbs. \$1.25 postpaid; 100 Lbs. \$35.00

Avon Evergreen a trifle earlier, of superior quality, has a longer ear and thicker kernel. The ears are cylindrical, about nine inches long, well filled at the ends and are fourteen or sixteen rowed. The grain is very white, tender, delicious in sugary flavor, thick and of good depth. The stalks are vigorous, seven to eight feet high. This is a splendid main crop variety for the market, the home garden or the canner. It remains long in condition for use. Pkt. 10c; Lb. 70c; 2 Lbs. \$1.25 postpaid; 100 Lbs. \$35.00

Stowell's Evergreen the home garden, market and canning. It is hardy and productive, very tender and sugary, remaining a long time in condition suitable for boiling. Our stock has been carefully grown and selected to avoid the tendency to a shorter grain and deterioration in the evergreen character of this best known of all late sorts. The ears about seven to eight inches long, fourteen to twenty rowed, with very white grain. The stalks are about seven and one-half feet high. Pkt. 10c; Lb. 70c; 2 Lbs. \$1.25 postpaid; 100 Lbs. \$35.00

Country Gentleman

This variety has a small, white cob, densely covered with irregular rows of very long slender, white grains of excellent quality. The ears are seven to nine inches long. The stalks are from six and one-half to seven feet high. It is well adapted for canning as well as the home garden and market, and many consider it as the best of the late varieties. Pkt. 10c; Lb. 70c; 2 Lbs. \$1.25 postpaid; 100 Lbs. \$35.00

Mammoth This variety, also called Late Mammoth, produces the largest ears of any sweet corn. It is noted for the immense size of the ears, which are often twelve inches long, but the grain is very white, sweet, tender and delicious. They are sixteen or eighteen rowed. The stalks are very large, about eight feet high. Pkt.10c; Lb.50c; 2 Lbs.85c. postpaid; 100 Lbs.\$25.00

FIELD VARIETIES

Extra Early Adams

The searly and used extensively for a first early feet high, with small tassel, very few leaves, and without suckers. The ears are short, very full, twelve or fourteen rowed, often nearly as thick as they are long and are well covered with coarse husks. The kernels are white and smooth. This is an extremely hardy variety which can be grown closer together than most sorts. Pkt. 10c; Lb. 25c; 2 Lbs. 35c. postpaid; 100 Lbs. \$8.00

Early Adams or Burlington

An excellent early field variety and often used for table, particularly in the south. The ears are about eight inches long, twelve or fourteen rowed. The kernels are white, rounded, somewhat deeper than broad and indented at the outer end which is whiter and less transparent than the inner. The stalks are about six feet high. Pkt. 10c; Lb. 25c; 2 Lbs. 35c. postpaid; 100 Lbs. \$8.00

Early Red Blazed

An early flint sort about seven feet high, known also as Smut Nose. Ears ten to twelve inches long, eight rowed and are well filled. Grain flinty, of fine quality, bright yellow at base of ears, but red at the tips. Pkt. 10c; Lb. 15c; 2Lbs. 25c. postpaid; 100 Lbs. \$5.00

Early Golden Dent or Pride of the North this is an early stalks are about seven feet high, with broad leaves. Ears about seven inches long, twelve to sixteen rowed and are well filled. Grain is long, yellow and makes an extra quality of meal. Pkt. 10c; Lb. 15c; 2 Lbs. 25c. postpaid; 100 Lbs. \$5.00

POP CORN


We supply pop corn in lots of four quarts and less, shelled.

Black Beauty

We believe this is not only the earliest maturing variety in cultivation but it is ready for popping earlier than any other sort. It pops very large and exceptionally white. The kernels are black but this color is not noticeable after popping, when this sort is the largest and most tender of all. The ears are about six inches long, twelve rowed. The kernels are smooth, shallow and are nearly square. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. of ears \$9.50

White Rice to seven inches long. The kernels are long, pointed and somewhat resemble rice. This excellent rather late maturing variety yields heavily and is considered the best pop corn for parching. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. of ears \$9.50

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price.



STOWELL'S EVERGREEN

CORN SALAD—Fetticus or Lamb's Lettuce

This is a small, quick growing salad plant for late fall, winter and spring use. The leaves are used as a substitute for lettuce and spinach.

and spinach.

During August and September sow the seed in shallow drills about one foot apart, covering with about one-fourth inch of
fine soil firmly pressed down. On the approach of severe cold weather, cover with straw or coarse litter. The plants will also do
well if the seed is sown very early in spring and like most salad plants, are greatly improved if sown on very rich soil. The seed
we offer is extra cleaned. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

CUCUMBER

This is one of the vegetables that can be grown to perfection by any one who can control a few square yards of reasonably good soil that is fully exposed to the sun. Every family should be supplied from its own garden, since the fruit is so much better when gathered fresh from the vines as desired for use than it is in the more or less wilted condition in which it is found on the market.

In order to obtain the largest yield of cucumbers, the soil should be well enriched with well-rotted manure, but an abundance of good fruit can be raised on any rich garden soil. Plant the seed not over an inch deep in hills four to six feet apart each way, dropping fifteen to twenty seeds in a hill. After the plants begin to crowd and danger from the striped beetle is pretty well over, thin to three plants to the hill. Give frequent but shallow cultivation until the plants make runners so long that this is impracticable.


In field culture, plow furrows four feet apart and similar ones at right angles to the first. At each intersection drop a shovelful or more of well-rotted manure which should be well mixed with the soil. Many growers omit every sixth or eighth row, thus forming paths for the distribution of manure and gathering the fruit.

In many sections, where earliness is very important, market gardeners start plants in boxes made like the ordinary berry box, but without the raised bottom. The boxes are set in hotbeds or cold-frames, filled with rich, friable soil and the seed planted. When danger of frost is over, the plants are set in the open ground, the boxes being cut away, so that the roots are not disturbed at all.


The striped cucumber beetle is often very destructive to young plants. These beetles, when not very numerous, are usually kept from doing serious damage by dusting the plants with fine road earth. Tobacco dust and plaster may be used with impunity. Lime and ashes are more effective but will injure the plants if used too freely. We spray our fields, at intervals of ten days through the season, with Bordeaux mixture to which has been added Paris green, which is a poison for biting insects and a preventive of blight. The best protection against injury is a vigorous and rapid growth of the young plants.

Pick the fruit as soon as it is large enough and before it begins to ripen, as the vines will cease setting fruit as soon as any seed begins to mature. In gathering for pickles, cut the stem instead of pulling the fruit off and be careful not to mar the fruit in any way, for if the skin be broken the pickles will not keep so well.

We pay particular attention to growing and selecting the various strains so as to keep them pure and true to name.



BOSTON PICKLING



Snow's Pickling

Early Cluster

and very vigorous, bearing fruits in clusters of
two or three. The fruits are short, thick, bright
green, shading lighter at blossom end, crisp and
tender. This sort is planted in many sections
for the home garden. It is extensively used for
a pickling cucumber as well as for slicing.
Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.

Early Short Green

This variety is known also as Early Frame. It is an early, bright green cucumber of medium size, very extensively used for slicing and pickling. The vines are very vigorous and productive. The fruits are straight, a little smaller at the ends, bright green in color, shading lighter at the blossom end. The flesh is crisp and tender. The variety is extensively used for the home garden. Our stock is very superior. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Snow's Pickling An early maturing, very small, dark green cucumber, cylindrical, square ended, and very popular with growers for small pickles. We have been growing this variety ourselves for several years, giving special attention to purity and uniformity of type and we believe the seed we offer meets in all respects the requirements of those who want an ideal bottle pickle. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

Chicago or Westerfield The fruits of Pickling sirable sort are of medium length, tapering at each end, with very large and prominent spines. The color is deep green. This is a very prolific variety and one of the best for those who want crisp, coarsely spined pickles. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Boston Pickling
This is a very productive variety that is extensively grown for pickles. The vines are vigorous. The fruits are bright green, of medium size, very smooth and symmetrical. The flesh is crisp and tender. Our seed is decidedly superior to much that is offered. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 14 Lb. 25c; Lb. 90c.

Jersey Pickling the Long and the Short Green, forming a long, slender, cylindrical deep green pickle which is very crisp and tender. The vines are very vigorous and productive. The mature fruits are usually about eight to nine inches in length. This sort is desirable for slicing as well as for pickling. Pkt. 5c; Oz.10c; 2 Oz.15c; ½ Lb. 25c; Lb. 90c.

CUCUMBER-Continued

Early White Spine one of the best sorts for table use. The vines are vigorous, fruiting early and abundantly. The fruits are uniture are usually about seven inches in length. The flesh is crisp, tender and of excellent quality. The variety is much used for the home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Arlington
A medium early white spined cucumber, more slender than Early White Spine and pointed at each end. The young fruits are crisp and tender. The mature fruits are bright deep green and are about seven inches in length, sometimes longer. This variety is extensively used for the home garden and for bulk pickles. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. \$1.00

for bulk pickles. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

A medium early, white spined cucumber of handsome very dark green color and of excellent quality for slicing. The vines are very hardy and the mature fruits when grown under favorable conditions are often about eight inches in length, and are uniform in size and shape. The color is very dark green, slightly striped at the ends. The dark green color is retained much longer and is affected less by the hot sun than any other sort with which we are familiar. Its uniform size and shape and splendid color are making this variety very popular as a shipping sort. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

The fruits Klondike

Extra Long or Evergreen of this very White Spine desirable table sort are long, cylindrical, very dark green, with very white, crisp and tender flesh. The vines are vigorous and productive and come into full bearing somewhat later than Early White Spine. The mature fruits are about eight to ten inches in length. This variety is adapted also for forcing. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Improved Long Green The stock we this name is in a class by itself. The vines are very vigorous and productive. The fruits are very long, often twelve to fifteen inches when mature. They are uniformly slender and of beautiful dark green color. The large warts and spines are well distributed over the surface instead of being clustered at one end as in inferior stocks. The variety furnishes some fruits early but matures the bulk of its crop rather late. It is a standard sort for slicing and is very largely used for pickles. The fruits are often used for making sweet pickles. This is probably the most extensively used cucumber for the home garden and market. We have given this variety especial attention for many years and we believe the stock we offer has no equal. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Small Gherkin (For Pickles) This is a fruited sort quite distinct from all others and grown exclusively for pickles. It is the smallest of all the varieties and should always be picked when young and tender. The seed is distinctly smaller than that of other cucumbers and is clow to compilete very require usually. and is slow to germinate, requiring usually from two to three weeks. Pkt.5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50



As early in spring as the ground can be worked sow the seed in rich, well prepared soil, in shallow drills about sixteen inches apart, covering with about one-half inch of fine soil firmly pressed down. When the young plants are well started thin four to required for use. Keep off insects by dusting with Pyrethrum powder.

Curled or Pepper Grass The leaves of this small salad are much frilled or sirable with lettuce, to the flavor of which its warm, pungent taste makes a most agreeable addition. The plant is of rapid growth, about one foot high. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c.

True Water

This is a distinct variety of cress with small, oval leaves. It thrives best when its roots and stems are submerged in water. A fair growth may be obtained in soil which is kept wet but does best when grown along moist banks or in tubs in water-covered soil. It is one of the most delicious of small salads and should be planted wherever a suitable place can be found. The seed is usually sown and lightly covered in gravelly, mucky lands along the borders of small, rapid streams. The plants will need no subsequent culture, as under favorable conditions they increase very rapidly by self-sown seed and extension of the roots. When gathered for the market the shoots should be cut, not broken off. In summer it is best to cut them closely, the oftener the better. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50 This is a distinct variety of cress with small, oval leaves.

DANDELION Sow early in spring, in very warm, rich soil, in drills eighteen inches apart; thin to five inches apart and cultivate well; they will be fit for cutting the next spring. When grown for the roots, sow in September and cultivate well during the fall and the following summer; the roots will be fit to dig in October.

A decided improvement on the wild dandelion. It is very early and vigorous.

Cultivated or French Common Andelion. It is very early and vigorous. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Improved Thick Leaved Color. It is compact and deep green turt at the center. This cabbaging sort is nuch superior to the common or uncultivated dandelion. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00



IMPROVED LONG GREEN

EGG PLA

Seed germinates slowly and should be started in hotbed, for in this, as in all semi-tropical plants, notbed, for in this, as in an semi-tropical plants, it is important to secure a rapid and continuous growth from the first, the plants never recovering from a check received when young. When plants have two rough leaves transplant three or four inches apart. When the ground is warm and all danger not only from frosts but from cold nights is past, harden off by gradual exposure to the sun and air and decreasing the supply of water, then carefully transplant to open ground, setting two and one-half feet apart.

and one-half feet apart.

It is desirable to shade the young plants from very hot sun and to protect them from the potato bug which otherwise often destroys them. Some seasons egg plants will fail to set fruit or will not begin bearing until too late to mature, no matter how faithfully they may have been cared for. This is especially likely to happen if the summer is cool and rather moist. We know of no certain remedy for it, although it is a good practice to pinch off the ends of the branches after the plants begin to bloom, so that only two or three fruits will set.

Early Long Purple This is a very early maturing and most purple and of fine quality. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ½ Lb. \$1.25; Lb. \$4.50


Black Pekin An early variety with fruit nearly as large as the later sorts. The fruits are nearly round. The skin is smooth, black and glossy. The flesh is white, fine grained and delicate. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00

Black Beauty The fruits are rich dark purple, large and symmetrical, maturing a little earlier than our Improved Large Purple but usually not quite as large. A very desirable sort for the market as the fruit holds its color a long time. Pkt. 5c; Oz. 75c; 2 Oz. \$1.25; ½ Lb. \$2.00; Lb. \$7.00

D. M. Ferry & Co's is a general favorite both Improved Large Purple for market and home garden. The plant is spineless, large and spreading with light green foliage. It usually produces four to six large, oval fruits of a splendid dark purple color. The vigor and productiveness of the plants and the large size, earliness and fine quality of its fruits make it a most profitable variety for market gardeners. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; 1/4 Lb. \$1.75; Lb. \$6.00



EGG PLANT, D. M. FERRY & CO'S IMPROVED LARGE PURPLE



BROAD LEAVED BATAVIAN ENDIVE

One of the best salads for fall and winter use. Endive is not only much used for salads and garnishing but is also desirable for greens

and for flavoring soups and stews.

and for havoring soups and stews.

Plants may be grown at any season of the year but are more generally used late in the fall. For early use sow about April 15th; for later supply sow in June or July in drills fourteen to twenty inches apart and when well started thin the plants to one foot apart. When nearly full grown tie the outer leaves together over the center in order to blanch the heart of the plant. By covering fresh plants every few days a succession may be kept up.

Large Green Curled

A hardy, vigorous growing endive with bright deep green leaves. The midribs of the outer leaves are usually tinged with rose. The dense mass of deeply divided leaves formed in the center blanches very readily to a rich cream color. This sort is highly esteemed for the market and home garden, and is much used for salads. Pkt. 5c;

market and home garden, and is much used for salads. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Ever White Curled The plants are moderately dense, with divided leaves which are very light. This variety blanches readily to an attractive creamy white. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 5c; Lb. \$1.75

Moss Curled Plants compact growing, forming large, dense which, when properly blanched, are rich creamy white, crisp and tender. Leaf stems sometimes tinged light purplish red. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75 Oz. 20c; 2 Oz. 35c; 1/4 Lb. 55c; Lb. \$1.75

Broad Leaved Batavian (Escarolle) A variety having broad, more or less twisted and waved bright deep green leaves with thick, nearly white midribs. The inner leaves form a fairly solid, clustering head which blanches to a beautiful deep creamy white and is crisp and tender. This sort is unsurpassed for salads and is much used for the home garden and market. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

FENNEL FLORENCE (Ferniculum dulce, Finocchio) A bulb-like vegetable which is formed above the ground at the base of the leaf stalk if the plant is well grown. Blanched and boiled it has a slightly aromatic odor and pleasant taste. Plant very branching, upright with dense thread-like foliage. Sow early in spring, in rich, well prepared soil, in drills two feet apart and cover one-fourth to one-half inch deep. When the plants are about two inches high thin to ten inches apart in the row. When half grown if the plants are earthed up and treated as celery the

half grown, if the plants are earthed up and treated as celery, the stems will be nearly as white, crisp and palatable. Hardy annual, two to four feet high. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 (For Sweet Fennel see page 67)

GARLIC A bulbous rooted plant of the onion family with a strong, penetrating odor but much esteemed by some for flavoring soups, stews, etc. We frequently receive orders for garlic seed but we can supply bulbs only. Prepare ground the same as for onions, plant bulbs in drills eight inches apart and four inches apart in row, covering two inches deep. When the leaves turn yellow take up the bulbs, dry in shade and lay them up in a dry loft as you would onions. BULBS, 1/4 Lb. 20c; Lb. 60c.

HORSE RADISH

Horse Radish rarely produces seed but is grown from pieces of the root. For the home garden they may be set wherever a few feet of space is available, but when grown as a crop they should be set in rich, moist, well prepared ground in rows two and one-half feet apart and about eighteen inches apart in the row. Set the roots vertically, small end down, and the top of the root one to three inches below the surface of the ground. Cultivate thoroughly until the tops cover the ground, when their shade will keep down the weeds.

SMALL ROOTS—3 for 10c; 25c. per dozen, postpaid. By freight or express at purchaser's expense, 90c. per 100.


KALE OR BORECOLE

This is extensively grown, especially in the south during the fall, winter and spring. The leaves are used principally for greens. A favorite way is to cook them with bacon. The leaves are also used for garnishing.

Where climate permits seed may be sown any time from August to October, broadcast or preferably in drills eighteen inches apart so that the plants when small may be cultivated. The quality is improved rather than injured by frosts if not too heavy. Farther north sow in April or May in rich light soil in rows two to three feet apart and where plants of the largest size are desired thin to two feet apart in row. It is better not to cut or handle the plants while frozen, but if this is unavoidable, thaw them out in cold water. The young shoots which start up in the spring from the old stumps are very tender and make excellent greens. very tender and make excellent greens.

Tall Green Curled Scotch

The plant of this variety grows to three or four feet high, bearing long, plume-like, light green leaves which are deeply cut, also finely curled at edges. Very ornamental and so hardy that a moderately heavy frost improves rather than injures its quality. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 4/Lb. 30c: Lb. \$1.00 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00



DWARF CURLED SCOTCH OR GERMAN GREENS

Dwarf Curled Scotch A finely curled. spreading, low growing variety, very or German Greens hardy and much used for greens. This sort, sometimes called Norfolk, is grown extensively in the south for shipment and is planted largely for the home garden. The leaves a tive bright green. This sort is often used for garnishing. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00 The leaves are long and attrac-

German Dwarf Purple
Similar to Dwarf Curled Scotch but the leaves are deep green and purple. It is very attractive in its rich purplish coloring. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

A very vigorous growing variety of spreading habit, its green foliage having a distinctive bluish tinge or bloom. The leaves are very large, comparatively plain in the center but are cut and frilled at the edges. The variety is very hardy, a favorite for greens and in some sections is extensively grown for forage. This sort is sometimes called Sprouts or German Greens. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Jersey or Thousand Headed Tree Kale and Cow Kale. It has comparatively smooth leaves and is extensively used for feeding chickens. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

The edible part is the turnip-shaped bulb formed above ground. It is tender and excellent when used before fully grown, combining somewhat the

flavors of cabbage and turnip. Seed should be sown in light, rich soil as early in spring as possible in rows one and one-half feet apart and when well established thin to six inches apart in the row. Plantings at intervals of ten days will give a succession until hot weather, when they fail to grow well. Plantings may be made the latter part of July for fall use.

Early White Vienna (Extra for forcing) This variety is extremely early with distinctly small tops. The bulbs are of medium

size, very light green or nearly white, and are of best quality for

size, very light green or nearly white, and are of best quality for the table if used when about two inches in diameter. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.25

Early Purple Very early, with Small top, the Vienna leaf stems being tinged with purple. Bulbs of medium size, purple; flesh white. Desirable for forcing and early outdoor planting. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.25

Large Green called Large White. It is hardy, quite late and used for feeding stock. Bulbs large, weighing eight to ten pounds when fully grown, whitish green in color; leaves large and very numerous. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

EARLY WHITE VIENNA

EARLY WHITE VIENNA

To fifteen inches apart. covering one-half inch deep. Thin plants to six inches apart in row and draw the earth about them when cultivating. If one desires very white and tender leeks transplant when about six inches high, setting four inches apart in renches about two feet apart and gradually earth up like celery. inches apart in trenches about two feet apart and gradually earth up like celery

London Flag This well known broad leaved leek is hardy, productive, of good quality, and is extensively cultivated in this country. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Large American Flag A desirable strong growing. broad leaved leek, hardy and productive. It is a favorite with many market gardeners and is also extensively used for the home garden. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Large Rouen Stems very thick but comparatively short. Leaves broad, covered with whitish bloom. This winter sort stands a long time in condition for use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ½ Lb. 55c; Lb. \$1.75

The largest variety, when well grown often three

Monstrous Carentan The largest variety, when well grown often three inches in diameter, white and tender. It is an exceptionally hardy garden sort. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75



MONSTROUS CARENTAN

LETTUCE

For early outdoor culture in the latitude of Cincinnati and southward the seed may be planted in the fall, protecting the young plants from severe freezing either with frames or coarse litter which may be removed as soon as danger of severe freezing is over. Lettuce in ground out of doors will stand some freezing but is killed by prolonged frost or frequent freezing and thawing. North of Cincinnati an early crop may be secured by starting under glass from January to March and hardening off well before setting in ground, which should be done as soon as weather will permit.

Lettuce to be at its best should be grown as rapidly as possible, hence the soil should be made as rich and friable as possible by liberal manuring and thorough preparation. For winter, sow under glass from November to February and thin out as necessary to prevent crowding. Keep a moderate heat and give all the light and air possible. For general crop, sow outdoors as early in the spring as the ground can be worked, in drills eighteen inches apart and thin the young plants to four inches apart in the row. As the plants begin to crowd thin them out and use as required. In this way a much longer succession of cuttings may be had from the same ground. For the cabbage or heading varieties where large heads are desired, the plants should be thinned ten to twelve inches apart in the row.

Varieties marked A are particularly adapted for culture under glass and for early spring use. Those marked B are sometimes grown under glass, but are especially desirable for outdoor or summer culture. Big Boston, Brown Dutch and California Cream Butter are very hardy and suited for winter outdoor culture in the south.

CABBAGE OR HEADING VARIETIES


May King

A. (Seed while) This is a handsome, extremely early, compact, cabbage or heading variety for the home garden and market, forming very firm heads of medium size and excellent quality. The color is light yellowish green, tinged with reddish frown when mature. The inner leaves blanch rich golden yellow, very tender and buttery. The plant is very compact for so large a head. The variety is exceptionally early outdoors, attaining a size suitable for use before other sorts and is also very satisfactory for forcing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Early Tennis Ball A. (Seed black) One of the best heading lettuces, especially desirable for early planting outdoors and also suitable for foreing. The plants are large, with thick, bright green leaves. They form very solid heads, the inner leaves blanching to a rich, creamy white, and are crisp, tender and buttery. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Salamander

B. (Seed black) A very extensively used sort of excellent quality for the home garden and market. The variety withstands hot weather remarkably well. It forms a large compact, light green plant. The leaves are broad, thick, somewhat crumpled and closely overlapping so that the inner ones are very finely blanched. It is one of the most satisfactory heading lettuces for growing outdoors. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



MAY KING

Hubbard's Market
Beaved, bright green heading
variety, forming a large, very compact head similar in
type to Salamander, slightly larger, and a little later maturing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Mammoth Black
Seeded Butter

cabbage-like heads of thick, yellowish green leaves, the inner ones largely grown sorts, suitable for the home garden as well as market.

Pkt. 5c; Oz. 15c;

2 Oz. 25c; ½4b. 40c; Lb. \$1.50

Deacon B. (Seed white) This is an excellent summer variety. The head is of large size, is very firm and remains in condition for use a long time. The plant is very compact, with few outer leaves which are usually very smooth, thick and of light green color. The inner leaves blanch to a bright, rich yellow and are crisp, buttery and very well flavored. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25




SALAMANDER

Unrivaled Summer B. (Seed white) A large light, similar in habit of plant to Big Boston but a trifle earlier maturing as an outdoor summer variety and having no red or bronze shading on the leaves. Heads are large. firm and of excellent quality. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ½ Lb. 55c; Lb. \$1.75

Big Boston

B. (Seedwhite) This market variety is very popular for outdoor culture and is also in demand as a compact, large heading, forcing sort for cold-frames. The plants are large, very hardy and vigorous. The leaves are broad, comparatively smooth but wavy at the edge, thin, very hard and crisp. In color they are bright light green, the head slightly tinged with reddish brown. The inner leaves blanch to an attractive greenish white, tinged with light yellow. It heads up under cold weather conditions better than any other variety, and is grown very extensively in the south for shipment north in the winter. (See further description in Supplement, page 4) Pkt. 5c; Oz. 20c; 20c. 35c; 1/4 Lb. 55c; Lb. \$1.75



UNRIVALED SUMMER

LETTUCE—CABBAGE OR HEADING—Continued

California Cream Butter or Royal Summer Cabbage ing sort, with glossy, deep green leaves, the outer ones slightly spotted or splashed with brown. The inner leaves form a large, very solid head, rich light yellow in color, very thick, tender and buttery.

Pkt. 5c; Oz. 15c; 2 Oz. 25c;

1/4 Lb. 40c; Lb. \$1.25

Brown Dutch B. (Seed black) Outer leaves large, thick, green tinged with brown and covering a solid head which is beautifully blanched, sweet, tender and well flavored. The variety is desirable because of its hardiness and is well adapted for planting in the south as a winter lettuce. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Jersey Winter B. (Seed white) A light green, loose heading, medium sized lettuce; very hardy and when wintered over one of the earliest to mature its heads. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Los Angeles B. (Seed white) This very large heading lettuce is desirable not only as a garden variety for summer use but is much used as a fall and winter market sort, especially in the vicinity of Los Angeles. The plant is very large but compact and tight heading; outer leaves attractive deep green, broad, frilled at edges. The inner leaves form a large head, very sweet and tender when in condition for use. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

(Seed white) One of the most desirable Hanson later summer lettuces. The plant is compact

and forms a large, cabbage-like head which remains in condition longer than most heading sorts. The outer leaves are bright yellowish green, broad, somewhat crumpled and frilled at edge and with distinctive midrib. The inner leaves are white, very crisp and sweet. This thin-leaved, curly, tight-heading sort is very extensively used for the kitchen garden as well as market. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

CURLED OR LOOSE LEAVED VARIETIES

Grand Rapids A. (Seed black) As a lettuce for green-house forcing this variety undoubtedly stands at the head of the list, being of quick growth, hardy, stands at the head of the list, being of quick growth, hardy, little liable to rot and remaining in condition several days after being fit to cut. The plant is upright and forms a loose cluster of large, thin, bright green leaves, savoyed. finely crimped at edges. The leaves do not wilt quickly after cutting so that the variety will stand shipping long distances better than most sorts. It is a very attractive variety and is desirable for garnishing. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75


Detroit Market ander glass where it stands higher tem-Gardeners' Forcing perature than Grand Rapids and can be crowded to maturity. This variety is also well adapted for outdoor growing. The plant variety is also well adapted for outdoor growing. The plant is more compact than that of Grand Rapids, is lighter colored and less frilled at the edges of the leaves which are crisp and tender, and it sometimes forms outdoors a fairly solid head. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Simpson's Early Curled tensively used early loose leaved, or clustering variety. The leaves are light green in color, slightly frilled and much blistered, crisp, sweet and tender. The sort is especially adapted for sowing thickly and cutting when the plants are young. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Ferry's Early Prize Head B. (Seed white) A large, clustering, non-heading lettuce, most excellent for the home garden and undoubtedly the most easily grown variety in cultivation. It is too tender, however, to stand shipping or handling on the market. The leaves are finely curled and crumpled, bright green tinged with brownish red, and are very crisp, tender and sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Black Seeded Simpson B. One of the best for sowing outdoors where an exceedingly tender leaf is desired and for those ma kets which demand a very large loose clustering sort. The color is an attractive light yellowish green. It is

used also for growing under glass or in frames. The leaves are ruffled and blistered and even the large outer ones are very tender. This curly and thin-leaved, bunching variety is uniformly attractive and remains of excellent quality a very long time. Pkt. 5c; Cz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. § 1.50



FERRY'S EARLY PRIZE HEAD

Cos Lettuce (Romaine) This kind of lettuce is distinguished by its long, narrow, spoon-shapedleaves, folding into loose, sugarloaf shaped heads which blanch better by having the outer leaves drawn about them and tied. The quality is distinct from that of the Cabbage Lettuces and by many is considered very superior.

Sow seed early in spring in rich, well prepared soil, in rows eighteen inches apart, covering one-half inch deep. When plants have two or three leaves thin to three or four inches apart. As the plants begin to crowd thin and use as required. If large heads are desired plants should be thinned ten to twelve inches apart.

Early White Self-Folding (Seed white).

This excellent variety, also called Trianon, forms a large light green plant with a well folded head of very good quality. The midribs are white and very prominent. The inner leaves are nearly white, slightly tinged with green, and are decidedly firm and sweet. This is considered the most reliable of the Cos or celery lettuces for the home garden or market gardeners' use in this country. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

After danger of frost is past, the ground being warm and in good condition, plant in rich soil, preferably sandy loam, in hills about four to six feet apart according to the vigor of the variety. The terror twelve seeds in a hill, covering with about an inch of fine soil firmly pressed down. When the plants begin to crowd and the striped beetles are pretty well gone thin to four of the most vigorous plants in a hill. Give frequent but shallow critivation, until the plants make runners so long that this is impracticable. Rich earth for the young plants is far better that a manure, but if the latter must be used, see that it is well rotted and thoroughly mixed with the soil.

The quality of all varieties of Muskmelons is largely dependent upon conditions of growth and ripening. Unhealthy vines or unfavorable weather produces fruit of comparatively poor flavor.

The plants are liable to attack from the striped beetles which are so numerous in some cases as to destroy them. The beetles may be kept off by frequent dusting with air-slaked lime, soot or sifted ashes diluted with fine road earth. Care should be taken not to use too much of any of the above materials or the vines will be injurious. Should even the diluted material prove injurious to the vine, use road earth only, as frequent dusting with this alone will often prove effective especially if a wind is blowing. After the plants have four to six leaves it is considered a safeguard against blight to spray with Bordeaux Mixture at intervals of about ten days, adding either Paris green or arsenate of lead for the eating insects.

GREEN FLESHED VARIETIES

Extra Early Citron

A small, round or slightly flattened melon, valuable as an early market sort on account of its exturity. The flesh is light green, sweet and of fair quality. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Lb. \$1.00


Lb. \$1.00

Jenny Lind
The vines are rather small but vigorous and productive. The fruits are small, somewhat flattened, moderately ribbed and netted. The flesh is green and very sweet. This well known flattened green fleshed sort ripens quite early and is suitable for the home garden as well as near-by markets. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

This early Extra Early Hackensack This early variety is popular in many sections as a market melon and is also extensively used as a home garden sort. The fruits are nearly two weeks earlier than Hackensack, medium to large sized, earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juicy and sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

This has Netted Gem or Rocky Ford
one of the most popular of small or crate melons
and is shipped in large quantities from Colorado and is shipped in large quantities from Colorado and Arizona. It is also a desirable medium early sort for the home and market garden. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. The flesh is green, very sweet and highly flavored. We offer an exceptionally fine stock of this early sort, the fruit being very uniform in shape and quality and of the even size that is so desirable in a shipping melon. Pkt. 5c; Oz. 10c; 20c; 14 lb 30c; lb \$1.00

2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00



NETTED GEM OR ROCKY FORD

Baltimore or Acme

Saltimore or Acme The fruits of this midseason green fleshed sort are medium sized, oval or long oval, slightly pointed at stem end, slightly ribbed, and are covered when ripe with coarse netting. The flesh is thick, green, well flavored and sweet. This variety is a very productive, sure cropper of good quality. It is extensively grown in some sections for the market, also as a home garden melon. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 14 bt. 30c; b. \$1.00. 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Champion Market The fruits are slightly oval, slightly ribbed and covered with dense netting. The flesh is green, very thick and sweet. The variety is a reliable, medium early market sort. It is an improvement on Montreal in earliness and productiveness and will suit those who like a large, sweet, green fleshed sort. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 31.00 1/4 Lb. 30c; Lb. \$1.00

Hackensack or good quality. It is conTurk's Cap sidered the best of the very large green fleshed melons. The vines are hardy, vigorous and productive. The fruits are nearly round, always somewhat flattened. The ribs are large and of irregular width, and the fruits are densely covered with coarse netting. The flesh is green, thick, coarse but juicy and sweet. Our stock is true to the "Turk's Cap" type. This is still an extensively grown main crop melon in some sections for the market and home garden. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 14 Lb. 30c; Lb. \$1.00

Bay View An exceptionally hardy, late maturing, green fleshed variety producing fruits of largest size, frequently evy producing truits of largest size, frequently weighing ten to fifteen pounds, long, distinctly ribbed and covered with coarse netting. The skin is green, becoming slightly yellow as fruits ripen. The flesh is green, thick and of good flavor. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00



MUSK MELON-Continued ORANGE FLESHED VARIETIES

Emerald Gem A very early, yellow fleshed melon of small to medium size. One of the very best for the home garden. The vines are vigorous and productive. The fruits are globular or slightly flattened, are somewhat irregularly ribbed and very slightly netted. The skin is deep green while young, becoming slightly tinged with yellow as the fruit matures. The flesh is deep salmon-yellow, thick, ripening close to the rind, juicy, melting and very highly flavored. For the home market as well as the kitchen garden Emerald Gem leads all other kinds on account of its sweetness and convenient size. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Tip Top A well known very productive market sort in some sections. The fruits are large, nearly round, slightly ribbed and fairly well covered with shallow netting. The skin is light yellow when the fruit is mature. The flesh is deep yellow, rich and highly flavored. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

The vines are hardy and productive. Surprise fruits are of medium to large size, oval, distinctly ribbed and covered with slight patches of netting. The skin is light yellow when the fruit is mature. The flesh is deep salmon in color and of good quality. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00


Extra Early Osage This excellent variety is fully a week earlier than the Osage, the fruits are a little smaller, more nearly round and the netting extends over more of the surface. These very desirable features, combined with the thick salmon flesh and small seed cavity characteristic of the Osage, make this melon deserving of a place in the home and market garden. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Petoskey or Paul Rose A well known yellow fleshed sort, suitable

Petoskey or Paul Rose fleshed sort, suitable for the home and market. The vines are vigorous and productive. The fruits are oval, slightly ribbed and densely netted. In general appearance they are much like Netted Gem but larger. The flesh is orange-yellow, very thick, firm, sweet and highly flavored. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Admiral Togo We have developed in Admiral rogo Togo a small oval musk melon with or Orange Fleshed Rocky Ford the very thick, orange flesh and splendid quality of the Defender and possessing the characteristic netting, shape, size and shipping quality of Netted Gem or Rocky Ford. Combining all the good qualities of these two fine varieties we believe the Admiral Togo is an ideal table melon. This is a desirable medium early sort for the home and market garden. We consider it the best small shipping melon yet introduced. We believe the seed we offer will meet the demands of the most discriminating buyers. (See cut and further description in Supplement, page 8) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25 Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Sometimes sold as Ordway Queen. Hoodoo orange fleshed variety of medium size, ideal as a shipping melon and a desirable mid-season sort for the home garden. The vines are vigorous, blight resisting and very productive. The fruits are nearly round and are uniformly of medium size. The netting is exceptionally fine and dense, extending over practically the entire surface. The rind is thin yet very firm, so that the melons arrive in perfect condition in distant markets. The flesh is very thick, firm, highly colored, of fine texture and delicious flavor. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25 1/4 Lb. 40c; Lb. \$1.25



EMERALD GEM

One of the best yellow fleshed melons. It is excellent for shipping and is a desirable, intermediate sort for the home garden. The fruits are medium sized, Defender diate sort for the home garden. The fruits are medium sized, oval, slightly ribbed, covered with gray netting. The flesh is firm, fine grained and of highest flavor. The color is rich, deep orange-yellow. The flesh extends to the rind and retains its color and quality quite to the outer shell which, though thin, is very hard and firm. The vines are very vigorous and productive. This splendid variety was originated and introduced by us in 1901 and we have taken pride in maintaining our stocks in the highest state of purity and excellence. We believe it is identical with the melon introduced in 1907 and sold largely as Burrell's Gem. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

sold largely as Burrell's Gem. Pkt. 5c; V2. A00, 1/4 Lb. 40c; Lb. \$1.25

Osage or salmon fleshed melon. The vines are vigorous and productive. The fruits are slightly oval, dark green, slightly ribbed and partly covered with shallow gray netting. The flesh is rich orange-salmon, very thick, fine grained and highly flavored. It is a favorite variety among growers for the later markets and is much used for the home garden. The strain we have developed has an exceptionally small seed cavity. We

has an exceptionally small seed cavity. We believe our stock to be unequalled. (See further description in Supplement, page 8) Pkt.5c; Oz.15c; 2 Oz. 25c; 1/4 Lb.40c; Lb.\$1.25

Cassaba Melon

The Cassabas are primarily for winter use. They require a long season for naturing but the fruits are exceptionally good keepers. The skin of the fruits is usually furrowed and they possess little or none of the common washingless and or the season of the common washingless and or the season of the common washingless and or the season of the season o

they possess little or none of the common muskmelon odor.

Seed may be planted in April or May. Cultivate same as other musk melons but do not water too freely after first setting of fuit is fully grown. The fruits may be picked when the light streaks have become quite yellow. Store the fruits so they do not touch each other, in a cool dark place. When the rind becomes slightly softened and moist, they are ready to cut.

Golden Beauty One of the best cassabas. It is a variety grown extensively for shipment from Southern California. The fruits are nearly globular, bright yellow with golden tint, with wrinkled skin, six to eight inches in diameter. The flesh is white, very thick, juicy and sweet. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50 Lb. \$2.50

WATER MELON

To make certain of raising good Watermelons, it is essential that the plants have a good start and to this end it is important to prepare hills about eight feet apart, by thoroughly working into the soil an abundance of well rotted manure—hen manure, guano, or other forms rich in nitrogen, being most desirable. Over this highly manured soil put an inch or more of fresh earth and plant the seeds on this, covering them about an inch deep.

It is important that the seed should not be planted before the ground becomes warm and dry, as the young plants are very sensitive to cold and wet. Put ten or twelve seeds in a hill. When the plants have formed the first pair of rough leaves, they should be thinned so as to leave two or three of the strongest and best to each hill.

Frequent watering of the plants with liquid manure will hasten the growth, thus diminishing the danger from insect pests. If the striped beetle appears use tobacco dust freely. The best protection against blight and insect pests is to maintain a vigorous and continuous growth. It is desirable to change the location as often as practicable.

Harris' Earliest

An extra early melon of excellent quality.

Seed black. The vines are vigorous and productive. One of the best varieties for northern latitudes.

We have carefully observed this splendid variety in our trials for several seasons and are convinced that it is the very best first early melon for the home garden. Pkt. 5c;

Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

D.M. Ferry & Co's Sometimes sold as Ice Cream. One of the best early sorts for the Peerless home garden and for market gardeners who derately vigorous, hardy and productive. The vines are moderately vigorous, hardy and productive. The fruits are very tender, medium sized, oval to medium long, bright green, finely veined with a darker shade. The rind is thin. The flesh is bright scarlet, solid, crisp and very sweet. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

Long Light Icing Our stock of this sort is much better than that usually offered and superior to many strains offered as Gray Monarch, etc. The fruits are long and large, light green, slightly veined with a little darker shade. The flesh is deep, rich red, and of splendid traditions of the state of the quality. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Round Light Icing The fruits are small-medium, slightly veined or dotted with light green. The flesh is bright, light red, very sweet and tender. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Dark Icing The fruits are medium sized, blunt oblong or slightly oval in shape, dark green, very indistinctly veinel and mottled with lighter shade. The flesh is very rich, bright red, sweet and of excellent quality. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

This most Wonte Cristo or Kleckley's Sweets variety is unsurpassed for home use or near markets. The vines are vigorous and productive. The fruits are medium to large, oblong, tapering slightly towards the stem end, dark green, often showing fine russeting. The flesh is very bright, rich red and is exceedingly sweet. The variety is so crisp and tender that it will not stand shipping, the fruit bursting open if subjected to even a slight jar, or when the rind is penetrated with a knife. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 14 Lb. 30c; Lb. \$1.00 Monte Cristo or Kleckley's Sweets 1/4 Lb. 30c; Lb. \$1.00

Florida Favorite
and excellent quality. The fruits are long, dark green, with irregular mottled striping of a lighter shade. The rind is thin but firm. The flesh is very bright, deep red, very sweet and tender. The vines are vigorous and productive. Seed nearly white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

A very large, long melon of excellent quality, popular in the south where it is grown extensively for shipping. The color is rather deep green, with dark, irregular striping. The rind is thin but very tough. The flesh is bright red, fine grained and sweet. The fruits average a little thicker than Florida Favorite. Seed nearly white. Pkt. 5c; Oz. 10c; 2Oz. 15c; ¼ Lb. 25c; Lb. 75c. Lb. 75c.



HARR'S' EARLIEST

Tom Watson


A large, long melon similar in shape, color and splendid quality to Monte Cristo but averaging larger in size and with a tougher rind, making it especially adapted for shipping to distant markets. The vines are vigorous and productive. The flesh is rich red, sweet and tender. Seed white, more or less marked with brown. Wherethe the sheet agreement of the second of t tender. Seed white, more or less marked with brown. Whenever grown in the south it has become very popular as a shipping sort. There has been an increasing demand of late for a better quality of shipping melon and this demand has been met in most exceptional degree by the Tom Watson. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Ferry's Iceberg shape, size and appearance this is similar to Kolb's Gem, but is distinctly darker and the skin where the melon rests on the ground is rich yellow instead of white. It has a very firm, hard rind and is as good a shipper as Kolb's Gem but the flesh is deeper colored, extends nearer to the rind and is more tender and sweet. Sometimes sold as Blue Gem. Seed black. The best dark colored round shipping melon. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c. Lb. 75c.

Kolb's Gem A very large, round or slightly oval melon, often flattened on the ends, marked with irregularly mottled stripes of dark and light green. The round sorts for shipping.

The flesh is bright red. solid, a little coarse, but sweet and tender. The vines are vigorous and productive. Seed black. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.


Chilian The quality of this melon is equalled by few varieties and surpassed by none for the home garden. It is desirable also for shipping. The fruits are medium sized, nearly round or slightly oblong. The skin is very deep green, indistinctly mottled and striped with a lighter shade. The flesh is decidedly bright vermilion-red, remarkably fine grained but firm and very bright vermilion-red, remarkably fine grained but firm and very sweet. Seed white. A melon of splendid quality, very popular on the Pacific coast and taking high rank elsewhere as it lecomes more generally known. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00



TOM WATSON

-Continued

Sweet Heart This variety, introduced by us in 1894, is much used for shipping as well as for the home garden. The vines are state ends and very productive, ripening their fruit evenly. The fruits are of largest size, oval but flattened at the ends and very heavy. The rind is very firm. The color is very light green, very slightly veined with a little darker shade. The flesh is bright red, firm but very sweet. The fruit remains in good condition a long time after ripening. Seed Our stock will be found very uniform in shape, size and color. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



GYPSY OR GEORGIA RATTLESNAKE

One of the Gypsy or Georgia largest Rattlesnake and best known home garden and shipping sorts, especially adapted for the south. The fruits are very long, of a light green color, distinctly striped and blotched with a darker shade. The flesh is bright scarlet, tender and sweet when grown in the south, although usually the fruits are too late metricing. ally the fruits are too late maturing to ripen properly in the north. The to ripen properly in the north. The vines are large and vigorous. Seed nearly white. Pkt. 5c; Oz. 10c; nearly white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Triumph A southern variety of strong vigorous growth. The fruits are of largest size, nearly round, dark green, sometimes in-distinctly striped with a lighter shade and have a firm rind so that they stand shipment exceptionally well. The flesh is bright red and of good quality. Seed black. Pkt. 5c; Oz.10c; 2 Oz.15c; ¼ Lb.25c; Lb.75c.

The fruits are medium sized, uniformly round and are used exclusively for preserves or pickles. The color is dark green, distinctly striped and marbled with light green. The flesh is white and solid but is not at all suitable for eating raw. Seed red. The fruits mature late in the fall and in this condition can be kept for a long time. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 90c.

MUSHROOM The Mushroom is an edible fungus of which there are numerous varieties. We handle the ordinary changing to liver color. The mushroom produces "seed" or spores and there is developed a white, fibrous substance in broken threads, called spawn, which is developed and preserved in horse manure, pressed in the form of bricks. Mushrooms can be grown in cellars, in sheds, in hotbeds or sometimes in the open air, the great essential being a uniform degree of temperature and moisture. Our space is too limited here to give the necessary cultural directions, but these are published in book or pamphlet form. We can furnish, postpaid, for 35c., a book containing very complete directions for the culture of mushrooms. (See his the circle of the containing very complete directions for the culture of mushrooms.

taining very complete directions for the culture of mushrooms. (See list inside of back cover)

PURE CULTURE MUSHROOM SPAWN. By a newly discovered process of selection and grafting, the spawn is scientifically propagated so that large, vigorous and finely flavored mushrooms are reproduced. The sort we offer is earlier, more productive and a marked improvement on wild spawn, either French or English. Brick (about 1½ lbs.), postpaid 40c; 5 bricks, not prepaid, \$1.25

MUSTARD Mustard is not only used as a condiment but the green leaves are used as a salad or cut and boiled like spinach. Sow as early in the spring as the ground will permit, in drills about eighteen inches apart, covering one-half inch deep. For succession, sow every few weeks till autumn. Water freely. In the south the seed may be sown in autumn and the plants used early in the spring as a salad and for greens.

White English The leaves are comparatively small and smooth, deeply cut or divided and soon bolts to seed. The leaves, when young, are mild and tender. Seed light yellow and larger than that of other varieties. Pkt. 5c; Oz. 10c; 2 Oz.15c; ½ Lb. 20c; Lb. 50c.

Southern Giant Curled The leaves are large, light green with tinge of yellow, much crimped and frilled at edges. The plant is upright or slightly

spreading in growth. This variety is highly esteemed in the south for the market as well as the home garden on account of its vigorous growth, hardiness and good quality. Seed small, reddish brown to nearly black.

Large Smooth Leaved plant is of very quick growth, fairly upright when young, becoming somewhat spreading at maturity. This sort is preferred by many as it is more easily prepared for the table than the rougher leaved varieties. Seed small, reddish brown to nearly black. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

NASTURTIUM TALL MIXED GARDEN. Sometimes called Indian Cress. Grown not only for ornament but the beautiful orange and yellow flowers and the foliage are used for garnishing. The young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles. Early in spring sow, preferably in rather light soil, in rows three feet apart and two inches apart in the row, covering one inch deep. When the young plants are about four inches high thin to six inches apart in the row. The vines can be supported if so desired by stakes, strings or brush. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb.\$1.00 For other varieties of Nasturtium see page 85.

OKRA OR GUMBO

The young seed pods are used in soups, stews, catsups, etc. Highly esteemed in the south. After sups, etc. Highly esteemed in the south. After warm and one-half feet apart, covering with about an inch of fine soil firmly pressed down. When about three inches high, thin to about one foot apart in the row. Cultivate and keep free from weeds. The pods are in best condition for use when from one to three inches long.


White Velvet
The plants are about three and one-half feet high, early maturing and very productive. The pods are white, long, smooth and are tender until plants ized.

Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

Perkins' Mammoth Long Pod This variety is about three feet high, very early and productive. The pods are deep green, very long, slender, slightly corrugated, very tender and of good quality. This is a desirable market as well as home garden sort. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

Dwarf White

The polos are of medium length, greenish white, quite thick, slightly corrugated, tender and of good quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.



OKRA. WHITE VELVET

ONION

The Onion is one of the most extensively used of all vegetables. It not only contains considerable nutriment and has valuable medicinal properties, but is most useful in counteracting the bad effects of sedentary life. The disagreeable odor it imparts to the breath may be avoided in a great measure by thorough cooking, or by eating a few leaves of parsley.

In onio culture, thorough preparation of the ground, careful sowing and the best of after culture, though essential for a full yield, will avail nothing unless seed of the best quality be used. Given the same care and conditions, the product from two lots of onion seed of the same variety but of different quality may be so unequal in the quantity of merchantable onions that it would be more profitable to use the good seed though it cost twenty times as much as the other. Our equipment and experience enable us to produce onion seed that is unsurpassed. The seed we offer is the best obtainable.

Although onions are often raised from sets and from division, by far the best and cheapest mode of production is from seed. The facility with which seed is sown and the superior bulbs it produces, recommend it for general use.

As early in spring as ground can be worked, sow in rich soil, thoroughly pulverized and leveled, in rows twelve to fifteen inches apart, covering one-half inch deep. When the plants are well up, cultivate and keep free from weeds. The young plants may be thinned about one inch apart in the row. When grown for bunching, the rows can be made as close as ten inches.

For very early crop in northern latitudes, sow seed in cold-frame in February and transplant when large enough to handle readily. The same location may be used for a succession of years if the ground is kept rich by applications of well rotted manure or other suitable fertilizer and is thoroughly worked at proper intervals. Where climate permits seed may be sown early in winter. If onions are to be grown for the market the following suggestions should be given careful consideration:

HOW TO RAISE ONIONS FOR THE MARKET

THE SOIL. We prefer a soft, dark sandy loam, not too fine. This is much better if it has been cultivated with hoed crops, kept clean from weeds and well manured for two years previous, because if a sufficient quantity of manure to raise an ordinary soil to a proper degree of fertility is applied at once, it is likely to make the onions soft. The same result will follow if we sow on rank mucky ground or on that which is too wet and it is impossible to raise either a large or profitable crop on stiff clay, very light sand or gravel.

PREPARATION. Onions respond well to very liberal manuring. As much as forty loads of stock manure well composted or one ton of high grade commercial fertilizer per acre may be applied to good advantage. The stock manure should be spread and worked into the top soil in the fall but if commercial fertilizer is used it should be distributed and thoroughly worked into the top soil after plowing in the spring. A liberal use of potash is very beneficial to the crop especially when raw manure is used or if the soil is rank and mucky, as potash reduces the tendency to scallions or coarse necked bulbs. The top soil should be cleared of everything that will interfere with the best possible work with drill and wheel hoe. The whole ploughed soil should be well pulverized and worked with tools that leave the surface smooth and compact.

SOWING THE SEED. This should be done as soon as the ground can be made ready and can be done best by a hand seed drill. This should be carefully adjusted to sow the desired quantity of seed about one-half inch deep. The quantity


needed will vary with the soil, the seed used and the kind of onions desired. Thin seeding gives much larger onions than thick seeding. Four or five pounds per acre is the usual quantity needed to grow large onions. We prefer a drill that sows a very close row.

Quantity nected to give a sown as the young plants can be seen in the rows give a shallow working either with rake or some other tool that pulverizes well the whole top soil. Many onion growers consider about one inch apart as a perfect stand. Work the crop again in a few days with a hoe or tool that cuts the ground over, this time as closely as is possible to the row without injury to the young plants; follow as quickly as possible with a thorough hand weeding keeping in mind that a very small weed today is a large one next week. The ground should be cultivated once a week if possible and any remaining weeds pulled out by hand every two weeks. For best results these operations should be continued until the crop occupies the ground.

GATHERING. As soon as the tops die and fall the bulbs may be pulled and raked into small open windrows, turning every few days with a rake. At convenience cut off the tops half an inch to an inch from the bulbs and very soon afterward the bulbs may be picked up in crates and piled loose under cover. The large onion growers use a puller attachment to the wheel hoe that runs under the row of onions and lifts the bulbs. Where help can be procured readily we find it much cheaper to top the onions with a rough edged case knife and rake away the tops before pulling.


It will not do to store onions in large piles or masses, particularly in warm weather, or if they are the least moist, but if perfectly dry when gathered and stored in crates, they can be kept in fine condition till spring. The best way is to keep them dry, giving bottom ventilation if possible, and at a uniform temperature of about 32° to 34° Fr.

Extra Early Red Sometimes called Extra Early Flat Red. Although the first of the red sorts to ripen, the bulbs are firm and keep remarkably well for so early a variety. It is a very hardy, medium sized, flat variety that yields well and is very uniform in shape and size. The skin is uniformly rich purplish red and moderately strong flavored. It comes into use about a week or ten days earlier than Large Red Wethersfield. The flesh is white with tinge of light purple. The variety succeeds in cool soils. It is very desirable for early market use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00



EXTRA EARLY RED

Large Red Wethersfield This is the standard red variety and a favorite onion in the east, where immease crops are grown for shipment. It is very extensively grown for home garden use as well as the market. The bulbs are large and are flattened yet quite thick. The skin is deep purplish red. The flesh is light purplish white moderately fine grained, rather strong but of pleasant flavor. The variety is very productive, one of the best keepers and very popular for general cultivation. This medium early or main crop variety does best on rich, moderately dry soil, but on low muck land it is more apt to form large necks than the Danvers. There is no better sort for poor and dry soils. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ½ Lb. 55c; Lb. \$1.75



LARGE RED WETHERSFIELD

ONION—Continued

Southport Red Globe


This most excellent medium early or main crop red variety produces bulbs of medium to large size, ideally globe shaped, with very smooth, glossy surface, very small neck and remarkably beautiful deep purplish red color. The flesh is white, tinged with light purple, mild, very fine grained and tender. The variety is extensively grown for home use as well as the market. It is one of the best keepers and is well adapted for shipping. Our splendid stock of this onion is the result of years of careful selection on our Oakview Stock Seed Farm and is unsurpassed by any. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Large Yellow Dutch
The bulbs are large and quite flat.
The skin is light yellow or straw colored, and the flesh creamy white, mild and of excellent quality. This sort ripens down quickly and leeps well. It is extensively used for onion sets. Our stock of this early variety, compared with most on the market, is distinctly superior in size of bulb, uniformity of shape and evenness of color.

Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Yellow Danvers

A productive and very extensively used early or main crop variety of medium size. The skin is light coppery yellow in color. The flesh is creamy white, mild and of excellent flavor. The bulbs are flattened yet quite thick with small necks, ripen down quickly and very evenly and keep very well. This is still a standard, general crop. yellow onion for the home garden and market where a strictly globe shaped bulb is not demanded. Pkt. 5c; Oz.20c; 2 Oz. 35c; 1/4 Lb.55c; Lb.\$1.75




YELLOW GLOBE DANVERS

Yellow Globe Danvers

One of the most extensively used main crop yellow onions for the home garden and market. The bulbs are of medium to large size uniformly globe shaped, with small neck, and ripen very evenly. The skin is rich coppery yellow. The flesh is creamy white, crisp and of mild and excellent flavor. The variety keeps very well and is excellent for shipping. We have by careful selection and breeding developed a strain which has the ripening habit and small neck of the original Danvers and yet is more globular, thus giving larger yields and handsomer bulbs without sacrificing any of the good qualities of the original Danvers. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Michigan Yellow Globe

The heaviest yield of onions is always obtained from rich, black lands. On such soils it is found that a globe shaped onion with a somewhat flattened base gives the largest returns and to meet the demands of the professional onion growers located on such lands, we have developed this variety. The bulbs are large, uniformly globe shaped, with small neck: shoulder usually slightly sloping, base often distinctly flattened, the largest diameter below the center of the bulb. The color is rich yellow with tinge of orange. The flesh is creamy white mild and of very fine quality. This main crop sort ripens down evenly, keeps very well and is excellent for shipping. No onion grower can afford to plant inferior seed when such as this can be procured. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00



SOUTHPORT RED GLOBE


Southport Yellow Globe

This very hardy and exceedingly productive late or main crop variety is of the same general character as the Southport Red Globe, but the bulbs are rich yellow, average a little larger and are later maturing. The bulbs are globe-shaped with rather full shoulder, ripen down very evenly, keep well and are suitable for shipping. The flesh is creamy white, fine grained and of mild and excellent flavor. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ½ Lb. 60c; Lb. \$2.00

excellent flavor. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ½ Lb. 60c; Lb. \$2.00

Mammoth Yellow Spanish

A very handsome late or main crop onion of the or Prizetaker largest size and nearly globular in form. usually with shoulder and base slightly sloping. The skin is yellowish brown or light yellow with slight tinge of brown. The flesh is creamy white, very mild, tender and of excellent flavor. The variety keeps well if thoroughly ripened and is very desirable for shipping for fall and early winter use. It is one of the best of the large European sorts that has become thoroughly acclimated in America and is exceptionally productive under proper conditions. If started very early in hotbed it will produce a mammoth onion the first season. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00



SOUTHPORT YELLOW GLOBE

ONION-Continued


White Portugal or This is a medium sized onion or mild American Silverskin skin. The variety is a favorite with many for use when young as a sailad or bunching onion and for pickles. It usually matures about ten days earlier than White Globe and is fine for fall and early winter use. It is an excellent medium early sort for gardeners who do not care to plant more than one variety. The bulbs are nearly round when of bunching size, somewhat flattened when mature. This is the best flattened white onion for northern latitudes. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00

round when of bunching size, somewhat flattened when mature. This is the best flattened white onion for northern latitudes. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00

White Globe A most desirable medium early or main crop variety for the home garden. It is sometimes called Southport White Globe. The variety yields abundantly, producing medium to large, handsome and finely shaped, clear white bulbs. The flesh is firm; fine grained, quite mild in flavor and is more attractive than the colored sorts when cooked. The bulbs are globe-shaped, full at the shoulder, rounded at the base, keep well and are desirable for shipping. It is characteristic of the best stocks of White Globe to have many bulbs with a splash of magenta-red on the outside covering. To produce the beautifully white onions so much sought in every market, one must first of all have good seed; second, grow them well on rich lands; third, exercise great care in harvesting and curing the crop. For fancy Red and White Globes the bulbs must be pulled as soon as the tops fall and placed in an airy situation until dry enough to top. After topping they are cruted and stored in a dry, cool, dark place. We have by years of careful selection and breeding developed a strain which is unsurpassed in uniformity and beauty of shape and color. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ½ Lb. \$1.10; Lb. \$4.00

IMPORTED ONIONS

These sorts are particularly adapted to southern latitudes where they are sown in the fall or early spring. The best results are ob-tained by sowing in beds or boxes and transplanting.



WHITE GLOBE

Extra Early Barletta

An extremely early maturing variety, very white with silvery tinge and particularly desirable for pickling. The bules are very small and quite similar to Queen. If seed is sown out of doors in spring in the usual manner and plants thinned about two inches apart they will produce bulbs one to two inches in diameter. If these bulbs are set out the following spring, or if plants are grown under glass in winter and set out in the spring, they will produce large onions. This variety and Queen are the ones most generally used in this country for producing the small pickling bulbs. For this purpose if the seed has been sown eight to ten seeds to the inch of drill, no thinning will be required. Growers usually plant the seed thickly in drills fifteen inches apart and use forty to fifty pounds to an acre. Pkt. 5c; Oz. 40c; 2 Oz. 75c; 1/4 Lb. \$1.10; Lb. \$4.00

A very early, very white skinned variety of especial value for pickling. When allowed to reach full size the bulbs are quite flattened but as grown for pickles are nearly round. The large sized bulbs attain a size of about two inches in diameter. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.10; Lb. \$4.00



QUEEN

Early Neapolitan Marzajola for pickling. If seed is sown as soon as the ground can be worked, it will mature a crop early in the season. In the south the seed can be sown in autumn and large onions produced in March. This variety is known also as Early May. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

Giant White Italian Tripoli Alarge, pure white, flat onion of mild and excellent flavor. This medium early and protain full size the seed should be sown very early in a hotbed and the young plants set out in rich soil. When grown under proper conditions the bulbs are often three to four inches across, with pure white skin. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Mammoth Silver King size. Slightly later maturing and rather a better keeper, making the sort more desirable for the fall market. It is a very productive flat variety with bulbs often four to five inches across, the largest of the white onions. The skin is silvery white. The flesh is white, very tender and mild flavored. Pkt. 5c; 0z. 30c; 2 Oz. 55c; 4 Lb. 90c; Lb. \$3.00

ONION SETS

To raise onion sets from seed, use good ground prepared as for large onions and sow the seed very thick in broad drills, using forty to sixty pounds per acre. If the seed is sown thin, the bulbs will not only be too large for sets but will not be of the right shape and if sown thick on poor land they will be necky or bottle shaped. Onion seed sown for sets may be planted somewhat later than if a crop of large bulbs is desired.

RED BOTTOM SETS. Treated precisely as top onions are, setting them out in the spring instead of sowing seed. Per Lb. 25c, postpaid: 100 Lbs. \$18.00
YELLOW BOTTOM SETS. Like the preceding except in color and used in the same manner. Per Lb. 25c, postpaid;

100 Lbs. \$18.00

WHITE BOTTOM SETS. These do not keep as well as the red or yellow, but produce beautiful white onions early in the season. Per Lb. 30c, postpaid; 100 Lbs. \$20.00 Prices by the 100 lbs. of all onion sets are subject to fluctuations of the market. The price per single pound will hold good throughout the season, or as long as our stock lasts.

The 100 pound prices of Onion Sets are by freight or express at purchaser's expense for transportation.

PARSLEY


This well known vegetable is very useful for flavoring soups and stews and for garnishing. The green leaves are used for flavoring or they may be dried crisp, rubbed to powder and kept in bottles

Parsley succeeds the best on rich, mellow soil. Parsley succeeds the best on rich, mellow soil. The seed is even slower than parsnip in germinating and should be sown as early as possible in the spring, in drills one to two feet apart covering not more than one-half inch with fine soil firmly pressed down. When the plants are well up thin eight to twelve inches apart in the row. When the plants of the curled varieties are about three inches high cut off all the leaves; the plant will then start a new growth of leaves which will be brighter and better curled and later, if these turn dull or brown they can be cut in the same way; every cutting will result in mprovement. sus; in improvement.

Plain The leaves of this variety are flat, deeply cut but not curled. Very desirable for flavoring soups and stews and for drying. It is a favorite on account of its very dark green leaves as well as its hardiness of plant. The curled sorts are more extensively used for garnishing. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

Champion Moss Curled
This is a vigorous, compact growing variety, excellent for garnishing and flavoring, and a handsome decorative plant. The leaves are very finely cut and so closely crisped or curled as to resemble bunches of moss. Owing to its uniformly fine deep green color and very attractive foliage, this is one of the most popular sorts for both the market and home garden. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00





CHAMPION MOSS CURLED


variety of in is very This Long White Dutch or Sugar parsnip hardy and will keep well through the winter without protec-tion. The roots are long, white, smooth, tender and of most excellent flavor. Much used for the table and suitable also for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c. Hamburg or Rooted The root is the edible portion of this variety and resembles a small parsnip both in color and shape. The flesh is white, a little dry and in flavor is similar to celeriac. The foliage is practically the same as that of Plain Parsley. The roots can be dug late in the fall and stored in sand for winter use. They are extensively used for flavoring soups and stews. This variety is sometimes called Turnip Rooted. Pkt. 5c; Oz. 15c; 2Oz. 25c; ½ Lb. 40c; Lb. \$1.25

PARSNIP

The value of the Parsnip as a culinary vegetable is well known but is not generally appreciated at its full value for stock feeding. On favorable soil it yields an immense crop of roots, more nutritious than turnips and very valuable for dairy stock.

Parsnips are usually grown on deep, rich, sandy soil, but will make good roots on any soil which is deep, mellow and moderately rich. Fresh manure is apt to make the roots coarse and ill shaped. As the seed is sometimes slow and uneven in growth, it should be sown as early as possible in drills two and one-half feet apart; cover one-half inch deep and press the soil firmly over the seed. Give frequent cultivation and thin the plants to six inches apart in the row. the plants to six inches apart in the row.

Hollow Crown or Guernsey An excellent variety for the table. The roots are long, with smooth white skin, uniform in shape, tender and of the best quality. The variety is easily distinguished by the leaves growing from the depression on top or crown of the root. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



HOLLOW CROWN

PEA

For early peas the soil should be light and warm, but for general crop a moderately heavy soil is better. Fresh manure and very rich or wet mucky soil should be avoided, as they cause a rank growth of vine at the cost of the quality of the peas, furthermore such soil is often the cause of early sorts maturing unevenly.

Sow as early as possible a few of some early variety in warm, quick soil, prepared the fall before, planting in double rows six to eight inches apart and two and one-half to four feet between the double rows. The general crop can be delayed until later, but we have met with better success from sowing all the varieties comparatively early, depending for succession upon selecting sorts that follow each other in maturity.

The peas will give quicker returns if covered only one inch deep and where earliness is most important they may be treated in that way. Larger pods and more of them will be produced if the seed be planted in trenches three to six inches deep and covered with only one or two inches of soil. When the plants are five or six inches high fill the trench level with the surface. This will secure deep rooting, prevent mildew and prolong the bearing season. If the peas be covered to the full depth at first, or if water be allowed to stand in the trenches they will not germinate or grow well.

The wrinkled varieties are more sensitive to cold wet weather than the smooth seeded sorts but are of superior quality. All varieties growing more than one and one half feet do better if staked up or brushed when four to six inches high. This support is usually given by sharpened branches of trees set between the double rows. The crop should be gathered as fast as it is fit for use. If even a few pods begin to ripen, not only will new pods cease to form, but those partly advanced will stop growing.

FIRST EARLY AND EARLY VARIETIES

Ferry's First and Best This is the earliest and most even strain of first early white peas, maturing so well together of medium height, about two and one-half to three feet, bearing three to seven straight pods of good size, about two and one-half to two and three-fourths inches long, each containing five to seven medium sized, smooth peas of fair quality. Seed small, smooth, yellowish white. The stock we offer is much superior to most on the market and more even than similar strains sold as Extre Faily. Pure New Yorker and



THOMAS LAXTON PEA

sold as Extra Early, Rural New Yorker and Improved Early Daniel O'Rourke. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$13.50 Earliest of All or Alaska ful se-

Larliest of All or Alaska ful selection and growing we have developed a stock of this smooth blue pea of unequaled evenness in growth of vine and early maturity of pods which are filled with medium sized, bright green peas of good flavor. The vines are of medium height, about two and one-half to three feet and of distinctive light color. The pods are of good size, about two and one-half to two and three-fourths inches long. Seed small, smooth, and bluish green in color. This sort matures all of its crop at once and is an invaluable variety for market gardeners and canners. Pkt. 10c; Lb. 40c; 2 Lbs. 65c. postpaid; 100 Lbs. \$20.00

Thomas Laxton A very early wrinkled the very bearly mental to three feet, similar to those of Gradus, but darker in color, hardier and more productive. The pods are large, often four inches long, with square ends, similar to but larger, longer, and darker than those of Champion of England and as uniformly well filled. The green peas are very large, of fine deep color and unsurpassed in quality. One of the very best sorts for the market and home garden. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$15.00

Gradus vines are similar in appearance to Telephone but of medium height, only about three to three and one-half feet. The pods are very large, about four and one-fourth inches long, very nearly as large as those of Telephone, uniformly well shaped, pointed, handsome and more attractive than those of the first earlies. The peas are very large, of splendid quality and beautiful light green color which they retain after cooking. Practically the same as Prosperity. (See colored plate, page 53) Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

American Wonder dwarf, wrinkled varieties. The vines are about nine to twelve inches high and produce a good crop of well filled pods of medium size, about two and five-eighths to two and three-fourths inches long, containing five to eight large peas which are exceedingly sweet, tender and well flavored. Seed medium sized, generally flatened, wrinkled and pale green. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$1.50. Thomas Laxton A very early wrinkled variety of great merit.

Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$13.50 Nott's Excelsior The best very early, dwarf pea. It com-Nott's Excelsior dwarf pea. It combines the good qualities of American Wonder and Premium Gem peas. The vines are larger and more productive than American Wonder and earlier than Premium Gem and average about twelve inches high. The pods are medium sized, about two and three-fourths inches long. The peas, in sweetness and quality, are unsurpassed. Seed medium sized, wrinkled, green and somewhat flattened. A most desirable early sort for the market gardener and unsurpassed for the home garden. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$13.50

Not less than 10 pounds at the 100 pound rate.

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation; if ordered shipped prepaid add 8c, per pound to the 100 pound price,

PEAS-FIRST EARLY AND EARLY VARIETIES-Continued

Sutton's Excelsior

An early, wrinkled pea, one of the largest podded of the dwarf varieties. Vigorous in growth of vine and is unsurpassed in quality. The pods mature nearly as early as those of Nott's Excelsior but are much larger in size. The pods are large for so early a variety, two and three-fourths to three inches long. The vines are about fourteen to sixteen inches high. Pkt. 100: Lh. 30c; 2 Lhs. 45c, postraid; 100 Lhs. 215.00.

long. The vines are about fourteen to sixteen inches high. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$15.00 Laxtonian podded of the dwarf varieties. The dark green pods are similar to Gradus in shape and splendid quality, are nearly as large in size and often mature a little earlier. Vines vigorous and productive. averaging fifteen to eighteen inches high; foliage dark green; pods about four inches in length. Seed light green, large, wrinkled, flattened, irregular in shape. Pkt. 10c; Lb. 45c; 2 Lbs. 75c. postpaid; 100 Lbs. \$22.50

Premium Gem green wrinkled dwarf variety similar to but better than McLean's Little Gem. The vines are very productive, fifteen to eighteen inches high. The pods are of medium size, about two and three-fourths inches long, crowded with six to eight large peas of fine quality. Seed green, large, wrinkled, often flattened. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$13.50

postpaid; 100 Lbs. \$13.50

Little Marvel An excellent dwarf sort for the market and home garden. The pods average a little longer than those of Premium Gem. are more attractive in shape and color and the peas are of superior quality. The vines are sturdy, nearly eighteen inches high, heavily set with straight, deep green pods, square ended at the bottom and nearly three inches in length. Its season is about the same as Premium Gem. Seed large, green, wrinkled. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

SECOND EARLY VARIETIES

McLean's Advancer

A green, wrinkled variety of medium height, about two and one-half to three feet, with long pods. about two and three-fourths to three inches long, which are abundantly produced and well of its pods, and is popular with consumers on account of its quality. It is also largely used by canners. By careful selection we have developed a strain showing marked improvements in vigor of plant, size of pod and productiveness. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$14.00

Yorkshire Hero about two or two and one-half feet, bearing near the top a number of rather broad pods of medium size, about three inches long, filled with large peas that remain a long time in condition for use and which never become as hard as most sorts. The peas are of fine quality and will be preferred to any other by those who like a rich, marrow-like pea. Seed large, wrinkled and flattened. The vines are stout, of medium height, Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$12.00

Bliss' Everbearing
The vines are stout, of medium height, about two and one-half to three inches long. If these are picked as they mature and the season and soil are favorable, the plant will throw out branches beging node which will write in the season and soil are favorable.

they mature and the season and soil are favorable, the plant will throw out branches bearing pods which will mature in succession, thus prolonging the season. The peas are large and wrinkled, cook very quickly, are tender, of superior flavor and preferred by many to any other sort. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$12.00

The Admiral The vines of this exceptionally hardy, second early variety are tall and vigorous, about four feet high. The pods are usually borne in pairs, are curved, bright green, about two and three-quarters inches long, and are crowded with six to nine peas of good quality and deep green color. Seed wrinkled, of small-medium size, cream colored. Owing to its great vigor, heat resistance and cream colored. Owing to its great vigor, heat resistance and productiveness, and the fine color and suitable size of the green peas, this variety is very well adapted for canners' use. Pkt. 10c; Lb. 25c; 2 Lbs. 40c. postpaid; 100 Lbs. \$11.00

Telephone gardeners whose trade appreciates fine appearance and high quality. The vines are tall and vigorous, growing about four feet high, with large, coarse, light colored leaves and producing an abundance of pointed pods of largest size, often four and one-half to five inches long, attractive bright green, filled with very large peas which are tender, sweet and of excellent flavor. It comes into use soon after the Premium Gem and is one of the best sorts for either home or market. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$14.00

Duke of Albany A very large, wrinkled pea similar to darker in color of foliage and pods. The vines are tall, about four and one-half to five feet high, vigorous and strong growing. The pods are of largest size, often four and one-half to five feet high, vigorous and strong growing. The pods are of largest size, often four and one-half to five inches long, straight and thick, borne in great profusion and when in condition for picking, of a deep green color. In many localities this variety is sold as an improved strain of Telephone. Its productiveness and fine color make it a very profitable sort for market cardeness while its splendid quality. Telephone. Its productiveness and fine color make it a very profitable sort for market gardeners while its splendid quality should give it a place in the home garden. Pkt. 10c; Lb. 30c;

should give it a place in the home garden. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$14.00

Telegraph or Long Stronger growing and hardier Island Mammoth pods than the Telephone. The peas are very large and of dark green color. Vines tall. about four to four and one-half feet. Pods very large, about four and one-half inches long. Seed almost smooth. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$12.00


Smooth. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$12.00

Alderman This is in many respects the very best early main crop variety of the valuable Telephone type. The vines are tall growing, about four and one-half to five feet high. dark green, vigorous and exceedingly productive. The pods are of largest size, often five to five and one-half inches long, dark green, similar to but a little larger and a shade darker in color than those of Duke of Albany and about the same in season. The peas are of largest size and unsurpassed in quality. Market gardeners are demanding the large podded, dark colored sorts which retain their fine appearance even after shipping a long distance. The Alderman answers these requirements and we recommend it unreservedly. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$14.00



ALDERMAN

Not less than 10 pounds at the 100 pound rate. One hundred 1 ound prices do not include transportation: if ordered shipped prepaid add 8c. per pound to the 100 pound price



PEAS—LATER VARIETIES

Improved Stratagem podded, semi-dwarf main crop varieties. The vines are very-sturdy, about two to two and one-half feet high, with medium dark green foliage. The pods are very large, often four and one-quarter to four and one-half inches long, pointed, dark green, and uniformly filled with very large, dark green peas of the finest quality. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00

Dwarf Champion

A desirable main crop sort for the market or home garden. The vines are of medium height, about two and one half to three feet, stout, vigorous and hardy, and are unusually productive. The pods are large, often four inches long, broad, quite straight, deep green in color, handsome and very well filled with large peas which are tender and unsurpassed in quality. Seed large, light green, wrinkled. Dwarf Champion is similar to Champion of England in pods only; the vine is shorter and more sturdy. The stock of Dwarf Champion is very superior and we believe it will meet the requirements of the most critical trade. Pkt. 10c; Lb. 30c; 2 Lbs. 45c; postpaid; 100 Lbs. \$13.50 postpaid; 100 Lbs. \$13.50

Pride of the Market and bearing at the top, generally in pairs, a good erop of large, pointed, dark green pods well filled with large peas of good flavor. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$13.50

Horsford's Market Garden The vines of this variety are of medium 1078707G S WAATKEL GATGEN riety are of medium height about three feet, hardy and very productive, giving the greatest number of pods of any on our list. The foliage is dark green and the leaves are small. The pods are of medium size, about two and three-fourths inches long, each containing five to seven medium sized, sweet, dark green peas which retain well their color and sweetness after canning. Seed wrinkled and of medium size. Pkt. 10c; Lb. 30c; 2 Lbs. 45c.

wrinkled and of medium size. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$14.00

Melting Sugar of the edible-podded sorts, in which the pods are used when half grown and are cooked in the same way as snap beans. The pods of Melting Sugar are very large, four to four and one-half inches long, broad, often curved or twisted, and when young, stringless, very tender and finely flavored. The variety we offer, sometimes called Mammoth Melting Sugar, is rather late maturing, very prolific, strong growing, about four to five feet high, with large light colored foliage. Seed medium to large, smooth, round, light yellowish white in color. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$16.00 100 Lbs. \$16.00

Champion of England A standard, very productive, main crop variety, universally admitted to be one of the richest and best flavored of the late peas. The vines are tall, about four to five feet high. The pods are large, about three inches long. The seed is light green and wrinkled. We consider this variety one of the best of its season, either for the home garden or for market gardening use.

Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$13.50

Large White Marrowfat The vines of this tall variety are about five feet high and of strong growth. The pods are large, about three inches long, cylindriabout three lines long, cylindri-cal, surface somewhat roughened, light colored and well filled. Seed large, smooth, round and light creamy yellow. It is desirable for summer use but is not as sweet and tender as most sorts, although undoubtedly one of the most productive of the garden varieties. Pkt.10c; Lb.30c; 2 Lbs.45c. postpaid; 100 Lbs. \$13.50

Large Blackeye Marrowfat tall, late maturing variety, about five feet high. It is a very prolific bearer of large pods, about three inches long. Seed large, smooth, round, light creamy yellow with black eye. One of the best of the Marrowfat sorts. known black eye. One of the best of the Marrowfat sorts. Pkt. 10c; Lb. 30c; 2 Lbs. 45c. postpaid; 100 Lbs. \$12.00


FIELD PEAS

Field Peas deserve more attention for green-manuring and tention for green-manuring and for fodder than they now receive. Where planted for green-manuring to add nitrogen to the soil, field peas should be plowed under when in blossom. They will grow on land that will not produce clover. In the north for dairy cows and for hogs, they are fully equal to corn, and about six weeks earlier. For cows, the crop should be cut and fed green. If intended for hogs alone, they may be turned into the field as soon as the pods begin to ripen.

The seed of field peas can be sown either alone or with oats as early as the condition of the soil will permit. If the stubble from green winter rye or other crops cut in June be turned under and sown to mixed peas and oats, it will furnish a large amount of forage in August when grass pasture is usually short. usually short.

No. 1 White and Common White, write for quotations.

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transporta-tion: if ordered shipped prepaid add 8c, per pound to the 100 pound price.



CHAMPION OF ENGLAND

Peppers are most largely used for seasoning meat and vegetable dishes as well as for salads and mangoes. They are used also for making chow chow and chili sauce.

The culture is the same as for egg plant and the plants need quite as much heat to perfect them. Sow seed early in hotbed, or about middle of spring in open seed bed, the soil being light and warm. When three inches high transplant in rows about two and one-half feet apart and two feet apart in the row. Cultivate and keep free from weeds. Guano, hen dung, or any other bird manure hoed into the surface soil when the plants are about six inches high, will undoubtedly increase the product.

Red Cherry

A second early sort. The plants are tall, bearing a profusion of round, bright red fruits, about two thirds of an inch in diameter, which are very pungent when ripe. A very ornamental plant, when in fruit. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.25

Red Chili

A late variety. The pods are bright, rich red, about two inches long, one-third to one-half inch in diameter at the base, tapering to a sharp point and exceedingly pungent when ripe. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.25

A well known medium early variety having Long Red Cayenne A well known medium early variety having a slender, twisted and pointed pod about four inches long. The color is deep green when fruit is young, bright red when ripe. The flesh is extremely strong and pungent. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.25

Large Bell or Bull Nose

feet high, compact and very productive, ripening their crop uniformly and early. The fruits are large, with thick, mild flesh of excellent quality for use in salads and mangoes or stuffed peppers. The color is deep green when fruit is young, bright crimson when ripe.

2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Pub. V:

An improved Apparison

Ruby King tractive. The plants are about two and one-half feet high, vigorous compact and productive. The plants are about two and one-half feet four and one-half inches long and of deep green color when young, bright red when ripe. The fiesh is thick and mild flavored. One of the best varieties for mangoes or stuffed peppers. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ½ Lb. \$1.10; Lb. \$4.00

Pimiento The fruits of this very productive sort are exceptionally smooth and glossy, of good size, medium length and attractive color. The flesh is very thick and solid, mild and of very fine flavor. Desirable not only for salads and stuffed peppers but it is also the sort used largely by canners. The plants are vigorous and upright, about two to two and one-half feet high, with short, broad, dark green leaves. The fruits are deep green when young becoming deep red as they mature. (Crop failed)


Giant Crimson

The fruits of this very desirable sort are of the very larges to size, ripen earlier than any of the other very large sorts and average heavier, as the flesh is exceptionally thick.

The plants are vigorous and upright, about two and one-half to three feet high, larger than those of Chinese Giant and more productive. The color is deep green when fruit is young, deep crimson when matured. The flavor is mild. One of the very best sorts for salads and large mangoes. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ½ Lb. \$1.40; Lb. \$5.00

Large Sweet Spanish

A late maturing and attractive, red, sweet pepper. The plants are about two and one-half long, frequently seven inches in length and about two inches in diameter, with very thick, mild flesh of excellent quality. The color is deep green when fruit is young, rich red when ripe. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50



PUMPKIN

Pumpkins are less sensitive than melons or cucumbers to unfavorable conditions of soil and climate but are cultivated the same, though on a larger scale. They are raised between hills of corn or in fields by themselves, but more properly belong to the farm than the garden as they readily mix with and injure the quality of the finer squash. After danger of frost is over plant the seed in hills eight to ten feet apart each way, dropping about a dozen seeds in a hill. The soil should be made as rich as possible. If planted with corn two or three seeds a rod apart each way will be sufficient. When danger from bugs is past, thin to three plants to a hill. The fruits are of medium size and nearly round. The skin is Pie light yellow, smooth and is covered with a fine gray netting. The flesh is light yellow, very thick, sweet and finely flavored. This variety makes very delicious pies. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 Sugar or New England Pie This variety is small, but of most excellent quality for pies. The fruits are deep orange, eight to ten inches in diameter, round or somewhat flattened and slightly ribbed. The flesh is rich deep yellow, fine grained and very sweet. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Large Yellow The pumpkin most extensively used for feeding stock; also used for making pies. It grows to a large size and varies in shape from nearly round or slightly flattened to quite long. Flesh deep, rich yellow, fine grained and highly flavored. This variety is often planted with corn. It is known also as Field Pumpkin. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

Green Striped Cushaw

Color creamy white, irregularly striped or traced with green. Flesh light yellow, very thick, rather coarse but sweet. This sort is very productive and popular in some sections. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Sweet Cheese or Very popular in the south, but not as wein adapted to northern latitudes. The fruits Kentucky Field the flattened, with the diameter usually about green and yellow, changing to creamy yellow when mature. The flesh is yellow, tender and of excellent quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c. By freight or express at purchaser's expense, \$50.00 per 100 lbs.



PUMPKIN, GREEN STRIPED CUSHAW

For forcing sow in hotbed or under glass in rich, sandy soil made perfectly level. Scatter evenly over the surface from fifty to one hundred seeds to the square foot and cover with one-half inch of soil sifted on. Careful watering to keep soil moist, even, moderate temperature and good ventilation are required for rapid and best root development. If the bed is a good one the whole crop can be marketed in twenty-one to forty days after planting.

For open ground culture sow in rich, sandy soil as soon in the spring as it is fit to work, in drills twelve to eighteen inches apart and thin out the plants to prevent crowding. A good dressing of nitrate of soda will greatly stimulate growth and insure tender, brittle roots. Successional sowings from one week to ten days apart will keep up a supply. After the hot weather of summer begins, it is better to sow the summer and winter varieties as they do not become tough and stringy nor pithy so quickly as the early sorts.

Radishes are subject to root maggots which make them useless for culinary purposes. We know of no certain remedy for this pest. We have found that the best preventive measures are to avoid the use of rank manure and not to sow on ground where radishes, turnips or cabbages were grown the year previous.

We have been very careful to secure the very best seed possible and there is none sold under other names which is better than that of the varieties we offer. What is often called "scarlet" in radishes is more or less of a rosy carmine color. Our "deep scarlet" is of a much deeper red.

Non Plus Ultra or Early Deep forcing radish. The roots are small, Scarlet Turnip, Forcing nearly round and of bright scarlet color. The tops are very small. The flesh is white, crisp and well flavored. One of the handsomest of the forcing varieties. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Prussian Globe

The smallest reliable forcing radish. The tops are distinctly small. The roots are round or slightly flattened, very deep red in color and of the best quality. It remains in condition for use the longest of any of the first early forcing sorts and is a favorite where a very small, deep red radish is desired. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00

Early Scarlet

The roots of this variety are slightly olive shaped and are a rich, bright scarlet in color. The flesh is white and tender.

Globe

The roots are fit to pull as early as Non Plus Ultra but are larger when matured. We specially recommend this to gardeners as a large, first early forcing radish. It is also desirable for first early planting outdoors for the home garden and market.

Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

Early Scarlet Turnip,
White Tipped, Forcing
fail to give satisfaction as a forcing radish. This is very popular as a market sort. It is sold sometimes as Rosy Gem and Rapid Forcing. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

Early Deep Scarlet, Olive Shaped, Short Leaf lent deep carmine-red olive shaped forcing sort, typical in its very small tops and early maturing roots, which should be pulled just as soon as in condition. The roots when fully grown are about one and one-half inches long by about one inch in diameter. The variety is suitable also for early outdoor planting. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 80c.

Early White This is an ear-

Turnip ly white radish, a little more flattened than Early Scarlet Turnip, and as offered by us of smaller size and so offered by us of smaller size. y white radish, a little more natureled than Early Scarlet Turnip, and as offered by us, of smaller size and sometimes a little earlier maturing. While used mostly for early outdoor planting, its very small tops and quick growth make it suitable for forcing. The roots are about one inch in diameter when mature. The flesh is pure white, crisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

Early Scarlet Turnip

A round, red, turnip shaped radish growth, deserving general cultivation on account of its rich, scarlet-red color, almost crimson and its white, crisp and tender flesh. The roots often grow one inch long by one and one-eighth inches in diameter before becoming pithy. This is a standard variety for early outdoor planting for the home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 42.15. 4 Lb. 25c; Lb. 75c.

Early Scarlet Turnip, home garden and a great favorite in White Tipped large markets for early planting outdoors. It is but little later than Early Scarlet Turnip, White Tipped, Forcing and will give entire satisfaction where extreme earlines and small tops are not the chief considerations. The roots are nearly round, slightly flattened on the underside. The color is very bright, deep rose-carmine scarlet with a distinctly white tip. The flesh is white and of the best quality. The stock we offer is exceptionally attractive in its splendid coloring. The scarlet is unusually deep and affords a distinct contrast with the large, clear white tip. (See cut and further description, page h) Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 80c. Lb. 80c.

French Breakfast A quick growing, small, olive shaped radish about one and one-half inches long by five-eighths to three-fourths of an inch in diameter when fully grown. The color is beautiful deep rose-scarlet except a little clear white about the tip. This is an excellent variety for planting outdoors for the home garden. Its small tops and earliness make it also desirable for growing under glass. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Crimson Giant Turnip

A round radish of exceptionally large size for so early a variety. The roots are nearly globe-shaped, of beautiful crimson-carmine color and most excellent quality, often growing one and three-fourths inches in diameter before becoming pithy. It is a desirable variety for general outdoor planting, and also suitable for foreing where a very large, round radish is wanted. It remains in condition a remarkably long time for so early a radish. By Fra Outley 1872, 1875. for so early a radish. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.



FRENCH BREAKFAST



RADISH-Continued

Half Long Deep Scarlet The roots of this desirable early variety are of a deep, rich red color and are olive shaped or half long with a somewhat tapering point. The tops are comparatively small. The flesh is very white, crisp and tender, and does not become pithy as soon as most other early sorts. The roots when mature are about two and one-half to three inches long. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

Long Brightest Scarlet, one of the brightest and handsomest scarlet radishes. It is an improvement in earliness white Tipped and color over other varieties of this class. The roots are offit for use in about twenty-five days and continue in good condition until fully grown when they are as large in diameter but a little shorter than Early Long Scarlet. The variety has small tops and can be used for forcing as well as for the open ground. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.



Early Long Scarlet,
Short Top, Improved
bright carmine-red in color.

This is a standard, most excellent sort either for the home garden or the market. The tops are short and comparatively small. The roots are smooth, slender, uniform in shape and a very attractive They grow about one-fourth to one-third out of the ground and continue crisp and tender until fully matured, when they are about six inches long. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Wood's Early Frame

This is not only a very good variety for forcing, being shorter and thicker than the old Long Scarlet Short Top, but is one of the very best sorts for first crop out of doors.

Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Cincinnati Market

A desirable market variety with roots similar to Early Long Scarlet, Short Top, Improved, but averaging longer, deeper red in color and remaining a little longer in condition for use. The roots are slender and before becoming pithy are often six to seven inches long by about five-eighths of an inch in diameter at the shoulder.

Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Improved Chartier on the best long radishes for planting or Shepherd outdoors for early summer use in the home garden, and used also for the market. The tops are of medium size. The roots are in good condition for the table when half an inch thick and continue hard and crisp until they reach a diameter of about one and one-fourth inches, thus affording good roots for a long time. The roots are rather long, averaging seven to eight inches when mature, bright scarlet-rose in color, shading into white at the tip. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Early Golden Yellow Oval This sort matures quickly, has small tops and resists the summer heat better than the early scarlet or white kinds. The roots are oval, tapering at the base, and are about one and one-half inches long by about one is bright light yellow, often russeted. The flesh is white, slightly pungent, crisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

A very attractive, pure white radish, the earliest of the long, white summer sorts and of most excellent quality. The roots are somewhat shorter, with smaller tops than Long White Vienna and mature a little earlier. The roots when mature are five to six inches long by about one-half to five-eighths of an inch in diameter. One of the most desirable varieties for outdoor summer planting for the home garden and market. It is also adapted for forcing. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 80c.

Long White Vienna An early maturing and attractive, long, white, summer radish of most excellent quality. The tops are of medium size. The roots are clear white, slender, smooth and average when mature six to seven at thickest part. The flesh is very crisp and tender. The variety is desirable for market and home garden use.

An early maturing and attractive, long, white, summer radish of most excellent quality. The tops are of medium size. The roots are clear white, slender, smooth and average when mature six to seven inches long by about five-eighths to seven-eighths of an inch in diameter home garden use.

Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

This variety is of quick growth, affording crisp and tender radishes even in a uniformly globe-shaped, with skin of golden yellow color. They are about two inches long by two and one-fourth inches in diameter when mature. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Large White Summer Turnip

A desirable large turnip shaped summer variety. The roots are round, smooth, white and attractive and are two to three inches in diameter when mature. The flesh is crisp, firm and rather pungent. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

White Strasburg

Even when comparatively small this variety is in good condition for use and continues crisp until matured when the roots are four to six inches and are usually somewhat tapering. They remain in condition for use much longer than the early varieties. This is one of the best large, white later summer sorts for home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Early White Giant Stuttgart

The roots are large, often four inches in diameter, white and are usually top shaped. The flesh is white and crisp, and keeps remarkably well, so that those not used in the summer or fall can be stored for early winter use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

IMPROVED CHARTIER OR SHEPHERD

RADISH, SCARLET CHINA


RADISH-Continued WINTER VARIETIES

Seed for winter radishes should be sown about the first of August in rich, warm, sandy loam, in rows about twenty inches apart, covering half an inch deep. When well up thin to three inches apart in the row and give frequent cultivation. For winter use, the roots should be pulled and packed in damp sand and stored in a cool cellar.

Scarlet China
This is an extensively grown variety for fall and winter use. It is known also as Chinese Rose. The roots are cylindrical, or largest near the bottom, stump rooted or blunt at both ends. The skin is smooth and of a bright deep rose color. The flesh is white, firm, crisp and pungent. The tops are moderately large with leaves distinctly cut and divided; leaf-stems tinged with rose. The roots are usually four to five inches growing considerably thicker. It is a desirable late maturing garden sort. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 85c.

Celestial This excellent variety is sold also as Chinese White Winter. The roots are long, cylindrical, with beautiful white skin and flesh, the whitest and usually the least pungent of the winter varieties. When fully mature the roots are six to nine inches long by about two and one-half to three and one-half inches in diameter. The flesh is compact and crisp. Pkt. 5c; Oz. 10c;

2 Oz. 15c; 1/4 Lb. 25c; Lb. 85c.



Round Black Spanish The roots are round, sometimes or four inches in diameter. The skin is almost black. The flesh is white, very compact, decidedly pungent, but well flavored. The variety keeps well through the winter. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.

Half Long Black Winter

This variety is intermediate in shape between the Round and the Long Black Spanish, and seems to combine the good qualifies of both. The roots have grayish black skin and crisp, pungent but well flavored white flesh. They are four to five inches long and one and one-half to two inches in diameter, sometimes approaching stumprooted form at maturity. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 44 Lb. 25c; Lb. 80c. 1/4 Lb. 25c; Lb. 80c.

Long Black Spanish One of the latest and hardiest long Black Spanish long garden radishes, especially adapted for winter use. The roots are long, thick, atmost black, somewhat wrinkled. The flesh is white, of firm texture, decidedly pungent but well flavored. The roots when mature are usually seven to nine inches long by two to three inches in diameter at thickest part. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.



RHUBARB or Pie Plant

Rhubarb, also known as Pie Plant, or Wine Plant, is the earliest spring vegetable and is grown for its leaf stalks which are extensively used for pies and sauce.

Rhubarb succeeds best in deep, somewhat retentive soil and the richer this is and the deeper it is stirred, the better. Sow in drills an inch deep and thin out the plants to six inches apart. In the fall transplant into very highly manured and deeply stirred soil, setting them four to six feet apart each way and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year. When a blossom stalk appears, it should be cut back well into the ground and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of the Linnæus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties.

SEED-Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

ROOTS—by mail, prepaid, 15c each; by express or parcel post, not prepaid, \$1.25 per dozen.

ROQUETTE A hardy annual, the leaves of which are long, smooth and glossy and when young are used like mustard for salads. When in condition for use the plants are from eight to ten inches high. Sow the seed in shallow drills about sixteen inches apart, in early spring and for succession every few weeks thereafter. Water freely. The young leaves will be ready for cutting in about six weeks from time of planting. Pkt. 5c; Oz. 15c. 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

SALSIFY or Vegetable Oyster

One of the most desirable winter vegetables. The roots when cooked are very palatable and nutritious and are served in a variety of ways. The flavor is similar to oysters. Salsify succeeds best in a light, well enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow uneven and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy and may remain out all winter, but should be dug early in spring, as they deteriorate rapidly after growth commences. Frost does not injure the roots, but before the ground freezes a quantity for winter use may be stored in a pit or in a very cool cellar.

Mammoth Sandwich Island This variety is large and strong growing with long, smooth, white, tapering roots, and is less liable to branch than the other sorts. The tops are grassy. It is invaluable for market gardeners' use. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

SORREL The improved varieties of Sorrel when well grown and cooked like spinach make a palatable dish. Sow in drills early in spring and thin the seedlings to six or eight inches apart in the row. One may commence cutting in about two months and the plants will continue in full bearing from three to four years.

Large Leaved French The best garden variety, having large, pale green leaves of fine quality. Pkt. 5c; Oz. 20c; 20c; 35c; 14 Lb. 60c; Lb. \$1.75

SPINACH

No plant makes more palatable and nutritious greens than spinach when properly prepared. Seed should be planted in very rich ground, the richer the better. Sow in drills sixteen to twenty inches apart and thin to about six inches apart when the leaves are an inch wide. All should be cut before hot weather, while young and tender. For early spring use sow early in autumn and protect the plants with a light covering of leaves or straw, or plant as soon as the land can be worked in the spring. Under favorable conditions the leaves may be large enough for eating in eight weeks. South of Cincinnati spinach can be sorted that the print of the property of the property

Savoy Leaved This sort is known also as Bloomsdale and as Norfolk Savoy Leaved. It is a very early variety and one of the best to plant in autumn for early spring use. The plant is of upright growth, with thick, glossy, dark green leaves of medium size, pointed but quite broad, and crumpled or blistered like those of Savoy cabage. It is hardy and grows rapidly to a suitable size for use, but runs to seed quickly in warm weather. Seed round. This spinach is suitable for the home garden and is much used by southern truckers. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; tation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.


Broad Flanders are bright green, broad and thick with long petiole, usually broad arrowshaped but sometimes rounded. The surface is fairly smooth or sometimes slightly crumpled. It is a most desirable bunching sort for market gardeners. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.

Improved Thick a variety which grows cluster of very large, slightly crumpled leaves of deep green color and good quality. The leaves are usually broad arrow-shaped but sometimes rounded. This is an extensively used medium early sort for the market and home garden. Seed round. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.

Early Giant Thick Leaved arowing early market variety with very large, thick leaves of fine, deep green color. The leaves are usually rounded or broad arrow-shaped and the surface is fairly smooth or slightly crumpled. Seed round. It is one of the most desirable medium early varieties, and is suitable for the home garden as well as market. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.

Victoria ingly thick, very dark green leaves slightly crumpled in the center. The plant is large, compact and procumbent. The season is intermediate. The leaves are usually blunt or rounded at end but sometimes broad arrow-

procumeent. The season is intermediate. The leaves are usually blunt or rounded at end but sometimes broad arrow-shaped. Seed round. The variety becomes fit for use nearly as early as any, remaining so much longer than most kinds, It is desirable for the market or home garden. Postpaid, Pkt.5c; Oz. 10c; 2 Oz.20c; ½ Lb. 30c; Lb.\$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.



LONG STANDING PRICKLY



EARLY GIANT THICK LEAVED

Long Season

A very dark green, crumpled variety, in general appearance similar to Savoy Leaved and very much longer standing. Seed round. One of the very best for early spring and successional planting. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.

Long Standing An improved round seeded strain of excellent quality, comparatively late in season but after reaching maturity it remains in condition for use much longer than most sorts. The plant is very large, becoming rather procumbent when mature. The leaves are usually very broad arrow-shaped or rounded, comparatively smooth and dark, rich green. This sort is extensively used by market gardeners. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb. at 80c. per Lb.

Long Standing Prickly improved strain of the long standing type of spinach that matures a little later than the round seeded sorts. The plant is very large at maturity, very vigorous and hardy, and yields a large quantity of medium sized leaves, which are usually rounded at the end, quite thick and uniformly dark green. Seed prickly. It is usually planted in the fall, but is also well adapted for spring use. Sometimes called Prickly Winter. Postpaid, Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 At purchaser's expense for transportation, 10 Lbs. at 85c. per Lb.; 25 Lbs. at 80c. per Lb.

New Zealand (Tetragonia expansa) Unike true spinach in type and in that it thrives during hot weather and in any soil rich or poor. The tender shoots are of good quality and may be cut throughout the summer. The plant becomes very large and spreading. The leaves are comparatively small, broad and pointed. Plant three or four seeds in hills two feet apart each way. Germination of the seed can be hastened by soaking in warm water twenty-four hours. Postpaid, Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

SQUASH

The squash is one of the most nutritious and valuable of garden vegetables. The summer varieties come to the table early in the season, while the fall and winter sorts can be had from August until the following spring. The winter varieties are very well adapted for stock feeding and we heartily recommend them for that purpose.

Squash plants are very tender and sensitive to cold and so planting must be delayed until settled warm weather. General methods of culture are the same as for cucumbers and melons, but the squash is less sensitive to unfavorable conditions of soil. Summer varieties should be planted four to five feet apart each way and winter sorts eight to twelve. Three plants are sufficient for a hill. In gathering the winter sorts care should be taken not to bruise or break the stem from the squash, as the slightest injury will increase the liability to decay. Winter squashes should be stored in a moderately warm, dry place and the temperature kept as even as possible. For those who desire very early squashes, seed can be planted in boxes, and transplanted.

Insect pests that attack the vines when small, such as the striped beetle, may be kept off by frequent dustings with air slaked lime, tobacco dust, soot or sifted ashes diluted with fine road earth. For the large squash bug, a good remedy is a kerosene emulsion. Probably the most effective way is to place a small piece of board, about 4x12 inches, on the ground near the plant. Towards evening or early in the morning the bugs may be gathered from under the boards and destroyed.

SUMMER VARIETIES

Long Island White Bush This is the earliest of the summer squashes. The vines are vigorous and very productive. The fruits are rather small and often nearly spherical, thick, with only a slight indication of a scallop. The skin is white, flesh tender and of good quality. Our stock of this variety is very uniform. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.

Early White Bush Scallop

This is the well known, very early, somewhat flattened, scalloped bush squash of medium size. The color is creamy white with comparatively smooth surface. The vines are vigorous and very productive. This variety is also known as Patty Pan or Cymling. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Mammoth White Bush Scallop An early maturing, somewhat flattened, scalloped bush squash, of largest size and the handsomest of the summer varieties for home garden and market. The fruits are uniformly warted and a beautiful, clear waxy white. The stock we offer of this variety is very superior. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 14 Lb. 30c; Lb. \$1.00

Early Yellow Bush Scallop

A flattened, scalloped bush squash of largest size. The skin is deep orange. The flesh is pale yellow and of very good flavor. We have developed a strain of the old Yellow Bush Scallop which is fully as productive but uniformly larger and flatter than the old stock and has a very small seed cavity. This sort is extensively used for the home garden and market where a very large yellow scalloped squash is wanted. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Summer Crookneck


The well known standard sort, early and very productive. It matures the bulk of its crop a little earlier than the Mammoth Summer Crookneck. The fruits when fully grown are about one foot long, with uniformly crooked neck and surface densely warted. The color is bright yellow. The shell is very hard when the fruit is ripe. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Mammoth Summer Crookneck

The largest and one of the earliest of the crookneck summer squashes. The fruits when mature are very large, often one and one-half to two feet long, with exceedingly warted surface. The color is deep yellow. Its large size and attractive color make this variety a favorite with market gardeners as well as for home garden use. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Italian Vegetable Marrow

(Cocozella di Napoli) The vines are of bush habit and produce large, much elongated fruits, dark green at first but as they mature becoming marbled with yellow and lighter green in stripes. The fruits are in best condition for the table when six to eight inches long, but can be used when somewhat larger. The young fruits when sliced and fried in oil constitute a vegetable delicacy that is very tender and marrowy. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00



MAMMOTH WHITE BUSH SCALLOP AND MAMMOTH SUMMER CROOKNECK

SOUASH-AUTUMN AND WINTER



DELICIOUS

Hubbard One of the best of the winter squashes. The riuis are large, heavy and moderately warted, with a very hard shell. The skin is uniformly dark bronze green. The flesh is bright orange-vellow fine grained.

yellow, fine grained, thick, dry and richly flavored. This squash can be kept in good condition until spring. to be as good baked as the sweet potato. Our stock of this standard home garden and market variety is care fully selected in regard to quality of the flesh and color of the shell and is much superior to that sold as Chicago Warted or Warty Hubbard. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

TOBACCO

The seed should be sown as early as possible after danger of frost is over. It is customary to burn a quantity of brush and rubbish in the spring and rubbish in the spring on the ground intended for the seed bed: then dig and pulverize the earth and mix with the ashes, after which the seed may be sown and covered very lightly. When the plants are

when the plants are about six inches high, transplant into rows four or five feet apart each way. Cultivate thoroughly with plow and hoe.

STERLING. This well known sort is fine for wrappers, cutters and fillers. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

SWEET ORONOCO. This variety makes first class plug fillers and when sun cured is considered to be the best natural chewing leaf. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

WHITE BURLEY. A favorite for plug fillers and wrappers. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

BRADLEY BROAD LEAF. A popular variety for exports, manufacturing and cigars. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Delicious This is a fall and winter variety of medium size. Although not very thick the shell is rather hard and strong. Usually dark green but sometimes lighter in color and mottled. The flesh is thick, very fine graphed and built replaced in the color with the shell is thick. nighter in color and mottled. The fiesh is thick, very fine grained and bright yellow in color. It is considered by many to be the best for markets where quality is appreciated as well as very desirable for the home garden. We have by continued and careful selection made a marked improvement in uniformity of type and we believe the seed we offer is equal to the best obtainable. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Boston Marrow This is a very productive fall and winter vaposton infarrow ive fall and winter variety of medium to large size oval shape, and thin skin. It is much used for canning and making pies. The fruits when ripe are bright orange with a shading of light cream color. The flesh is of rich salmon-yellow color, fine grained and of excellent flavor, but not as dry as the Hubbard. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.

Golden Hubbard The vines of this variety are vigorous and very productive. The fruits are of medium size, weighing from six to eight pounds and in shape are like the Hubbard, although in condition for use decidedly earlier. They are wonderfully long keepers and can be held over in good condition for spring use. The shell is moderately warted, hard, strong and of a beautiful orange-red color, except for a bit of olive-green on the blossom end. The flesh is deep-orange, dry, fine grained and richly flavored. A very superior table variety. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25



HUBBARD SQUASH

PERSIAN ROSE. A high grade manufacturing variety. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

BIG HAVANA. A hybrid Havana or Cuban seed leaf. and a very early cigar variety. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

SUMATRA. This produces eigar wrappers of the highest quality and has become popular with Florida growers. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ½ Lb. \$1.40; Lb. \$5.00

CONNECTICUT SEED LEAF. A hardy eigar variety, well adapted to growing in the middle and northern states. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

HAVANA. The leaf is very thin and is of fine texture. The variety is much used for cigar wrappers. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00

Tomatoes do best on light, warm, not over-rich soil and success depends largely upon securing a rapid, vigorous and unchecked growth during the early part of the season. Sow in hotbed or in shallow boxes in the house from six to eight weeks before they can be set out of doors, which is when danger from frost is past; when the plants have four leaves transplant into shallow boxes or cold-frames, setting them four or five inches apart; give plenty of air and endeavor to secure a vigorous but steady and healthy growth, so that at the time of setting in the open ground they will be strong and stocky. Even a slight check while the plants are small will materially diminish their productiveness.

Set out of doors as soon as danger from frost is over, but before doing so harden off the plants by gradually exposing them to the night air and by the withdrawal of water until the wood becomes hard and the leaves thick and of a dark green color. Transplant carefully and cultivate well as long as the vines will permit. If to be grown without training, the plants are usually set from three to four feet apart each way according to the vigor of growth of the variety.

usually set from three to four feet apart each way according to the vigor of growth of the variety.

To insure best results in respect to early ripening as well as the amount and perfection of fruit, it is advisable to train up and trim the vines, especially if the patch is rather small. When the plants have been properly started and are six to ten inches high they will begin to throw out branches. Select the largest and most vigorous of these and pinch off all others except this one and the main stem. Care must be exercised not to pinch off the fruiting branches which, as they appear, can be distinguished by the buds that are formed very early. In a short time these two remaining branches will become equally vigorous and as ordinary varieties will grow four to six feet high during the season, they should be securely tied at intervals of about ten inches to a long stake, preferably two inches square, which has been securely set in near the root of the vine.


Stake, preferably two inches square, which has been secur. Fruit will set to almost any height desired if all side branches are kept trimmed off at intervals of a week. By such a method of training and trimming the fruits are kept clear from the ground and with free access of sunlight they ripen much earlier; the vitality, otherwise exhausted in superfluous branches and leaves, is utilized in forming fruits of largest size, greatest perfection of shape and best quality. For further cultural directions see books listed on inside of back cover.

oks fisted on fiside of back cover.
All our Tomato seeds are from seed stocks carefully ected and saved by ourselves. We challenge compariselected and saved by ourselves. son of our stocks with any offered.

Our strain of this first early sort is earlier Carliana Our strain of this first early sort is earlier and decidedly superior to much that is sold as Sparks' Earliana, and the extreme earliness of its large, smooth fruits makes it a very profitable tomato for market gardeners, as well as desirable for the home garden. The vines are small but vigorous and productive. The fruits are bright deep scarlet, medium to large, nearly round and exceptionally smooth for so early a variety. The fruits are borne in clusters near the base of the plant and the bulk of the crop ripens very early. (See further description in Supplement, page 8) Pkt 5c 0x 35c; 20c 60c; W. 1b. \$100. **Earliana** very early. (See further description in Supplement, page 8) Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

John Baer

An extra early scarlet fruited variety of superior merit. The vines are very hardy and exceptionally productive. The fruits are the largest of the extra early sorts and are also most attractive in color. They are nearly round, smooth, firm and An extra early scarlet fruited variety of of excellent quality. It is one of the very earliest to ripen its first fruits and it continues to furnish market-able fruits much longer than other very early varieties. It is an invaluable sort for market gardeners, shippers and canners. (See cut in Supplement, page 8) Pkt. 5c: Oz. 55c; 2 Oz. \$1.00; 1/4 Lb. \$1.60; Lb. \$5.50



CHALK'S EARLY JEWEL

June Pink An extra early, purplish pink tomato similar to the popular scarlet fruited Earliana in growth of vine, shape and size of fruits and time of maturing. A valuable variety for market gardeners who want a very early, purplish pink tomato. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.25

The fruits of this desirable early sort are most attractive in shape and color. The crop ripens more uni-Bonny Best

The fruits of this desirable early sort are most attractive in shape and color. The crop ripens more unformly than any other early searlet fruited sort, and is of superior solidity and interior color. The vines are vigorous and produce a good crop of exceptionally round and deep fruits, bright deep scarlet in color and of very good quality. One of the best for gardeners whose trade demands fruits of beautiful shape and color. A very good quality of the color product and the pro



Chalk's Early Jewel One of the very best early tomatoes yet introduced. The vines are vigorous and very productive. The fruits are bright deep scarlet-red, nearly round or somewhat flattened, smooth, of large size and most excellent quality. They ripen very early and the pickings continue through a long season. It is a most desirable sort for the home garden. Pkt. 5c; Oz. 35c; 2 Oz. 60c; 1/4 Lb. \$1.00; Lb. \$3.50

Early Detroit

This splendid variety, introduced by us in 1909, is the largest and best of the early purplish pink tomatoes. The vines are vigorous and very productive. The fruits are very smooth, uniform in size, nearly globe-shaped, firm, and of excellent quality. Early Detroit is one of the most valuable shipping tomatoes yet produced. It is also desirable for the home garden and near markets. (See further description in Supplement, page 8) Pkt, 5c; Oz. 40c; 2 Oz. 75c; 1/4 Lb. \$1.25; Lb. \$4.00

Acme This well known sort is sold also as Essex Early Hybrid. The vines are large, hardy and productive, ripening their first fruits very early, although not an extra early variety. The fruits are purplish pink, round, smooth and of medium size, free from cracks and standshipment very well. Acme is also used extensively for the home garden. The flesh is solid and of excellent flavor. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

Early Michigan
ous and productive. The fruits are of medium size, very smooth and of very attractive erimson-searlet color. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00



EARLY DETROIT

TOMATO—Continued

Livingston's Globe
A large, purplish pink, globe-shaped or very nearly round tomato of excellent quality. It is exuneven in size but are very smooth and mature a little earlier than most midseason or main crop varieties.

Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.10; Lb. \$4.00

Improved Trophy
A very large, midseason or main crop tomato, unsurpassed in rich, deep crimson-scarlet color and of excellent quality. The vines are large, vigorous and exceptionally productive. The fruits are proven our strain to be the largest of the main crop, smooth fruited tomatoes. It is also exceptionally good in interior color and regularity of fruit.

Pkt. 5c; Oz. 35c; 2 Oz. 60c;

Beauty The vines are large, vigorous and very productive. The fruits are large, purplish pink, exceptionally smooth and uniform in size, very solid and of excellent quality. This is one of the best midseason or main crop purplish pink sorts for table use. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Perfection A medium to large main crop tomato of deep is much used for the home garden. The vines are large, vigorous and productive. The fruits are nearly round, uniformly smooth and even in size. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

One of the largest and most solid, main crop or late, bright red varieties. It is unsurpassed for slicing and canning. The vines are large, vigorous and very productive. The fruits are bright deep scarlet, oval and very deep, exceptionally smooth and uniform in size. Our stock is distinctly superior to most of that offered under the name, being larger, smoother, more uniform and better colored. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50


Matchless A main crop variety, very popular in the east. The fruits are very large, smooth and symmetrical, ripening well to stem. The flesh is rich, bright red in color and of fine quality, although possibly not quite as firm as Improved Trophy or Stone. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50

Ponderosa


A purplish pink, main crop tomato of the largest size. The vines are vigorous and very productive. The fruits are very solid, with exceptionally few seeds, fairly smooth and considered of very good quality, especially by those who prefer a tomato quite free from acid. It is very desirable for slicing. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ½4 Lb. \$1.75; Lb. \$6.00

Coreless This is a very large, uniformly globe-shaped, bright scarlet, late maturing tomato. The fruits are very solid, almost entirely free from green core and with little or no depression at stem end, making the variety desirable for slicing, canning and shipping. The vines are very vigorous, blight resistant and productive. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Dwarf Stone The vines are dwarf but vigorous and rather late maturing variety, the fruits are of good color, being an attractive bright red, exceedingly smooth and very solid. It is a desirable sort for the home garden. We consider this the best of the large fruited dwarf tomatoes. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50



STONE



DWARF CHAMPION

Dwarf Champion

This is sometimes sold as the "Tree Tomato." It is a second early or main crop, purplish pink variety, especially desirable where garden space is limited. The vines are about two feet high, vigorous, upright and compact. The fruits are medium sized, exceptionally smooth and of very good quality. Our stock is a very superior strain with more even, smoother fruit than the original. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Golden Queen The fruits are large and smooth, of bright golden yellow color, sometimes with a slight blush of red. They are as smooth and well shaped as the best of the red varieties and are of superior flavor. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Peach Desirable for preserving or for table decoration. The fruits resemble a peach in shape and size and the color a light terra cotta red with a delicate bloom. The flesh is tender and of good flavor. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

white APPLE. The fruits are about one and one-half inches in diameter, round, perfectly smooth and of yellowish white color. Flesh very mildly flavored and delicate. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

RED PEAR. Used for preserves and to make "tomato figs." Fruits bright red, distinctly pear shaped and of excellent flavor. Our stock is the true small pear shaped. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

YELLOW PEAR. Fruits similar to the Red Pear, but of rich, clear, yellow color and quite distinct from the variety sometimes sold under this name. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

YELLOW PLUM. Fruits plum shaped, of clear, deep yellow color; flesh yellow and finely flavored. Esteemed for preserves. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

RED CHERRY. Fruits small, about fiveeighths of an inch in diameter, perfectly round and smooth. Fine for pickles and preserves. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

YELLOW CHERRY. This variety differs from Red Cherry in color only. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

YELLOW HUSK OR GROUND CHERRY. Very sweet, mild flavor; used for preserves. Vines low and spreading. Fruits small, about one-half inch in diameter, enclosed in a loose husk. The seed we offer is that of the true Yellow Ground Cherry. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00

URNIP

The value of Turnips and Ruta Bagas for feeding stock in fall and winter is not fully appreciated, as they are much liked by all kinds of stock and serve to keep them in good condition. They should not be fed, however, in large quantities to milch cows, or the flavor of the milk will be disagreeably affected. We recommend that farmers increase their sowings largely, for we are sure the crop will prove remunerative for stock feeding as well as for table use when the roots are comparatively small.


Both of these wholesome vegetables are very easily affected in their form and flavor by soil, climate, and mode of culture. The Turnip plant is distinguished from the Ruta Baga by its rougher leaves; the root usually matures earlier and is smoother and more symmetrical. There are a great many varieties, but our list comprises the best for the garden and farm.

For summer use sow early in spring in light, rich or new soil, in drills one and one-half to two feet apart according to the size of the variety and cover one-half inch deep, or sow broadcast, but in either case be sure to have the ground rich and freshly stirred. Thin early and keep free from weeds so that the young plants will not be checked in growth. Any overcrowding will result in rough and poorly flavored roots. It is important to get the spring and summer crop started very early so that the turnips may have time to grow to sufficient size before hot weather causes them to become tough and bitter.

In the middle and western states sow for fall and main crop from the middle of June to the first of August and in the manner given for spring sowing. In the field, turnips are often sown broadcast, though in most cases better results are obtained by drill culture: good results from broadcast sowing are often obtained on new and burned over land where the weeds are not likely to be troublesome.

Especially where not properly sown and cultivated, turnips are sometimes affected by the root maggot and the flea beetle. Among the remedies employed for the maggot are the application of a carbolic acid emulsion, or of sand and kerosene, or of bisulphide of carbon to the soil about the roots when small. A preventive that is considered much better is a rotation of crops. The flea beetle may be checked by spraying the plants with Bordeaux mixture, or a nicotine preparation such as black leaf 40, or by sprinkling with Paris green diluted with land plaster in the ratio by bulk of one to fifty.

For winter keeping, store the turnips in a cool cellar and cover with sand or turf to keep them fresh. Another method is to put them in a pit dug in dry soil where there will be no danger of water standing and to cover with straw overlaid with earth sufficiently deep to keep out frost.



EARLY PURPLE TOP, STRAP LEAVED

Extra Early White Milan

This variety is remarkably early. The tops are very small, strap leaved, upright and compact, so that rows can be planted close together. The roots are clear white, very smooth, flat and are of best quality when only about two inches in diameter. The flesh is clear white, mild, sweet and tender. Very desirable for every two controls of the control o desirable for early use, especially for forcing. Pkt. 5c; Oz. 15c 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25 15c:

Extra Early Purple Top
Milan Similar to Extra Early
White Milan, except that
the roots are a little flatter and an attractive purple-red on the upper
portion. Well adapted for forcing. All in all, the Milan turnips leave
nothing more to be desired in the way of an extra early garden turnip.
Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

White Egg An early, oval or egg-shaped variety with smooth, clear ground. The tops are small with leaves distinctly cut. The flesh is clear white, firm, fine grained and sweet. The roots of this quick growing garden sort when in best condition for use are usually about two inches in diameter and about three and one-half inches long. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Early White Flat Dutch, Strap Leaved white turnip, extensively used for the table, especially in the southern states. The leaves are entire toothed on

the margin but not d'. vided or lobed, and are upright in growth. The roots are of medium size, flat, very white fleshed, fine grained and sweet. grained and sweet. The roots when in best condition for table use are about two and one-half inches in diameter. This variety is also grown as a field erop. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¹/₄ Lb. 25c; Lb. 75c.

Early Purple Top, Strap Leaved variety, very extensively used for the table. The leaves are few, entire, upright in growth. The roots are flat, of medium size, purple or dark red above ground, white below. The flesh is white, fine grained and tender. Roots when in best condition for table use are about two and one-half inches in diameter, but can be grown much larger for stock feeding. This sort is also known as Early Red Top, Strap Leaved. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Purple Top White Globe

This excellent table variety is globular in shape, of good size and very attractive appearance. The roots are large, purple or dark red above ground, white below. The fiesh is white, fine grained and tender. The roots when in best condition for the table are about three inches in diameter, but can be grown much larger for stock feeding. This sort keeps well for so early a variety and is one of the best for market use. It is also known as Red Top White Globe. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



EARLY WHITE FLAT DUTCH, STRAP LEAVED



TURNIP-Continued



POMERANEAN WHITE GLOBE

Cow Horn or Long White except a little shade of green at the top of the root, which is long and carrot-like in form, cylindrical but usually ending in a point, and slightly crooked. The roots are often twelve to fifteen inches long by about two and one-half inches in diameter and grow about three inches out of the ground. The flesh is fine grained and well flavored, and for table use is in best condition when the roots are about two inches in diameter. Desirable for stock feeding and has obtained considerable favor as a market sort. The variety is of very rapid growth and well adapted for fall and early winter use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

Large White Norfolk This sort is usually grown for feeding stock, and although a little coarse in texture it is of good quality for the table, but for the latter purpose is in best condition when the roots are about four inches in diameter. The roots are white and smooth, grow to the largest size, and are globe-shaped or slightly flattened. The variety is allowed to stand out during the winter in the south where the tops are used for greens. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.

Pomeranean White Globe one of the most productive kinds and in good, rich soil the roots will frequently grow to twelve pounds in weight. The roots are globe-shaped or slightly flattened; skin very white and smooth. This sort is used for stock feeding and is also good for table use if pulled when the roots are not more than four to five inches in diameter. Where the winters are mild the tops are used for greens. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Seven Top This sort is cultivated extensively in the south for the tops which are used for greens. In many sections it is a favorite green feed for stock and its use like Rape for a pasture crop is quite general. This sort is very hardy and the growth usually continues throughout the winter. The variety is not generally depended on for the root since the tops are produced so abundantly. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.

Southern Prize

Superior to Seven Top as usually sold and extensively grown in the south where the tops furnish an abundance of cuttings. These are valued highly for salad or greens. The roots of Southern Prize are valuable as well as the tops, being remarkably large, symmetrical and excellent for feeding stock. A favorite for forage in the Virginias and Carolinas where it usually thrives throughout the winter without protection. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Sweet German

An excellent smooth-leaved, medium-large white fleshed Swedish Turnip sort that requires a long season well into the winter. The roots are somewhat globular in shape, bronze-green above ground, white below, remarkably solid in texture, sweet and of very good quality. The leaves are entire and rather small for size of root. The roots are in best condition for table use when four to five inches in diameter, but can be grown much larger for stock feeding. A strap leaved sort also sold as Sweet German Ruta Baga. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

YELLOW FLESHED VARIETIES

Large Amber Globe One of the best yellow fleshed feeding. The roots are of large size and of globular shape. The skin is clear yellow except the top which is tinged with green. The flesh is light yellow, fine grained and sweet. The variety keeps well and is a good cropper. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.


Yellow Stone globular and perfect in shape. The skin is smooth and of attractive pale yellow color. The flesh is pale yellow, crisp, very tender and of exceptionally good quality. The roots are suitable for table use when three to four inches in diameter, but are more generally used for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

Yellow Globe

A round, smooth, light yellow turnip of medigood quality for the table or for stock feeding. The roots are in best condition for table use when three to four inches in diameter. This sort keeps well and is a good cropper. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Orange Jelly or Golden Ball A distinct variety, one flavored of the yellow fleshed turnips. The tops are small. The roots are medium sized, round, very smooth and with deeper yellow skin than most of this class. The flesh is firm, crisp and of most excellent quality. The roots are in best condition for table use when about three inches in diameter. This variety is of quick growth, adapted to spring as well as fall planting, and keeps exceptionally well. Known also as Robertson's Golden Ball. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Purple Top Yellow Aberdeen late maturing, long keeping, yellow fleshed turnip. Roots yellow with purple top. Flesh pale yellow and of very firm texture, approaching the Ruta Baga in this regard, but tender and sweet. Since it requires a longer time to mature, the seed should be sown about two weeks earlier than most sorts. It is hardy, productive and valuable for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.



ORANGE JELLY OR GOLDEN BALL

RUTA BAGA OR

The uses and value of the Ruta Baga are much the same as those of the Turnip. The Ruta Bagas as a class have firmer flesh than Turnips but require a longer season for maturing and usually are more esteemed for winter use, while Turnips are better adapted for the early market. Under most conditions of growth Ruta Baga roots are not so smooth on the surface nor as symmetrical in shape as Turnips but yield heavily, are superior keepers and are the more prized for stock feeding.

Sow the seed from the middle of June to the middle of July, in ground previously enriched with well-rotted manure, in drills about two and one-half feet apart, covering about one-half inch deep. Thin the young plants eight to twelve inches apart in the row. When the roots are full grown and before hard freezing weather, pull them, cut off the tops and store in a root cellar or pit. Ruta Bagas are sometimes sown broadcast and left to take chances with the weeds but the crop is seldom a success, though occasionally on new clearings free from weed seed, fair results are obtained.

free from weed seed, fair results are obtained.

strain of Purple op Yellow ruta American Purple Top or A strain of Purple Top Yellow ruta baga of American origin, selected to a smaller top

selected to a smaller top and much shorter neck than is usually found, while the roots are a little more globular, grow to a large size and are of the finest quality. Excellent for table use and stock feeding. We consider this one of the most desirable Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.

Bangholm

This purple top sort is excellent both in shape and quality. The roots are of large size, slightly tankard shaped, with small neck and few or no side roots. The variety yields well. The skin is yellow with purple top. The flesh is yellow, sweet and solid. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Carter's Imperial Purple Top Excellent for feeding stock. Roots nearly round; skin yellow with purple top; flesh yellow, solid and sweet. Hardy and yields heavily. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

D. M. Ferry & Co's Improved A hardy and productive Purple Top Yellow variety having but little neck. The roots are large, slightly oblong or nearly globe shaped, fairly smooth, with comparatively small tap root. Color purplish-red above ground and bright yellow beneath. Flesh yellow, of solid texture, crisp and of very good quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c. 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.

Drummond's An improved strain of Purple Top Swede, excellent in uniformity of shape, color and quality. This yellow fleshed variety is considered by many an excellent table sort. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



PURPLE TOP YELLOW

Hall's Westbury A large, round purple top variety, a good claimed will endure dry weather better than most sorts. Skin yellow with purple top. Flesh yellow, firm and of good quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

Hartley's Bronze Top
yellow, with bronze green top. This is a favorite sort in Canada and
can be depended upon to give good satisfaction. Similar to Kangaroo.
Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.

Laing's Purple Top globe shaped; skin purplish red above ground, yellow beneath: flesh yellow; neck small; tops distinctly strap leaved or entire. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 80c.

Monarch or Tankard A yellow fleshed sort, having very large, tankard shaped roots with relatively small neck and tops. The color is purplish-red above ground, yellow beneath. The flesh is very solid, fine grained and sweet. Sometimes sold as Elephant or Jumbo. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.

Perfection White Absolutely neckless. Tops small, strap ed. Vigorous in growth and usually yields better than the yellow fleshed sorts. While valuable for stock feeding, the white flesh is so excellent in quality that it is particularly desirable for table use. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Skirving's King of Swedes Though this purple top, round or signify oval sort reaches a large size it is of most excellent quality. The flesh is yellow. Pkt. 5c; size it is of most excellent quality. Oz. 10c; 2 Oz. 15c; 4 Lb. 25c; Lb. 75c.

Sutton's Champion
Roots large, spherical, purple on top; flesh yellow, tender and sweet. An excellent keeper and yields heavily. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Universal or Canadian Gem
Roots nearly round, purple
neath; very small in top and neck; flesh yellow and of excellent
quality. Exceptionally hardy and vigorous. Sometimes sold as
Century. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 80c.

White or Sweet Russian an excellent keeper and very destock. The tops are small, with leaves cut at the edges. The roots are very large, nearly globe shaped or somewhat top shaped with small neck; color white with a shade of green or bronze at the top. The flesh is white, very firm and sweet. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c;

Roots oblong, dull reddish color above ground but Yellow Swede Roots oblong, dull reddish color above ground but yellow underneath. This sort is hardier than the common turnip and will keep solid until spring. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



MONARCH OR TANKARD

AROMATIC, MEDICINAL AND POT HERBS

Most of the varieties of herbs thrive best on sandy soil and some are stronger and better flavored when grown on that which ather poor. In all cases the soil should be carefully prepared and well cultivated, as the young plants are for the most part is rather poor.

Is rather poor. In all cases the soil should be carefully prepared and well cuttivated, as the young plants are for the fine part delicate and easily choked out by weeds.

Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed, or they may be planted as a second crop—the seeds sown in beds in April and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

ANISE (Pimpinella anisum) An annual herb cultivated principally for its seeds which have a fragrant, agreeable smell and a pleasant taste; used medicinally for aromatic cordials, colic and nausea. The leaves are sometimes used for garnishing and flavoring. Plant of slender upright growth with deeply cut foliage; flowers small, yellowish white, borne in large loose umbels. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

BALM (Melissa officinalis) A perennial herb, easily propagated by division of the root or from seed. The leaves have a fragrant odor similar to lemons and are used for making balm tea for use in fevers and a pleasant beverage called balm wine. Plant one to two feet high, hairy, loosely branched with ovate leaves; flowers white or pale yellow in loose axillary clusters. Pkt. 5c; Oz. 30c; 2 Oz. 55c; Y Lb. 90c; Lb. \$3.00

BASIL, SWEET (Ocimum basilicum) A hardy aromatic annual-The seeds and stems have a strong flavor and are used in soups and sauces Plant about eighteen inches high, branching, with ovate toothed leaves; flowers white or bluish white in leafy terminal racemes or spikes. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c;

Lb. \$2.00

ORAGE (Borago officinalis) A hardy annual used as a potherb and for bee pasturage. The bruised leaves immersed in water give it an agreeable flavor and are sometimes used in salads to give a cucumber-like taste. Plant of coarse growth, hairy, with large oval leaves; flowers blue or purplish in racemes. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 BORAGE

CARAWAY (Carum carui) A well known herb, cultivated for its seeds, which are used in confectionery, cakes, etc. The leaves are sometimes used in soups, for flavoring liquors and for colic in children. Plant one and one-half to two feet high, with finely cut foliage and clusters of small, white flowers. Plants never seed till the second year. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

CARAWAY, for Flavoring. Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c. CORIANDER (Coriandrum sativum) A hardy annual cultivated for its seed which has an agreeable taste and is used in confectionery and to disguise the taste of medicine. Gather on a dry day, bruising the stems and leaves as little as possible, for when injured they have a disagreeable odor which they impart to the seed. Plant slender, two to two and one-half feet high, strong smelling, with smooth, finely cut foliage and small white flowers. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 65c.

CORIANDER, for Flavoring. Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c;

DILL (Anethum graveolens) An annual of aromatic odor and warm pungent taste. Its seeds are used for seasoning. It possesses medicinal properties but its largest use is for making possesses metherna properties different states as the later manning bill pickles. Plant branching, two to three feet high; leaves very much cut into thread-like segments; flowers small yellowish, borne in umbels. Seed flat. Pkt. 5c; Oz. 20c 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00 flowers small. Seed flat. Pkt. 5c; Oz. 20c;

The seeds of this aromatic herb have a pleasant taste, and are sometimes used in confectionery, also in various medicinal preparations. The young shoots are sometimes eaten raw and are used in salads, soups and fish sauces. Plant very branching, two to four feet high, with dense thread-like foliage:

flowers light yellow in large loose umbels. Seed oval. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

HOREHOUND (Marrubium vulgare) A perennial herb with an aromatic odor and a bitter, pungent taste. It is a tonic and centers largely into the composition of cough syrups and lozenges. Laxative in large doses. Will thrive in any soil but is stronger if grown on light, poor land. Plant spreading, one to two feet high; leaves ovate, roughened, covered with whitish down; flowers small, white, borne at axils of leaves. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

YSSOP (Hyssopus officinalis) A hardy perennial with an aromatic od r and a warm, pungent taste. It is a stimulant, expectorant and mild tonic. The flowering summits and leaves are the parts used. It does best on dry, sandy soil. Plant upright with narrow glossy dark green leaves; flowers small, borne in whorled spikes, blue, sometimes white or pink. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00 HYSSOP

LAVENDER (Lavendula spica) A hardy perennial growing about two feet high. It is used for the distillation of lavender water or dried and used to perfume linen. It should be picked before it becomes dry and hard, and dried quickly. The seed is of rather slow and uncertain germination. Plant erect, with slender grayish green leaves and small violet-blue flowers. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50

MARJORAM, SWEET (Origanum marjoruna) An aromatic herb for seasoning. The young tender tops and leaves are used green in summer to flavor broths, dressings, etc., and are also dried for winter use. Usually grown as an annual as it is not hardy enough to endure the winter of the northern states. Plant erect but branching with small oval grayish green leaves and small purplish or whitish flowers. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50



MARJORAM

ROSEMARY (Rosmarinus officinalis) A hardy perennial, with fragrant odor and a warm bitter taste. The leaves are used for flavoring meats and soups, and for medicinal drinks. Plant erect, branching with small slender leaves and small light blue flowers. The blossoms form the principal ingredient in the distiliation of toilet waters. Plants do not reach a size suitable for use until the second season. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

RUE (Ruta graveolens) A hardy perennial with a peculiar, unpleasant smell. The leaves are bitter and so acrid as to blister the skin. It is a stimulant and antispasmodic but must be used with great caution, as its use sometimes results in serious injury. It must not be suffered to run to seed and does best on poor soil. Plant one and one-half to two feet high, becoming woody at the base; leaves much divided; flowers yellow. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

SAFFRON (Carthamus tinctorius) A hardy annual. Cultivated for its flowers which are used principally for coloring, sometimes for flavoring and to make the cosmetic powder called rouge. The flowers should be picked while in full bloom. Plant upright in growth, one to three feet high; leaves ovate, prickly: flower-heads yellow, thistle-like. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

SAGE (Salvia officinalis) One of the most extensively used herbs for seasoning. It is also believed to possess medicinal properties. Hardy perennial, about fifteen to eighteen inches high. Plant very branching; flowers usually blue, sometimes pink or white; leaves grayish green, oval, wrinkled. Cut the leaves and tender shoots just as the plant is coming into flower and dry quickly in the shade. The plants will survive the winter and may be divided. If this is done they will give a second crop superior in quality. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

and dry quickly in the snade. The plants will survive the winter and may be divided. If this is done they will give a second crop superior in quality. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50


SAVORY, SUMMER (Satureia hortensis) A hardy aromatic annual twelve to fifteen inches high, the dried stems, leaves and flowers of which are extensively used for seasoning, especially in dressings and soups. Plant erect, branching; leaves small, narrow; flowers small, purple, pink or white, borne in short spikes. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

THYME (Thymus vulgaris) An aromatic perennial herb. eight to ten inches high, used principally for seasoning. Plant very branching with wiry foliage and small filac flowers. Sometimes the leaves are used to make a tea for the purpose of relieving nervous headache. Sow as early as the ground will permit. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00

WORMWOOD (Artemisia absinthium) A perennial plant of fragrant and spicy odor, but with intensely bitter taste. The leaves are used as a tonic, vermifuge and as a dressing for fresh bruises. Plant erect, two to three feet high, with much divided leaves and loose clusters of small light yellow flowers. divided leaves and loose clusters of small light yellow flowers It may be raised from seed, propagating by cuttings or dividing the roots. A dry, poor soil is best adapted to bring out the peculiar virtues of this plant. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

CLOVER SEEDS

Alfalfa or Lucerne (Medicago sativa) This deep-rooted leguminous perennial is the principal hay and forage plant in arid sections of the western states and is also used successfully in the east. The plant grows one to four feet high and has long racemes of small purple flowers. It furnishes excellent pasturage for hogs but is not recommended for other stock for that purpose. In protein value, it is as rich as wheat bran. It needs one season to become established, after which it yields heavily for several years; two to four cuttings may be harvested, depending upon conditions and locality. A deep, thoroughly drained, non acid soil, free from hard-pan is essential for success, and the use of well-rotted manure is desirable. Sow in northern latitudes June to August, twenty to thirty pounds per acre if broadcasted, or fifteen to twenty-five pounds if in drills. In the south, alfalfa is sown in February or September. After sowing cover with a weeder or light harrow 1/4 Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices.



Alsike or Swedish (Trifolium hybridum)
This perennial is the most hardy of all clovers. On rich, moist soil it yields an enormous quantity of hay or pasturage, but its greatest value is for sowing with other clovers and grasses, as it forms a thick bottom and greatly increases the yield of hay; cattle prefer it to any other forage. The heads are globular, fragrant and much liked by bees which obtain a large amount of honey from them. Sow the seed in spring or fall, at the rate of six pounds per acre, when used alone. 1/4 Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices.

Mammoth or Large Red (Trifolium prateus)
This sort grows nearly twice the size of the Common Red Clover, often making a stand when the other clovers fail. Sow about eight to twelve pounds per acre. 1/4 Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices.

Medium Red or June (Trifolium prateus)
by far the most important of all the varieties for practical purposes. Sow in spring or fall and if no other grasses are used at the rate of eight to twelve rounds. eight to twelve pounds per acre: more is required on old, stiff soils than on new and lighter ones. ¼ Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices.

White Dutch (Trifolium repens) A small, creeping perennial variety valuable for pasturage and for lawns. It accommodates itself to a variety of soils, but prefers moist ground. Sow in spring at the rate of six pounds per acre, or when used with other grasses, half that amount. 1/4 Lb. 25c; Lb. 75c. postpaid; for larger lots inquire for prices.

GRASS SEEDS

Prices on Grass Seeds subject to change.

Awnless Brome Grass (Bromus inermis) A perennial, for binding soil of embankments and resisting both drought and cold. On light, dry soils it is used for hay and pasturage, but is not recommended where better grasses will succeed. Sow forty pounds per acre. Lb. 30c. postpaid; for larger lots inquire for prices.

Canadian Blue Grass
stalks which form a strong turf. It withstands drought better
than most cultivated grasses and is especially valuable in
Lawn Grass mixtures. It succeeds best on clay soils but does Lawn Grass mixtures. It succeeds best on clay soils but does well on sandy soils, being better adapted for use on sterile knolls and barren fields than probably any other cultivated grass. For hay or pasturage it is best sown with other grasses. It differs from Kentucky Blue Grass in its flattened, shorter stems and bluer color. Height six to twenty inches. Lb. 35c. postpaid; for larger lots inquire for prices.

Creeping Bent Grass (Agrostis stolonifera) This is particularly valuable for lawns that are to be used for croquet grounds or for tennis courts, because it is benefited more than burt by tramping and by its bright color adds to the beauty of the lawn. Lb. 90c. postpaid; for larger lots inquire for prices.

Hard Fescue (Festuca duriuscula) Similar to Sheep's Fescue, but not so dense and taller. It will often cover sandy soil under the shade of large trees where no other grass will grow. It is a desirable addition to lawn grass. Sow thirty pounds per acre. Lb. 60c. postpaid; for larger lots inquire for prices.

Kentucky Blue Grass (Poa pratensis) Fancy Clean. Sometimes called June Grass, but the true June or Wire Grass is much inferior. Kentucky Blue Grass is the most nutritious, hardy and valuable of all northern grasses. Sown with White Clover it forms a splendid lawn; for this purpose use not less than fifty-four pounds of Blue Grass and six pounds of White Clover per acre. If sown by itself for meadow or pasturage use about twenty-eight pounds per acre. Lb. 35c. postpaid; for larger lots inquire for prices.

(Lolium perenne) A very valu-Perennial Rye Grass (Lollum perenne) A very valuation able variety for permanent nasture. Succeeds well on almost any soil, but is particularly adapted to moderately moist or irrigated lands. Sow thirty to forty pounds per acre in spring. Lb. 30c. postpaid; for larger lots inquire for prices.

Orchard Grass count of its quire for prices.

Orchard Grass count of its quick growth and valuable aftermath. It is ready for grazing in spring two weeks sooner than most grasses and when fed off is again ready for grazing in a week and will continue green when other grasses are withered by dry weather. It is palatable and nutritious and stock eat it greedily when green. A tendency to grow in tufts unfits it for lawns. It does better if sown with clover and as it ripens at the same time, the mixed hay is of the best quality. If sown alone, about twenty-eight pounds are required per acre; if sown with clover, half that quantity. Perennial. Lb. 40c. postpaid; for larger 1. ts inquire for prices.

Westerwold Italian Rye Grass (Lolium Italicum)
Westerwold icum) An extremely rapid growing annual for spring and summer sowing. As a forage and pasture grass it thrives on almost any soil but does best on heavy loam, clay or land of a somewhat damp character. It is lighter in color and coarser in leaf than Perennial Rye but is very much stronger growing. After cutting it is the quickest grass to start again, making a new growth more rapidly than any othersort with which we are acquainted. From our repeated comparative trials we believe this is a very valuable addition to the list of grasses grown in this country. Lb. 45c. postpaid; for larger lots in-

(Festuca rubra) A creep Red or Creeping Fescue (Festuca rubra) A creepeng extreme drought, and especially adapted for forming a close and lasting turf in shady places. Valuable also for exposed hillsides, and golf courses. Sow thirty pounds per acre. Lb. 50c. postpaid; for larger lots inquire for prices.

Red Top (Agrostis vulgaris) Fancy (Cleaned from Chaff) In Pennsylvania and states farther south this is known as Herd's Grass, a name applied in New England and New York to Timothy. It is a good, permanent grass, standing our climate well, and makes good pasture when fed close. It is also valuable for low, wet meadows, producing a large return in good hay. Sow in spring or fall at the rate of eight to ten pounds per acre. Lb. 45c, postpaid; for larger lots inquire for prices.

GRASS SEEDS-Continued

Rhode Island Bent Grass valuable perennial for lawns and pasturage. Much like Red Top, though smaller. Thrives on light, dry soils as well as on rich, moist ones. For lawn purposes, if used alone, sow about forty pounds per acre; for pasture, if used alone, twenty-four pounds per acre. Lb. 70c. postpaid; for larger lots inquire for prices.

Sheep's Fescue (Festuca ovina) A small tufted, hardy grass forming a cluster of narrow, soils and in shady locations. Sow about thirty-five pounds per acre. Lb. 60c. postpaid; for larger lots inquire for prices.

Timothy (Phleum pratense) The most valuable of all the grasses for hay, especially in the north. Thrives best on moist, loamy soils of medium tenacity. It should be cut just when the blossom falls. Sow early in the spring or fall, twelve pounds per acre, if alone, but less if mixed with other grasses. **Lb. 25c. postpaid**; for larger lots inquire for prices.

Wood Meadow Grass (Poa nemoralis) Grows from one and one-half to two feet high; has a perennial creeping root and an erect, slender, smooth stem. Well adapted to shaded situations, such as orchards and parks, for either hay or pasturage. Sow about thirty pounds per acre. Lb. \$1.00 postpaid; for larger lots inquire for prices.

LAWN GRASS SEEDS

Prices on Grass Seeds subject to change. The pound prices include postage; 100 pound prices are by freight or express, at purchaser's expense. (Nct. ess than 25 pounds at the 100 pound rate.)

at purchaser's expense. (Not ass than 25 pounds at the 100 pound rate.)

The essentials for a fine lawn are: First, a rich, well drained soil; second, careful preparation of the ground, making it as fine and smooth and mellow as possible; third, a wise selection of seeds; fourth, sowing at such a time as to give the young plants a chance to become well established before being subjected to very dry or cold weather or to the direct rays of the hot summer sun. However much care is bestowed on the soil and seed, no lawn will be beautiful without frequent mowing and rolling. Too much care cannot be bestowed upon the selection of grasses, as some varieties are the most luxuriant in spring, others in summer, others again in autumn and a combination of the proper sorts is required for a perfect, carpet-like lawn. It may be planted early in spring or fall and should be sown at the rate of sixty to one hundred pounds per acre; much more is required than for hay or pasturage. If sown in the spring, sow as early as possible, making the surface very fine and smooth, then raking it over and sowing the seed just before a rain which, if the surface has just been raked, will cover the seed sufficiently. If the expected rain does not come, cover by rolling with a light roller. For fall seeding sow before the autumn rains and early enough to enable the young grass to become well established before very cold weather, when a light dressing of manure should be given.

While there are a read that the power of the proper second well established before very cold weather, when a light dressing of manure should be given.

Extra Fine Mixed (Central Park Mixture) We have many experiments to secure the best selection and think our Central Park Mixture is the best possible for permanent lawns. One pound is the minimum quantity sufficient to sow 600 square feet. Lb. 55c; 100 Lbs. \$40.00

Fine Mixed Lawn Grass

A thoroughly first-class mixture made of the best and cleanest grades of those varieties used and best adapted to general lawn purposes.

Lb. 35c; 100 Lbs. \$20.00

Shady Lawn Mixture
This is a selection of fine grasses which thrive under the shade of trees or buildings where there is little sun, Lb. 90c.

Mixtures for Golf Links

While there are on the market numerous ready prepared golf mixtures of more or less value, we have found that the best results are obtained by giving individual attention to each customer and making a special mixture to suit his needs. We have thus overcome the difficulties presented by the great dissimilarity of local conditions of various links and are willing to give you the benefit not only of our experience on some of the best greens in this country but of expert knowledge of grass seeds as well. Write us a description of your links, telling what the nature of the soil is, how drained, how much it has the sun, whether the winters are long or open and whether the summers are wet or dry and we will offer you two or more mixtures especially adapted to the various parts of your grounds.

MISCELLANEOUS FARM SEEDS

Barley, Common

Barley succeeds best on rich lands more sandy and lighter than those adapted to wheat. It is sown in the spring and can be grown farther north than any other grain. Unless intended for seed it should be cut before fully ripe as it is then heavier, of better quality and less liable to shell. Use about one hundred twenty pounds per acre. 3Lbs. postpaid 60c; for larger lots inquire for prices.

Buckwheat A well known annual grown largely for the flour used in making breakfast stemmed, with clusters of white fragrant flowers. Buckwheat should be sown about June 15 to July 15, broadcast, at the rate of about twenty pounds per acre; a fair yield being from twenty-five to thirty bushels per acre. Each of the varieties has produced the largest yield in different tests, depending apparently upon an adaptation to soil, climate and weather conditions that is as yet imperfectly understood; however, the Japanese is usually considered the heaviest yielder.

Silver Hull. This very attractive sort is claimed by many to make the highest grade of flour. The seed is glossy and silvery gray, slightly smaller and lighter colored than that of the Common Gray. 3 lbs. postpaid 60c; for larger lots inquire for prices.

Japanese. The plants are stronger growing and more spreading than those of Silver Hull, and the grain ripens a little later. This variety is less liable to blight from sunshine than Common Gray and Silver Hull; seed larger, darker, and with corners more prominent or slightly winged. 3 lbs. postpaid 60c; for larger lots inquire for prices.

Cowpea, Blackeye (Vigna sinensis) A summer growing annual especially valuable as a soil renovator and enricher. It is used not only for green manuring but also for forage. Cowpeas are very rich in nitrogen and when plowed under they leave the land in splendid condition for the future crop. Sow June 1 to July 1, sixty pounds per acre, in drills: one hundred twenty pounds per acre if sown broadcast. Lb. 20c; 2 Lbs. 35c. postpaid; 100 Lbs. \$6.50. (Not less than 25 pounds at the 100 pound rate.)

Flax (Linum usitatissimum) Sow late enough in the spring to avoid frost and early enough to secure a good stand and enable the crop to ripen before the fall rains. A fair average quantity of seed to be sown on an acre is one-half bushel, when cultivated for seed; if for the fibre a larger quantity should be sown. Cut before quite ripe and if the weather be dry let it lie in the swath a few hours, when it should be raked and secured from the weather; thresh early in the fall and in dry weather. 3 Lbs. postpaid 60c; for larger lots inquire for prices.

Millet A family of grasses grown largely in Europe for the grain, but in this country used principally for a catch crop to supplement others that have failed. Millet usually does well under almost any conditions and on any kind of soil.

Common (Panicum miliaceum) The Common Millet grows two and one-half to four feet high and affords a large bulk of stalks and leaves. It is early maturing and is excellent for forage. For hay, sow broadcast, about twenty-five pounds per acre, from May 1 to August 1. For grain, sow in drills, about twelve pounds per acre and not later than June 20. Seed yellow. 3 lbs. postpaid 50c; for larger lots inquire for prices.

German or Golden. This is similar in appearance to Common Millet but is stronger growing and produces much larger heads. It is especially valuable for use on poor soils. Seed yellow. 3 lbs. postpaid 60c; for larger lots inquire for prices.

Hungarian (Panicum germanicum) This is an improved species of annual millet growing less rank, with smaller stalks, and smaller rounder heads. It often yields two or three tons of hay per acre. Hungarian is very valuable for use where a finer hay than other millets is desired. The seed is larger than other millets and varies in color from light yellow to purple-brown.

3 lbs. postpaid 50c; for larger lots inquire for prices.



MILLET, GERMAN OR GOLDEN

MISCELLANEO SEEDS—Continued

Prices of all articles quoted on this page subject to change.


Rape

DWARF ESSEX FOR SOWING. This is by far the best variety of Rape for forage. It is very valuable not only for green feeding purposes but is of importance to the fruit grower as a cover-crop and it affords excellent pasturage for hogs and sheep late in the season. The plant of Dwarf Essex resembles at first the Ruta Baga but the tops become very large and leafy.

Dwarf Essex thrives best in cool weather. Ground should Dwarf Essex thrives best in cool weather. Ground should be prepared same as for turnips. Sow in June or July, with a turnip drill, in rows two and one-half feet apart, at the rate of two and one-half pounds of seed per acre. It is sometimes sown with spring grain, to provide fall pasture after the grain is cut, also sown at the last cultivation of corn. It may be sown broadcast, either with other fall forage crops or by itself, using from one to five pounds of seed per acre. Lb. 30c. postpaid. By freight or express at purchaser's expense, 10 Lbs. \$1.50. For larger quantities inquire for prices.

Rye, Fall or Winter A hardy, strong growing annual, cultivated not only for its grain and straw but valuable also for soiling and as a coveror yall and straw out variation and to so ling and as a cover-crop and for use as green-manure. It does better than wheat on light sand or soils liable to drought. Sow middle of August to the last of September. Prepare the ground as for wheat and sow broadcast or with a drill at the rate of sixty to ninety pounds per acre. 3 Lbs. 50c. postpaid. For larger quantities inquire for prices.

Rye, Spring Although this grain is often planted especially for paper makers, who prefer it to any other, its principal value is as a "catch" crop to sow where winter grain has failed. The straw is shorter and stiffer than that of the winter variety and is always easily secured. The grain, although smaller, is of equal value. 3 Lbs. 50c. postpaid. For larger quantities inquire for prices.



RAPE. DEARF ESSEX

Sorghum

Albaugh Early

This is considered the best early variety and the one which we especially recommend as "sugar cane" for the north where the season is short. It is practically as early as the old Early Amber and yields much more per acre either of syrup or seed. The plant is large, of strong, vigorous and erect habit. It may be planted as tate as the 15th of June and will be in condition to harvest for syrup in September. Cane seed should not be planted before the weather is warm in the spring. Three to four pounds of seed are required per acre. Lb. 20c. postpaid, By freight or express, at purchaser's expense, 100 Lbs. \$6.00. (Not less than 25 pounds at the

100 pound rate.)

Early Orange and erect, with large and abundant leaves and heavy compact seed heads. It is early and often yields as much as two hundred and forty gallons of very beautifully colored and highly flavored syrup to the acre. We recommend it highly to all desiring a superior cane. Lb. 20c. postpaid. By freight or express at purchaser's expense, 100 Lbs. \$6.00. (Not less than 25 pounds at the 100 pound rate.)


Imperial This variety is particularly valuable for feeding stock. The plants do not usually grow as tall as the Early Orange or the Albaugh Early but show a decided tendency to stool, or send up shoots. The cane is very leafy and comparatively slender and practically the entire plant is suitable for feed. Our seed is northern grown and should not be confused with the inferior western and southwestern grown cane. Lb. 20c. postpaid. By freight or express at purchaser's expense, 100 Lbs. \$6.00. (Not less than 25 pounds at the 100 pound rate.) 25 pounds at the 100 pound rate.)

Sunflower LARGE RUSSIAN. This has very large single heads borne at the top of a single unbranched stalk usually, and with much more and larger seed than the common sorts. It is used extensively for feeding poultry. The plant often grows ten feet high. Sow seed as soon as ground is fit for planting corn, in rows three to four feet apart and about one foot apart in row. Cultivate the same as corn. This variety will yield 1,000 pounds or more of seed per acre. Some species are planted in the flower garden for ornament. (See Sunflower, page 93.) Pkt. 5c; ½ Lb. 10c; Lb. 25c. postpaid; for larger quantities inquire for prices.

Vetch or Tare SPRING (Vicia sativa) A perennial peanorth. Desirable as a forage plant and valuable as a cover-crop for orchards. Culture same as for field peas. Sow ninety to one hundred twenty pounds per acre. Lb. 30c. postpaid; for larger lots inquire for prices.

inquire for prices

Vetch HARY OR SAND (Vicia villosa) This is also called the Winter Vetch. It is a very hardy forage plant growing well on soils so poor and sandy that they will produce but little clover. Its nitrogen gathering properties make it particularly valuable as a soil renewer and enricher but it is not recommended for land which is to be cultivated for grain crops on account of its tendency to volunteer and persist. The plants, when mature, are about forty inches high and if cut for forage as soon as full grown and before setting seed, they will start up again and furnish even a larger crop than the first. Seed round, black and should be sown thirty to sixty pounds per acre. Lb. 35c. postpaid; for larger lots inquire for prices. inquire for prices.



SORGHUM, ALBAUGH EARLY

BIRD SEEDS

	Prices by m	ail or express,	prepaid.	
CanaryL	b. 25c: 3 Lbs.	60c. Maw	Lb.	75c.
Hemp '	25c; 3 "	60c. Millet	46	20c; 3 Lbs. 50c.
Rape 4	25c: 3 "	50c. Lettuce	66-	40c
		eds Ib 25cc 3		

DESCRIPTIVE LIST OF **CHOICE FLOWER SEEDS**

WITH GENERAL DIRECTIONS FOR CULTIVATION

POST flowering plants will live in almost any soil, but to give them a fair chance to develop, some care should be taken to make the ground suited to their needs. The soil best adapted for flowering plants generally is a light, friable loam, containing a sufficient amount of sand to render it porous. Many flowers are better if produced on plants of vigorous growth, hence a portion of the garden should be prepared by deep digging, thorough pulverization and liberal enriching with large quantities of well-rotted manure. Since some other varieties produce the largest and finest colored flowers when grown on rather light, poor soil, a portion of the garden should not be enriched.

Cultural directions are given on the packets, and we urge purchasers to study them carefully. some seeds need special treatment, the following general rules will apply to all. Make the surface of the soil as fine, smooth and level as possible; do not plant when the ground is wet; cover each lot of seeds to a uniform depth, which should not be more than four to six times the diameter of the seed; press the soil firmly over the seed; plant in rows so that the starting plants can be seen easily; thin out the young plants to prevent

crowding and keep entirely free from weeds.

Very small seeds, such as Portulaca, Canterbury Bell, Foxglove, Petunia, etc., should be merely sprinkled on the surface of the ground, after making it quite smooth with the back of the spade, and barely covered with fine sifted, light, mellow soil and afterwards protected from the scorching sun and heavy rains by a cloth, mat, or some green branches stuck around them. If the weather, after sowing, should be dry, it will be necessary to water the places, where the seeds are sown, with a fine spray, regularly but slightly, every evening, as it is essential that the seeds, during the process of germination, should be kept constantly moist. From a neglect or oversight of this arise most of the failures. As the process of germination is shorter or longer in the different kinds of seeds, the patience of the cultivator is often sorely tried with the seeds of a slowly germinating character.

Plants are usually divided into three classes, Annuals, Biennials and Perennials. Annuals are plants which normally live but a single season. Biennials are plants living two years; particularly those which do

not bear flowers and fruit until the second season. Perennials tend to live from year to year.

ALL FLOWER SEEDS SENT POSTPAID ON RECEIPT OF PRICE

Send us \$1.00 and select PACKETS to the value of \$1.15 | Send us \$4.00 and select PACKETS to the value of \$4.85 2.00 " 2.35 " 3.60 " 10.00 5.00 3.00

These Rates apply only to Seeds in Packets, but not to Seeds by Weight.

No discount can be allowed on Flower Seeds by Weight.

Half ounces will not be supplied of kinds which sell for less than 30 cents per ounce.

Acroclinium (Everlasting) A very pretty, half hardy annual producing white and rose colored, double daisy-like flowers, about one and one-half inches in diameter. Each flower-head is borne singly on a very long stem; leaves small, narrow, alternate. These are "Immortelles" so desirable for wreaths and winter bouquets.

Sow the seed in open ground early in spring, preferably in light, well prepared soil, and cover with one-fourth inch of fine soil firmly pressed down. Thin the young plants to four inches apart. Height fifteen inches.

Aibum. Pure white. Oz. 20c.

 Album.
 Pure white.
 Oz. 20c.
 Pkt. 5c.

 Roseum.
 Light rose.
 Oz. 20c.
 5c.

 Mixed.
 Seeds of the above varieties mixed.
 Oz. 20c.
 5c.

Ageratum

A beautiful, hardy annual of neat bushy habit. The attractive feathery flowers borne in dense clusters are very useful for bouquets.

Sow outdoors after danger from frost is over; or for earlier blooming start under glass and transplant. Cover the seed with one-eighth to one-fourth inch of fine soil firmly pressed down.

Mexicanum. Light blue; about two feet high. Oz. 30c.Pkt. 5c.

Imperial Dwarf White. Height ten inches. Oz. 50c.... 5c.

The annual varieties can be grown Alyssum the annual varieties can be grown very readily either outdoors or in the house and by cutting back the succession of bloom may be had. Seed can be sown in open ground very early in spring, or may also be sown outdoors in fall.

ANTIRRHINUM—(See Snapdragon) AQUILEGIA-(See Columbine)

Amaranthus
These plants afford brilliant contrasts of color, being useful for tall borders, groups and foliage effects. The leaves and stems are of different shades of red, blended usually with green; two to three feet high.

Seed may be sown in open ground early in spring, covering one-fourth inch deep; thin two to three feet apart.

Melancholicus ruber. Deep coppery red foliage; very hardy annual......Pkt. 5c.

Anemone Coronaria (Wind Flower) Among the earliest of spring flowers. They are about two inches across, with blue stamens, resemble the single poppy in shape and come in several shades of color. The foliage is

deeply cut.
Sow from April to August. Succeeds well in rich, light

Arabis Among the earliest blooming plants. Very useful for rock work, edgings, etc. Sow early in spring. Some winter protection is advisable. Hardy procumbent perennial.

Alpina. This sort has small pure white, cruciform flowers. Leaves rather slender, somewhat clasping, small-toothed and pubescent.....Pkt. 5c.

Asparagus
The ornamental varieties of asparagus are highly valued for their finely cut foliage. Both the climb-ing and trailing sorts are exceptionally attractive. Soak seed in warm water before planting. When the plants are large enough to handle, transplant into rich, but open and friable soil.

Verticillatus. A beautiful climber with feathery foliage and scarlet berries which are quite ornamental. Sow early in spring. Hardy perennial; ten to fifteen feet high...Pkt. 10c.

STER

The Aster, or more specifically the China Aster, in its many double varieties, is unsurpassed for bedding and cutting, and is not only one of the most profitable annuals for the professional florist but also one of the most satisfactory for the home garden. The great diversity of size, color, form and season of blooming makes it one of the most suitable plants for supplying cut flowers. The plants are usually of vigorous growth and so hardy that they endure a slight frost without serious injury. By planting the different strains and at different times, one may have in the latitude of Detroit a constant succession of bloom from the last of July till the middle of October without the aid of a greenhouse or even a hotbed.

Seed may be sown outdoors as early in spring as the ground is warm and dry, or for earlier blooming may be started indoors or in a cold-frame and transplanted in the open ground after danger of killing frost is over. If conditions are favorable they will usually do well in any well prepared garden soil but a strong loam that has been well fertilized the previous year is preferable. In planting cover the seed with about one-fourth inch of fine soil firmly pressed down. The rows for most of the varieties should be about one and one-half feet apart. When about one to two inches high, thin to sixteen inches apart in the row. It is desirable during warm and dry weather to water thoroughly the plants two or three times a week, preferably early in the morning or evening. It is desirable to change the location as often as practicable.

Insects, such as the red spider, may be kept at bay by frequently spraying with clear water, or for insects that eat the foliage add one-fourth teaspoonful of Paris Green to ten gallons of water. Sprinkle with tobacco water or dust to keep off the plant louse. We offer choice seed that has been grown for us from the best types by the most skilful cultivators in America and Europe and which is more certain to give good results than most of that on the market.

Queen of the Market Very desirable on account of extreme earliness as well as profuse blooming and wide and spreading, about sixteen to eighteen inches high, bearing on long stems from ten to fifteen finely formed double flowers of medium size. The blooms, although rather flattened and not so large as those of the late sorts, are fine for cutting and this class is used extensively for growing under glass. This class is known also as Queen of the Earlies.

Lavender Gem An early or midseason variety with large, loosely arranged flowers of the Comet type, which are borne on long slender stems. When first open the flowers are a delicate lavender

Upright or A very desirable lass of midlamperial season asters in which the plants are of robust but very compact growth. The flowers which are abundantly produced on long stems are symmetrical in form, very full or globe shaped and with rather short petals which are often slightly folded. An excellent class both for cutting or bedding purposes. purposes.

Imperial Daybreak, Delicate light pink. Oz. \$1.50..........Pkt. 10c. Imperial Purity. Pure white. Oz. \$1.50..........Pkt. 10c.


Late Upright A new strain bines the upright habit of the Early or Imperial class with the foliage and flowers of the Late Branching sorts. The upright habit admits of closer planting and makes them exceptionally desirable for bedding. Also fine for cutting.

Crimson. Oz. \$1.50.
Flesh Pink. " 1.50.
Purple. " 1.50.
Rose. " 1.50.
White " 1.50.
Mixed. " 1.50. Pkt. 10c. 10c. 10c. 10c. 10c. 10c

Truffaut's Perfection

Peony Flowered
of this mid-season class are of
upright growth and are about
two feet high. They produce on
long stems large, brilliantly
colored ball-shaped flowers, with
the petals curving upward and
inward.

Mixed. Many shades and colors, ranging from white to deep rose and dark blue. Oz. \$1.25.Pkt. 10c.



LATE UPRIGHT ASTERS

STER-Continued

King Similar in habit to the late branching asters but producing a little earlier very large double blossoms of distinct form, many of the petals being rather narrow and slightly quilled and curved. The inner petals are incurved covering well the center. The plants are large and vigorous with long strong stems.

 Crimson.
 Rich brilliant crimson.
 Oz. \$1.50.
 Pkt. 10c.
 Violet.
 Violet purple.
 Oz. \$1.50.
 Pkt. 10c.

 Pink.
 Blush pink.
 " 1.50.
 " 10c.
 White.
 Pure white.
 " 1.50.
 " 10c.

 Mixed.
 The foregoing colors mixed.
 " 1.50.
 " 1.50.
 " 10c.

Mikado (Rochester) A beautiful mid-season aster of very large size and fine form. Petals long and narrow, the outer ones rather flat while those which cover the center are curled and twisted giving the blossoms a most artistic appearance. Plants about two feet high, branching and with very long stems. An excellent variety for cutting and the one most generally used by florists for that purpose.

 Pink.
 Blush white changing gradually to beautiful lavender pink.
 Oz.
 \$1.50.
 Pkt.
 10c.

 White.
 Immense flowers of pure glistening white.
 Oz.
 \$1.50.
 "10c.

Giant Crego or Comet We consider this mid-season or late class of American origin as being one of the best very long petals which are decidedly curled and twisted. They are abundantly produced on long, strong stems and are unsurpassed for cutting. The plants are of branching habit and very vigorous in growth. Also known as Ostrich Plume because of the very attractive, light, feathery appearance.

Crego PinkOz Crimson		Pkt	. 10c 10c
Lavender "	1.50.	66	10c
Light Blue " Purple"	1.50. 1.50.	44	10c
Rose "	1.50.	46	10c
White	1.50.		10c
ing all the	4 50	-66	
above colors. "	1,50.		10c

Ferry's Late A class of very strong grow-branching not coming into bloom until the latter part of August, but producing on very long stems full petalled, exceptionally large and deep, double blossoms of fine form. The petals are long, rather broad and of exceptional substance, and the blooms stand shipment well. The plants are distinctly branching in habit of growth and are about two feet high. For many years this class with us has been almost entirely free from the aster blight.

Azure Blue (Vick's Lavender)

Peerless Pink. A very pleasing shade of rich shell pink. Oz. \$1.50. Pkt. 15c.

Purple. Flowers are very deep purplish blue; rich and pleasing shades. Oz. \$1.00.......Pkt. 10c.

Rose Pink. A beautiful light pink, slightly tinged with rose. Oz. \$1.00 ... Pkt. 10c.

Tyrian Rose. Flowers are very attractive deep purplish rose. Oz. \$1.00 ... Pkt. 10c.

White. Pure white, very attractive. Oz. \$1.(0......Pkt. 10c.

Ferry's Late Branching Mixed. A superb mixture of all the shades and colors found in the above

BABY'S BREATH-(See Gypsophila) BACHELOR'S BUTTON— (See Centaurea)



GIANT CREGO OR COMET ASTERS

Balloon Vine (Cardiospermum halicacabum) A favorite with children, being remarkable for its inflated membranous capsules containing the seed. It is sometimes called "Love-ina-Puff." A rapid and graceful climber. Flowers small, white. The round black seed is marked with a white heart-shaped spot. Sow seed outdoors in open ground early in spring and give the plant some support to run upon. Tender annual; six feet high. Oz. 25c.Pkt. 5c.

(Impatiens Balsamina) Known also as Lady

Balsam (Impatiens Balsamina) Known also as Lady Slipper. The brilliantly colored, double rose-like flowers of this well-known border and bedding annual are thickly set along the branches of the erect bushy plants. The dainty individual flowers, often two inches across, are borne on very short stems and when cut they show to best advantage floating in a dish of water. The colors range from white to dark purple, and are either self colored or spotted and striped. Balsams are tender and should be started in boxes indoors or in the open ground when danger of frost is past. The plants prefer a rich, moist or even wet sandy loam, and must not suffer for moisture. They do best if allowed eighteen inches apart each way in a sunny situation. Larger and more double flowers will be obtained if some of the young shoots are cut out when quite small, or by transplanting two or three shoots are cut out when quite small, or by transplanting two or three times. Hardy annual; one to two feet high.

Double or Camellia Flowered

Solferino. Flowers sating white, streaked and spotted with crimson and lilac. Oz. 75c..... and lilac. Oz. 75c.

Extra Fine Mixed, Striped and blotched sorts of various Pkt. 5c. Oz. 75c.
Tall Mixed. About two feet high. Oz. 50c....

Dwarf Mixed. About one foot high. Oz. 60c.... BEANS—(See Scarlet Runner Beans)

BEANS—(See Scarlet Runner Beans)

Very desirable for pot culture or for bedding out in partially shaded locations. Suitable also for window boxes. Some varieties are grown for their foliage, but most sorts when grown for their foliage, but most sorts when beautiful wax-like flowers of fine form and substance.

Sow seed in March in shallow boxes or small pots plunged in moss. Begonia seed is extremely small and great care should be taken in opening the packet and planting. Open the packet directly over the surface to prevent any seed being lost. The surface of the soil should be very smooth and the seed carefully scattered on the surface and lightly pressed in. The moss should be kept quite damp, but the surface of the soil should not be watered. Moisture can be retained in the soil by placing a glass over the box or pots. When the plants are large enough to handle, transplant into small pots, and to larger sized pots as required. For winter or spring blooming, sow from August to September. For outdoor bedding, select a shady moist situation, making the bed rich with well rotted manure and leaf mold, if obtainable. The young plants started indoors may be set out when the perennial, blooming the first year if started early, one foot high. perennial, blooming the first year if started early, one foot high.

Tuberous Rooted Begonias

The tuberous rooted varieties, if planted early in a temperature of sixty to seventy degrees, will with proper ware give an abundance of bloom the first year. At the end of the season they may be dried off by withholding water, the tubers kept in a dry place free from frost and planted the following spring, when they will bloom more freely than

Fibrous Rooted Begonias

BELLIS—(See Daisy) For Begonia Bulbs, see Bulbs and Roots, page 100.

Bignonia Radicans (Tecoma radicans, Trumpet Vine) One of the most showy, certainly one of the best hardy, deciduous flowering climbers for covering verandas, arbors, trunks of trees, old pruned and better bloom. The flowers produced in clusters are trumpet shaped, two to three inches long and of orange red color. The foliage is very attractive and unusually free from insects. It not only is one of the best climbers, but planted on the lawn makes a pretty bush of drooping habit, if the tops are cut back. Sow seed in well prepared beds, either in autumn or very early in spring, in drills, and keep free from weeds. Hardy perennial, often growing thirty feet. Pkt. 10c. BUTTERFLY FLOWER-(See Schizanthus)

A much admired genus distinguished by its abundance of large, showy, sac-shaped or slipper-like flowers which are creamy white and various shades of yellow, often splashed, spotted or blotched with dark reddish brown, two plants rarely having flowers marked exactly alike. Leaves large, Start the seed at any time, except during hot weather, in a temperature of about 60° F. Herbaceous annuals or shrubby evergreen perennials. Height about one to one and one-half feet.

Hybrida grandiflora. Large self colored flowers.

Hybrida tigrina. Flowers beautifully spotted.

Pkt. 25c.

Finest Hybrids Mixed. Seeds saved only from the most perfect flowers; all desirable.

25c.

CALENDER Marked (See Marked).

CALIFORNIA POPPY—(See Eschscholtzia) CALENDULA-(See Marigold)

Calliopsis or Coreopsis

Very showy plants for bedding or borders, producing in great profusion for a long time flowers which are bright yellow and rich brown, self colored or with these colors and red contrasted.

Sow outdoors early in spring where plants are wanted to bloom, covering seed one-half inch deep; thin to two feet apart. For earlier bloom sow indoors and transplant.

outdoors. About two feet high......Pkt. 10c.

CAMPANULA—(See Canterbury Bell)

Canary Bird Flower (Tropæolum peregrinum or Canariense) A beauti-

ful climber with small, curiously shaped, canary colored blossoms and attractive palmate leaves.

Sow outdoors early in spring, preferably in light, moderately rich soil by the side of an arbor or trellis. Will bloom freely from July until killed by frost. Tender annual; height, ten to twenty feet. Oz. 35c.......Pkt. 5c.

Candytuft

(Theris) Showy, branching plants twelve to fifteen inches high and bearing in profusion terminal clusof colors. Considered indispensable for cutting and very effective in beds, masses or rockeries.



CALLIOPSIS (COREOPSIS TINCTORIA)

Canterbury Bell (Campanula medium) Handsome, easily grown herbaceous plants of stately branching growth and profuse bloom for beds and backgrounds. They produce long racemes of lanceolate. Usually grown as a hardy biennial, but if seed is sown very early indoors it may be treated as a tender annual. Sow seed outdoors early in spring in rows about two feet apart covering with about one-fourth inch of fine soil firmly pressed down. The plants succeed best in light, rich soil with good drainage and in the fall should be transplanted or thinned to eighteen inches or two feet apart and given some protection in severe winter weather. Height of plants, from two to four feet.

lilac and blue. Oz. 30c..... ...Pkt. 5c.

Pkt. 10c. Calycanthema Mixed. Large single flowers, white, lilac, rose and purple. Known as "Cup and Saucer" plant, the calyx forming a cup round the base of the bell. Pkt. 10c.

CARPET OF SNOW-(See Alyssum)



(Dianthus Caryophyllus) "Carnation," "Pink," "Clove Pink," "Florists' Pink," are names applied by different people to the same or to different plants of several species as well as to hybrids between them. They are all easily grown from seed and very free blooming, the flowers being bright colored and with a most delicious clove-like fragrance.

Some varieties are best adapted for pot culture and make fine house plants; others do best in beds in the open ground. The improved varieties we offer are suitable also for cutting. They produce very double, semi-circular blooms with thick wax-like petals and long pod-like calyx. The plants are branching but compact and erect, with slender, bluish green foliage. The bursting of the calyx may be prevented by using ashes or some form of potash. Where size and quality of flowers are desired rather than profusion of bloom, all except the terminal buds should be removed. This is the method employed by florists to obtain the larger longer-stemmed beauties. Half hardy perennial, usually treated as a biennial.

Large Flowering Carnations Best Suited for Pot Culture



Varieties Adapted to both Pot and Outdoor Culture

Celosia

An odd and picturesque class of plants having colored foliage and in which the innumerable small flowers and seed vessels together with their supports form a very brilliantly colored mass, sometimes gracefully arranged like plumes and sometimes more dense, being corrugated and frilled at the edge like a cock's comb. They orm the gayest possible decoration in beds and borders, retaining their brilliant coloring often from midsummer until frost. The red Cristata sorts are sometimes cut before fully ripe and dried in the

liant coloring often from midsummer until frost. The red Cristata sorts are sometimes cut before fully ripe and dried in the house for winter bouquets.

Seed may be sown outdoors as early in spring as ground is warm and dry, using if possible light, rich, well pulverized soil, and giving plenty of moisture. For larger and more beautiful plumes start the seed very early indoors and transplant to place when weather is settled. Also adapted for growing in pots in greenhouse and conservatory. Half hardy annuals.

Pyramidalis plumosa mixed. Plants pyramidal, branching, two or more feet high, covered with long, brilliantly colored and gracefully formed plumes in red, yellow or violet. An excellent mixture of plumosa or feathered celosias.

Pkt. 5c.

Triumph of the Exposition. A splendid plumosa variety. Plant of pyramidal form, bearing many exceedingly graceful, feather-like spikes of intensely brilliant crimson color. Height two to three feet.

Pkt. 10c.

Variegated. A cristata strain between the plumosa and the dwarf cockscomb types. The plumes are broadened at the top, variegated and striped in red and yellow. Height one and one-half to two feet.

Pkt. 10c.

Japan. Plant grows two to two and one-half feet high and is covered with spikes which are finely crested and of brilliant colors usually variegated crimson and deep yellow. One of the best of the tall cristata types.

Pwarf Cockscomb Varieties (Celosia Cristata)

Dwarf Cockscomb Varieties (Celosia Cristata)

Centaureas embrace some foliage plants but are more generally known for their hardy flowering annuals which include some of our most graceful and showy garden flowers that have long been favorites for cutting. The tall slender straight or slightly branching plants with narrow leaves thrive well in common garden soil. They produce bright colored single and double heads of flowers on long graceful stems and some sorts are fragrant.

Annual Varieties Cultivated for Their Flowers

Sow seed in early spring in hotbed and transplant to open ground or sow in open ground as soon as the weather is warm and settled. Cover seed about one-fourth inch deep; thin three or four inches apart. Fine for bedding or borders. The young plants are very sensitive to wet, and care should be taken to prevent water standing on the leaves.

yanus (Bachelor's Button, Corn Flower) A well known, hardy border plant, also called "blue bottle" and "ragged sailor," which does best in carefully prepared gravelly soil. If seed is sown as soon as the ground is fit in the spring and the flowers picked so as to prevent the plant exhausting itself by seeding, it will furnish a profusion of bright blue, purple, white or pink single flowers from July until late in the autumn. Hardy annual; plant one to two feet high. Mixed. Oz. 25c...Pkt. 5c.

Double Mixed (Bachelor's Button) Produces larger, more globular flower-heads than the common variety. Oz. 25c...... " 5c. Odorata (Sweet Sultan) An old fashioned hardy annual about eighteen inches high, with long-stemmed, sweet scented, light purple flowers.....

Marguerite. A most desirable, sweet scented Centaurea, producing on long stems finely laciniated, white flowers, about as large as a carnation, and which remain fresh and beautiful for a long time after cutting. Hardy annual; about eighteen inches high.

Imperialis Mixed. An excellent sweet scented variety, also called Sweet Sultan. The flowers are finely laciniated and are about the size of a carnation. They have long stems and keep well after cutting. Colors range through white, rose, lilac, purple and yellow. Hardy annual; about eighteen inches high. Oz. 75c.....Pkt. 10c.

Perennial Variety Cultivated for Foliage

Seed should be sown under glass and the young plants grown in pots or boxes until settled warm weather, when they may be set about one foot apart where wanted for borders or bedding. In southern latitudes seed may also be sown outdoors in fall.

Chrysanthemum

bedding or borders in the garden and desirable for cut flowers.

Plants become more bushy and shapely if pinched back in early growth and the practice of disbudding will result in much larger flowers. These annuals are not the winter flowering sorts sold by florists and which are propagated only by division of roots. These outdoor "summer

Early Blooming Garden Sorts

Seed may be sown in the open ground after danger of frost is over and the seedlings thinned eight or ten inches apart, but the best results come from sowing under cover early in May, and transplant-ing the young plants to open border. Height one and one-half to two feet.

Carinatum Eclipse Mixed (Tricolor) Large single flowers in very striking color combinations. The ray florets range from pure golden yellow to nearly white, are often ringed or centered purplish scarlet and always have a dark brown disc Pkt. 5c.

Coronarium, double white. Very double white flowers, with petals reflexed and imbricated......Pkt. 5c.

CHEIRANTHUS CHEIRI-(See Wallflower) CHEIRANTHUS MARITIMUS — (See Virginian Stock)


Cinerarias are easily grown from seed in the greenhouse. The large heads of brilliant daisy-like

sharply margined and with dark eye, are very desirable in pots. The plants are often as broad as high and the velvety leaves are shaded on the under side.

Sow preferably early in fall. They thrive best in a mixture of loam and peat. Perennial, usually one to two feet high.

Hybrida, choicest mixed. Largeflowering...... "

Clarkia Beautiful, hardy annuals with rose colored, white and purple flowers, in delicate but very brilliant shades. The plants are about one and one-half to two feet high and are profuse bloomers.



CENTAUREA, MARGUERITE

Vell known beautiful climbers, much admired for their gracefulness and attractive flowers. They are splendid for covering arbors, verandas, etc., as they cling readily.

The seed germinates slowly. For best results sow indoors in fall or very early in spring. Press the soil firmly over the seed and keep moist and warm. When suitable transplant to place one foot apart, or seed may be sown outdoors early in spring. Perennial but some protection in northern latitudes through winter is advised. Water the roots freely during dry weather to insure profites blooming. to insure profuse blooming.

Flammula. A slender but vigorous climber, from ten to fifteen feet high, with clusters of small, white, fragrant flowers in August and September. Known as Sweet Virgin's Bower. Pkt. 5c.

Cobaea Scandens (Blue) A rapid growing dark green foliage, bearing on graceful stems large, belieful deep violet-blue. A wire-netting trellis or support for the many green tendrils to fasten upon is preferable to cords or smooth wire. A well established plant will run about thirty feet in a season, covering a large veranda.

For best results start indoors early in spring in rather dry

COCKSCOMB-(See Celosia)

COIX LACHRYMA—(See Job's Tears)

Magnificent ornamental foliage plants for house or garden culture. The leaves are of many shapes, and the shades and colors are of

remarkable beauty.

remarkable beauty.

Sow in shallow pots in rich light soil. Cover the seed lightly with earth and keep the plants in an even moist temperature. Transplant to the open ground in bed or border as soon as danger of frost is over, and in a sheltered situation where they will not be too much exposed to the sun. For house plants seed may be sown indoors in fall. Tender perennial; plants about one to two feet high.


Columbine (Aquilegia) Very desirable, easily grown, old fashioned perennials for borders, formithe season and remains in bloom for a considerable period. The peculiar pendant flowers are exquisitely formed, in various colors, often with long spurs. The leaves are usually smooth, ternately compound, with roundish, obtasely lobed leaflets.

Sow the seed which is of rather slow germination, in open ground early in spring in any rich, well drained garden soil. In permanent bed plants should have at least one foot each way. Keep clear of weeds and give each year a dressing of well rotted manure. Seed may also be sown outdoors in fall. Hardy herbaceous perennials; two to three feet high.

Cœrulea hybrida. Vigorous growing, very handsome, with delicate blue and white flowers; spurs very long.Pkt. 10c.

Californica hybrida. Hardy, free blooming, with single orange, red and yellow flowers. Oz. \$2.50.....Pkt. 10c. Double Mixed. Best and finest colors, including white, shades of blue and brownish purple. Oz. 30c..Pkt. 5c.

CONVOLVULUS MAJOR-(See Morning Glory)



EARLY FLOWERING COSMOS

Very effective for autumn flowerosmos ing in broad masses or back-grounds. A hardy and rapid

plants with feathery green foliage, four to six feet high, covered with large flowers somewhat resembling the single dahlia. They are gracefully poised on long stems and very useful for decorative purposes.

Sow outdoors early in spring in rather light soil, not too rich, and preferably in a sunny situation. Cover the seed with one-fourth to one-half inch of fine soil firmly pressed down. If planted in rows, make the rows about two feet apart and when the young plants are well up thin from four to six inches apart in the row.

Early Flowering Cosmos

These early flowering strains are about four feet high and bloom profusely four to six weeks earlier than the giant sorts. The flowers are of good size; well adapted to northern latitudes.

Early Flowering Dawn. Flowers white. Oz. 40c...Pkt. 5c. Early Flowering Mixed. Includes white, bright red and rose colored flowers. Oz. 30c.....Pkt. 5c.

Giant Flowering Sorts

Hybrida, Giant White. Oz. 40c. Pkt. 5c. Hybrida, Giant Pink. Oz. 40c. 5c. Hybrida, Giant Mixed. Flowers white and in shades of pink. rose and maroon. Oz. 40c. Pkt. 5c, CUCURBITA—(See Gourd)

Well known and universally ad-

Well known and universally admired tuberous rooted pot plants red and white flowers for indoor winter or spring blooming in greenhouse or window garden. The graceful richly colored single flowers are of distinctive shape and are borne on stems of good length for a long blooming season well above the beautiful foliage. The glossy ovate or nearly round leaves are usually marbled or variegated with white.

Sow the seed, which is of rather slow germination, in shallow boxes or pans, using light rich soil and covering the seed slightly. Keep at a temperature of 50° to 60° F. and water freely until well started. Seed sown in spring, by autumn will produce a little bulb. If this is placed first in a three inch pot and later reported as required in a five or six inch pot it will produce blooms the following spring. Seed may also be sown in fall. Tender perennial; one foot high.

Persicum Mixed. Of great beauty; many colors...Pkt. 15c.



COLUMBINE

Cypress Vine (Ipomæa quamoclit) A most beautiful rapid growing climber with delicate dark green, feathery foliage and many bright, star-shaped, scarlet or white blossoms which contrast most effectively with the graceful foliage. Planted by the side of veranda, tree or stakes, and trained properly, there is no handsomer climber.

somer climber.

Seed is usually sown outdoors early in spring in the row where the plants are to remain. Cover seed one-half inch deep. Germination will be hastened if the soil is warm and kept in moist condition. Thin the young plants four to six inches apart. If very early blooming is desired, seed should be started indoors. Seed rather small, black, wedge-shaped. Tender annual; about fifteen feet high.

Scarlet. A very deep, rich shade. Oz. 25c.....Pkt. 5c. White. Clear paper white. Oz. 25c...... "5c. Mixed. The two colors above. Oz. 25c...... " 5c.

Dahlia

A favorite for autumn flowering, blooming the first season from seed if started early. The flowers are so symmetrical and perfect and the range of colors so wide and varied that they will always be popular where display is wanted.

Seed may be sown in spring in open ground after danger of frost is over, but for best results sow in shallow pans at any time from March to June, and transplant the seedlings to small pots. When strong enough and danger from frost is over plant out one foot apart. These plants will produce tubers which should be taken up in the fall and replanted the following spring; these roots will flower freely the following autumn. Tender herbaceous perennial, three to four feet high.

Finest Double Mixed. Seeds saved from choicest double flowers, including shades of red, pink, dark maroon, yellow, white, etc. Pkt. 15c.Pkt. 15c.

Finest Single Mixed. Will produce brilliant flowers running through a wide range of striking colors. Oz. 50c....Pkt. 10c.

For Dahlia Roots see Bulbs and Roots, Page 100.

Daisy
(Bellis perennis) Charming little plants for edgings and borders, also used for low beds and rock work. The flowers of the improved varieties we offer are borne above the low cluster of leaves on stiff flower stalks, making them suitable for bouquets. With careful publication pour covariet for present and applied. ful cultivation nearly seventy-five percent are double. Leaves spatulate or obovate.

For best results sow seed early in hotbed and when plants For best results sow seed early in hotbed and when plants are large enough transplant to a rich soil in a cool and partially shaded situation, setting the plants six inches apart. If plants are started early indoors they will flower the same season, but bloom more abundantly in the spring if sown in autumn and the plants wintered over in cold frames; or can be set out in the open border and protected with mulching. Half hardy perennial; about six inches high.

Double Rose. (Longfellow) Finest strain. Oz. \$2.50..Pkt. 10c.

Datura Large branching plants producing very large, handsome, double or single, trumpet-shaped blossoms of exquisite fragrance. Excellent for late summer and autumn flowering.

Seed may be sown outdoors after danger of frost is over, but for early blooming sow in hotbed and transplant about three feet apart each way. Roots can be kept all winter in cellars. Tender annual; three feet high.

Mixed. The above varieties..... "5c.

DELPHINIUM—(See Larkspur)
DIANTHUS—(See Pinks)
DIANTHUS BARBATUS—(See Sweet William)
DIANTHUS CARYOPHYLLUS—(See Carnation)
DIGITALIS—(See Foxglove)

Dimorphoteca Aurantiaca This showy annual with bright orange-yellow flowers, is sometimes called African "Golden Orange" Daisy. Plants somewhat spreading, with finely cut foliage, producing abundantly on stems of good length glossy, single daisy-like blossoms about two and one-half inches across. The brilliant orange coloring of the petals contrasts strikingly with the black center which is surrounded by a dark colored disc. Well adapted for summer flowering in beds or borders.

DOLICHOS—(See Hyacinth Bean) EMERALD FEATHER-(See Asparagus Sprengeri)



DAHLIA, SINGLE

Eschscholtzia Fully as valuable as the common Poppy for garden ornamentation since the

flowers are in bloom through a much longer season. A bed in full bloom of these large saucer-shaped flowers in various shades of yellow with orange center gives a brilliant color effect. The foliage is finely cut and has a bluish tinge or bloom, delicate and very attractive.

Sow seed early in spring or lets in control.

bloom, delicate and very attractive.

Sow seed early in spring or late in autumn where plants are wanted to bloom as they do not bear transplanting well. Use well pulverized soil, make the rows one foot apart and cover the seed one-fourth inch deep. Thin six to eight inches apart. Effective results are also obtained by thinly sowing broadcast and lightly raking in the seed. Hardy annual, low spreading; about one to one and one-half feet high.

Bush (Hunnemannia) Flowers beautifully cup-shaped, about three inches across; petals broad, bright yellow with wavy edges; leaves coarser and larger than common kinds. Stems ten inches long and desirable for cutting. In the northern states for early blooming and largest flowers start in pots and transplant outdoors. Height about two feet. Hardy annual, becoming in warm latitudes a tender perennial. Oz. 50c.Pkt. 5c. EVENING GLORY-(See Ipomæa Bona Nox)

Ferns Perennial flowerless plants, too well known to need description. The seed spores are very small and of slow germination but the exceeding grace and beauty of the plants will usually well repay all the care necessary to start them properly in the greenhouse or some place indoors where they will keep moist. The young ferns may be placed in a window-box without much sun, or can be set outdoors in summer in some moist and shady place.

Fine Mixed. Open ground mixed... Finest Species, Mixed. Greenhouse finest mixed.....

FEVERFEW—(See Matricaria and Pyrethrum)

Forget-Me-Not (Myosotis) This is a favorite old fashioned flower, bearing in profusion, especially in fall and spring, clusters of dainty blue five-petalled blossoms. It thrives well in the shade or open border but flourishes best in a moist, shady


situation.

For bloom the first year sow indoors in February or March, and transplant as soon as the ground is warm enough, or sow outdoors as early as possible, covering seed one-half inch deep; thin to six inches apart. Seed may also be sown in fall. Hardy perennial but usually does better if given some protection during winter.

Four O'Clock (Marvel of Peru, Mirabilis Jalapa) plants of erect bushy habit which produce in profusion a succession of brilliantly colored tube-shaped flowers, that open about four o'clock in the afternoon, remaining open all night and usually are closed before noon the next day. The flowers are red, white, yellow, or are striped and blotched in shades of these colors. Very desirable for borders, along a wire fence, or as the background of a flower garden, blooming during the ate summer and autumn.

Sow seed in spring in open ground after danger of frost is over, covering one-half inch deep. For best development allow two to three feet apart each way. Hardy annual, about two feet high


Red. 0	z. 15c				Pkt. 5c.
					" 5c.
					" 5c.
Mixed.	An exception	nally attr	active mix	ture. Oz. 20)c " 5c.



FOXGLOVE

Foxglove

(Digitalis) Stately, old fashioned border plants, affording dense spikes of large brilliantly colored large brilliantly colored flowers which are terminal and half as long as the height of the plant. The flowers are very distinct and showy, being thimbleand showy, being thimole-like or long bell-shaped, and the colors include white, lavender and rose, many being spotted or blotched. It is often used as a background, and does especially well in cool, shady locations in front of shrubbery. The leaves are wrinkled and somewhat



GAILLARDIA, PICTA LORENZIANA

downy. Gallardia, Picta Lorenziana
Seed may be sown outdoors after danger from frost is over, but for best results start in boxes and transplant. The seed is very small and should be covered lightly and kept moist until plants are well established, when they should be transplanted to two feet apart. May be sown outdoors in fall. Hardy biennial or perennial, usually blooming the second season; three to five feet high.

Ivery's Spotted (Maculata superba) A fine variety of colors, usually spotted Pkt. 5c.

rock work.

Sow in open border in spring after danger from frost is past, preferably in light and open well drained soil, in a sunny situation. Hardy perennial; often growing four feet.

Fuchsia Known also as "Lady's Eardrops" from the bright colored pendulous double flowers with four parted, funnel shaped calyx. Plants with very beautiful blossoms may be grown from seed with proper care. Results are usually most satisfactory when grown indoors in pots in firm rich soil, but if seed is started early under glass, it often succeeds well in an outdoor, window-box, or a shady situation in the garden. Tender perennial; one to two and one-half feet high.

Double Finest Mixed. Seed from finest named sorts. Pkt. 25c.

Gaillardia
Showy bedding and border plants, remarkable for the profusion, size and brilliancy of their flowers blooming the first year and among the gayest ornaments of the garden in summer and autumn. Combinations of yellow and red predominate in the highly colored single and double flower-heads, two inches or more across, which are borne singly well above the foliage on long, slender stems, suitable for cutting. Leaves alternate, simple, and more or less toothed.

Sow seed outdoors early in spring; cover one-fourth inch deep. Make rows eighteen inches apart and thin eight to ten inches apart in the row; or a longer season of bloom may be secured by planting in frames and transplanting. Plants one to one and one-half feet high.

Picta. Plants about one foot high; flowers single.

one and one-half feet high.

Picta. Plants about one foot high; flowers single, purplish-crimson and yellow. Hardy annual; with root protection in winter is a perennial. Oz. 20c.....Pkt. 5c.

Picta Lorenziana. Gaily colored flowers, double with tubular florets, produced from July even until hard freezing weather. Invaluable for bouquets, Hardy annual; one to one and one-half feet high; with root protection in winter is often treated as a perennial. Sulphur, orange, claret and amaranth mixed......Pkt. 5c.

Crandiflora. Flowers scarlet and orange, single, often three inches across with flat petals. Excellent for cutting. Hardy perennial, blooming the first year...Pkt. 5c.

(Pelargonium) When properly grown, the constant succession of bloom until frost comes, the brilliant colors of the flowers and the exquisite zone or horseshoe markings of the leaves of some of the varieties, render the Geranium very desirable for pot culture as well as for bedding out of doors and

for growing in window boxes.

The seed is slow to germinate. Sow in a pot or box in the house in rather light soil, preferably containing a little leaf mold and sand. Cover seed one-fourth inch deep, and keep as near 65° F, as possible. Water moderately, and as soon as the third leaf appears, pot singly in two inch pots, transferring to larger ones as the plants require. Plunge the pots or set in open border, and on approach of frost remove to cover. They will blossom the succeeding spring. Half hardy perennial; about two feet high.

Scarlet Mixed (Zonale) The seed we offer will produce a large percentage of double flowers in many beautiful shades of scarlet and red....

GILLIFLOWER-(See Stock)

Globe Amaranth (Gomphrena globosa) A desirable everlasting, valued for its handsome small, globular flower heads which, if cut when well matured, will retain their beauty through the winter. Seeds germinate slowly; start in hotbed, or soak in warm water to soften the woolly husk. Set the plants one foot apart. Tender annual; twelve to eighteen inches high.

Gloxinia Greenhouse perennial plants production for the beautifully colored trumpet-shaped flowers. Gloxinias thrive best in an equal mixture of leaf mold, loam and sand. If started in February will usually bloom the latter part of summer. Seed may also be sown in fall. The plants are delicate and not easily grown, but the flowers are of such beauty that one generally feels amply repaid for the effort.

Hybrida Mixed. A strain of the richest color and variety of markings. Plants ten to twelve inches high. Pkt. 25c.

Gourd (Cucurbita) A very extensive genus of trailing annuals with curiously shaped yellow fruit, commonly known as Ornamental Gourds. The

known as Ornamental Gourds. The vines are of easy culture and make a rapid growth, so are much used for covering old fences, trellises, stumps, etc.

The foliage is ornamental, and the markings of some of

Gypsophila Delicate, free-flowering plants covered with star-shaped flowers, valuable for mist-like effects and as trimming in bouquets; also for hanging baskets or edgings. Sometimes called Baby's Breath. Will thrive in almost any well prepared ground but does best on a limestone soil. Make handsome specimens dried.

Elegans Large Flowering Pure White. An improved large-flowering strain, superior to the common Elegans not only in size of flowers but also in color. A very charming sort for combining in bouquets with Sweet Peas or other cut flowers.

HEDYSARUM—(See French Honeysuckle)
HELIANTHUS—(See Sunftower)



Helichrysum (Everlasting) Sometimes called Straw Flower. Large full, double called Large full, double called graphing scales, produced in various shades of bright yellow and scarlet on stems of good length. Desirable as dried specimens and for use in making winter bouquets. For this purpose the flowers should be gathered when on the point of

Sow early in spring; thin to one foot apart each way.

Hardy annual; two to two and one-half feet high.

Monstrosum, fl.pl., mixed. Largest double flowers. Oz. 40c. Pkt. 5c.

Heliotrope

Well-known and much admired border and bedding plants, highly valued for the blue color and fraflowers as well as the duration of their bloom.

Sow the seed early in spring, in mellow soil indoors, and when plants are one to two inches high, prick out into pots. Transplant to place when three to four inches high. Will live outdoors through the winter in a warm climate. Desirable also

outdoors through the winter in a warm climate. Desirable also as a pot-plant for indoor blooming from fall sown seed. Half hardy perennial; one and one-half to two feet high.

Anna Turrell. Violet-blue..... King of the Blacks. Deep purple, almost black. "10c. Dark Varieties Mixed. Very choice. Oz. \$1.25. "10c. HESPERIS MATRONALIS—(See Rocket)

Hibiscus Africanus

A vigorous branching plant, of easy culture, with pretty foliage and large, light yellow or cream-colored blossoms, dark purple in the center. The flowers are exceedingly showy, saucer-shaped, often two to three inches across; not of very long duration, but continue to bloom from early summer till October. The seed should be planted early, and the plants should be thinned to one foot apart each way. Hardy annual; about two feet high. Oz. 20c. Pkt. 5c.

Hollyhock (Althaea rosea) For a background to a flower garden nothing is better than the improved strains we offer of this tall old fashioned garden perennial. The large, richly colored blossoms, about three inches across, ranging from deep yellow and red to pure white, are set as rosettes around the strong growing flower stalks.

Sow seed in June or July, in open ground, and in the autumn, when the plants have made five leaves, transplant to permanent position two to three feet apart. The following summer they will bloom. All double varieties are hardy perennials; five feet high.

nais; five feetingh.

Early Flowering. Blooms readily as an annual the fire year from seed sown in spring. A wide range of colors in large single or sea. double flowers. Pkt. 15c. Chater's Finest Mixed. Double perfection. "15c. Double Blood Red. Oz. \$1.25. "10c. "10c. "Deep Rose. Oz. \$1.25. "10c. "10c. "Lemon Yellow. Oz. \$1.25. "10c. Lemon Yellow. Oz. \$1.25.
Pink. Oz. \$1.25.
Pink. Oz. \$1.25.
Salmon. Rich salmon color, suffused with pink.
Pure White. Our special improved strain. Oz. \$1.50.
Choice Mixed. All colors. Oz. \$1.00.
Mixed. Oz. 75c. 10c. 10c.

Hyacinth Bean (Dolichos lablab) A fine climber with clusters of purple or white flowers followed by ornamental seed pods. Tender annual; from ten to fifteen feet high.


IBERIS-(See Candytuft)

IMMORTELLES - (See Acroclinium, Globe Amaranth, Helichrysum, Rhodanthe) IMPATIENS BALSAMINA—(See Balsam)

IPOMŒA GRANDIFLORA—(See Moon Flower) IPOMŒA QUAMOCLIT—(See Cypress Vine)
IPOMŒA PURPUREA—(See Morning Glory) JAPANESE HOP—(See Humulus Japonicus) JOSEPH'S COAT—(See Amaranthus tricolor)

Job's Tears (Coix lachryma) Curious ornamental grass with broad, corn-like leaves and lustrous slate colored seeds used for beads. Valuable for winter bouquets with everlasting flowers. Plant outdoors early in spring in hills three feet apart, four or five seeds in a hill, and cover half an inch deep. Hardy annual; three feet high. Oz. 15c. Pkt. 5c.

Kochia Trichophylla (Summer Cypress) A quick growing foliage or hedge plant, very symmetrical and attractive the fall innumerable little flowers appear and the bush takes on a deep red tinge. Sow outdoors early in spring, covering one-fourth inch deep. Make the rows two feet apart and thin eighteen inches apart. For earlier blooming start indoors and transplant to open ground. Hardy annual; about two and one-half feet high.



KOCHIA (SUMMER CYPRESS)

Chelphinium) The Larkspur with its long clustered spikes of beautiful irregular flowers, often with long spurs, is especially valuable for its shades of blue. The annual forms are very desirable for bedding and the perennials are strikingly effective as a background for borders and for planting among shrubbery. Seed of annual varieties may be sown outdoors early in spring. For earlier blooming start very early indoors or sown in fall. Thin one to one and one-half feet apart. The perennial sorts are sown in fall or early in spring.

Annual Varieties

Annual Varieties


Double Dwarf Rocket Mixed. Beautiful spikes of double flowers in many shades. Hardy annual; one foot high. Oz. 25c...Pkt. 5c.

Tall Stock Flowered Mixed (Consolida fl. pl.) Flowers double, borne on spikes about fifteen inches long. Colors rose, white and shades of blue. Hardy annual; two feet high........Pkt. 5c.

Double Emperor (Imperiale fl. pl.) Compact and profuse bloomer having erect spikes of very double flowers. Hardy annual; one and one-half feet high. Mixed Colors........Pkt. 5c.

Perennial Varieties

Elatum (Bee Larkspur) Flowers blue with hairy petals in the center giving them a fancied resemblance to a bee. Hardy perennial; three to five feet high. Pkt. 5c. Formosum. Flowers large, deep blue shaded innigo, small white center. Hardy perennial; three to five feet high according to conditions of soil and season; long blooming season. Pkt. 5c. LATHYRUS LATIFOLIUS—(See Peas, Everlasting)
LATHYRUS ODORATUS—(See Sweet Peas)



Lantana The plants form small shrubs, producing in late summer and autumn heliotropelike clusters of single, fragrant flowers that change color. Succeeded by green berries that turn to a deep blue. Start under glass and transplant when danger of frost is over. May also be grown in pots. Tender perennial; about two feet high. Finest French Hybrids mixed. Oz. 30c.....Pkt. 5c.


The four dwarf (Erinus) sorts are charming plants, well adapted for bedding, pots or rockeries. They make a neat edging for beds of white flowers a long time. The flowers are usually blue with lighter center and are borne in neat clusters, each irregularly lobed flower being about five-eighths inch across.

Seed may be sown outdoors after danger of frost is over; or start the plants in pots in greenhouse or hotbed, early in spring and transplant in May to place outdoors. Half hardy annual; usually about six inches high.

Emperor William. A very fine, erect and compact variety with clear intensely blue flowers. Oz. \$1.75........Pkt. 5c.

Crystal Palace (Speciosa) An exceptionally graceful sort and one of the best in color, having bright deep blue flowers; very dark green foliage.......Pkt. 5c.

racilis. The flowers are bright blue with small white centers, fine for baskets and vases, trailing gracefully and blooming profusely. Plants slender, six inches high. Pkt. 5c.



MARIGOLD, METEOR

Tenuior (Ramosa) Intensely blue flowers, decidedly larger than the other sorts and with unusually long stems. desirable for outdoor bedding and cutting. Plants upright growing, about one foot high...... Pkt. 10c.

Love-in-a-Mist (Nigella) Also known as Lady-in-the-Green and as Devil-in-a-Bush, because the blossoms are partly dense fringe or wreath of mossy fibres. Both plant and flower are handsome and require but little care. Sow seed in spring in any good garden soil, or may be sown in fall. Hardy annual.

Lupin

A very attractive free-flowering plant with long graceful terminal spikes of fragrant pea-shaped blossoms.

Blooms early in the season and is desirable for cutting. Sow seed in place in spring and thin to one and one-half Hardy annual; about three feet high.

Cruikshanki. Blossoms white, shaded with yellow, blue and purple. Oz. 20c. Pkt. 5c.

MALCOMIA MARITIMA—(See Virginian Stock)

No flower garden seems complete without this fine old-fashioned garden plant with its brilliant displays of yellow and orange, both tall and dwarf sorts, and with finely cut or entire bright green foliage. The African (Tagetes erecta) varieties are tall, usually one and one-half to three feet, patula) are more dwarf and are often used for borders and pot culture as well as bedding. All of these varieties have finely cut foliage, while the Pot Marigold (Calendula officinalis) has entire leaves, somewhat clasping the rather hairy stems.

For best results start seed early indoors and transplant six inches apart when danger from frost is over, but good blooms of all varieties of Marigold are often successfully obtained from seed planted in the open ground after danger from frost is past. Make the rows one foot apart. Use well pulverized soil, preferably light sandy loam and cover the seed with about one-fourth inch of fine soil firmly pressed down. When about two inches high, thin six to twelve inches. Hardy annuals; in bloom till frost comes.

African Orange Quilled. A double variety with quilled petals. The flowers are showy, bloom very early and are used for cutting. The plants are rather dwarf, growing about fifteen Pkt. 5c.

 $\begin{array}{l} {\tt MARVEL~OF~PERU-}(See~Four~O'Clock) \\ {\tt MATHIOLA-}(See~Stock) \end{array}$

Maurandia Graceful slender climber with glossy ivy-shaped leaves. It produces an abundance of showy irregular trumpet-shaped flowers, one and one-half inches long, usually purplish blue, white or rose colored with lighter throat. Suitable for greenhouse and hanging baskets in the winter and very satisfactory outdoors especially if a small trellis is given as support.

Seed should be started in hotbed or indoors and the young plants set out in open border after danger of frost is over. Tender perennial, blooming the first season; six to ten feet high.

Mignonette (Reseda) A well known hardy annual producing dense cone-shaped for cutting to combine in bouquets with other more pretentious flowers lacking its delicate and pleasing fragrance.

tentious flowers lacking its delicate and pleasing fragrance.

Seed is usually sown outdoors after danger of frost is over and if sown at intervals in spring and early summer a succession of bloom, under favorable conditions, is assured till frost. Well pulverized soil, preferably light sandy loam, should be used and the seed covered one-fourth inch deep. Make rows one foot apart; thin to six inches. For very early blooming, seed may be sown in the fall, or started indoors and transplanted. May also be grown in pots. Thrives best in a cool temperature and is usually most fragrant in rather light soil. Hardy annual; one foot high.

The flowers are golden yellow and very fra-Ruby. A dwarf, compact and vigorous plant producing magnificent coppery-red flower spikes. Oz. 50c........Pkt. 5c. Machet. Of dwarf and vigorous growth, with numerous stout flower stalks, terminated by large spikes of red flowers. This is one of the very best for pot culture. Oz. 75c.....Pkt. 5c.

Mimosa Pudica (Sensitive Plant) A curious plant pink flowers, chiefly valued because of the extreme irritability of its leaves which close and droop at the slightest touch, also in cloudy, damp weather and at night. Start in hotbed in pots, and transplant to a warm situation six inches apart. Tender annual; height one and one-half feet. Pkt. 5c.



MORNING GLORY, GIANT JAPANESE

Strikingly handsome flowers of easy cultivation. Perennial in the greenhouse, annual in the open air. Sow the seed, which is exceedingly fine, under glass in spring or fall in rich moist soil, mixed with sand, and in a somewhat shaded situation. Cover the seed lightly and keep well watered.

Moschatus (Musk Plant) An attractive trailer with bright green foliage and many small yellow flowers of musky odor. Desirable for hanging baskets and window gardens. Oz. \$2.00.

Cardinalis grandiflorus. Flowers dark red, plant rather upright in growth.

Punctatus (Monkey Flower) Large curiously shaped yellow flowers, spotted with shades of red and rich maroon. An effective pot plant about eight inches high; blooms first year. Oz. \$1.75.

Pkt. 5c.

MIRABILIS—(See Four O'Clock)

Moon Flower (Ipomea grandiflora alba) One of the most vigorous summer climbers and will grow under favorable conditions thirty to forty feet in a single season and be covered evenings and cloudy days with very large, white trumpet-shaped flowers widely extended, often four inches across. Leaves large, frequently four to five inches across. The hard outer coat of the very large, light yellow seed should be cut through with a sharp knife, care being taken not to cut any deeper than the hard shell and the seed planted about one inch deep in moist soil in a box or pan and set in a warm place. If soil be kept moist, germination will take place in about two weeks. After plants are up, transplant outdoors in a sunny situation when danger from frost is past. Known as Ipomea Noctiflora. Tender annual. Oz. 65c...Pkt. 10c.

Morning Glory (Convolvulus major, Ipomea purpurea) A handsome showy climber of easy culture and suitable for covering arbors, windows, trellises, old stumps, etc., if support be given the Seed is usually sown outdoors early in spring in row where plants are to remain. Well pulverized soil should be used and the seed covered one-half inch deep; thin four to six inches apart. If very early blooming is desired, seed may be started indoors and transplanted. Give some support such as strings or cord to the vines as soon as they begin to run and they will often exceed ten feet in height before the season is over. Seed triangular, black, except the White variety, which is light yellow.

Striped. Pkt. 5c.
White. "5c. Mixed. Many shades from white to dark blue, red and striped.

Blue. A very attractive shade. "5c. Oz. 10c; Lb. 50c. Pkt. 5c.

Giant Japanese Mixed. (Imperial) The flowers of this variety are of largest size, often three inches or more across; some are brilliant red or rich blue, others are equally brilliant, with broad margins of clear white; some are striped or dotted with blue or red on white or lemon yellow ground, others are clouded with blue and red. The foliage in some plants comes plain green, in others it is mottled with white and shades of yellow or yellowish green. Seed black, larger than other varieties of Morning Glory. Oz. 25c.

Pkt. 5c.


Mourning Bride (Scabiosa or Sweet Scabious) An old fashioned but most attractive flower. Its great abundance and long succession of richly colored, fragrant blossoms on long stems make as for beds and borders. Flower heads about two inches across; flowerets double, surrounding the thimble-shaped cone, and giving a fancied resemblance to a pin cushion.

Seed may be sown in place as soon as ground can be worked; or for earlier blooming sow in hotbed early in spring and transplant one and one-half feet apart. Hardy annual; about two to two and one-half feet high.

Double Maroon. A beautiful and attractive variety; flowers dark maroon shaded purple. Oz. 20c. Pkt. 5c.

Double Mixed. Colors include deep and light purple, scarlet, pure white and a dark mulberry red; some of the darker shades are tipped with white. Oz. 20c. Pkt. 5c.

MOSS ROSE—(See Portulaca)



Nasturtium

Few plants are more easily grown or remain longer in bloom than the Tropæolum, with its large shield-shaped leaves and beautifully irregular flowers having long spurs and brilliantly colored petals. In favorable soil flowers are produced in abundance throughout the season. Much used for window boxes. If the black aphis appears spray the foliage vigorously with water.

Well pulverized soil, preferably well drained and moderately rich, should be used and the seed covered with about one inch of fine soil firmly pressed down. A sunny situation is essential for free blooming. If the soil is very rich the plants give a large amount of foliage but few flowers. For earlier blooming, start indoors and transplant to the open ground after danger of frost is over.

Dwarf Varieties The plants are evenly dwarf and are often used for a border. When about two inches high, thin so as to give each plant about one foot of room. Hardy annual; about one foot of high.

Plet 5c.

Aurora. Flowers light reddish orange, veined with		Pearl. Pale yellow. Oz. 15c	kt.	5c.
carmine. Oz. 15cPl	kt. 5c	Rose. A warm rose-pink. Oz. 15c	4.6	5c.
Bronze Colored. Bronze-orange. Oz. 15c		Scarlet. Scarlet-orange. Oz. 15c		
Crimson. Dark crimson. Oz. 15c	" 5c	Schilling's Striped. Bright yellow with brownish red or maroon blotches and stripes. Oz. 15c		_
Empress of India. Small, compact plant; deep scarlet flowers; very dark foliage. Oz. 15c				
		Yellow. Bright rich yellow. Oz. 15c		
King Theodore. Scarlet-maroon or brown-red flowers. Oz. 15c	" 5c	Dwarf Mixed. Many desirable shades and colors. Oz. 15c; ¼ Lb. 30c; Lb. 85c	66	5c.

Trailing Varieties (Tropæolum Lobbianum) The Lobbianum differs from the common tall, climbing or running richer, more varied colored flowers. When about two inches high thin to six inches apart. Give some support to the vines as soon as they begin to run and they will usually grow six to eight feet during the season. The trailing sorts are much used for covering arbors and trellises. Half hardy annual.

for covering arours and tremses. Trail hardy annual.	
Bright Yellow. Yellow with purplish carmine stain. Oz. 15e; 14 Lb. 50c	King of the Blacks. Black-red or crimson-maroon, with darker markings; dark foliage. Oz. 20c; 14 Lb. 50c. Pkt. 5c.
Brilliant. Intense scarlet-red, dark foliage. Oz. 20c; 4 Lb. 50c	
Chestnut Brown. Rich red-maroon. Oz. 15c. ¼ lb. 50c. 5c. Giant of Battles. Sulphur, red blotches. Oz. 20c. ¼ lb. 50c. 5c. Hemisphæricum (Majus) Straw, blotched and suffused	Queen Wilhelmina. Foliage variegated, being marbled and veined with light green and white. Flowers rosy scarlet. Oz. 20c. 1/4 lb. 50c
orange-scarlet; very large foliage, very strong growing, usually twelve to fifteen feet high. Oz. 15c; ¼ Lb. 40c. "5c. Jupiter (Majus)" Very large, golden-vellow flowers; very	Oz, 15c; ¼ Lb. 50c
large foliage, very strong growing, usually twelve to fifteen feet high; free blooming. Oz. 15c; ½ Lb. 40c "5c.	Trailing Mixed. Lobbianum varieties. A wide range of colors and shades. Oz. 15c; 1/4 Lb. 25c; Lb. 75c "5c.

Gunter's Hybrid Nasturtiums The flowers are striped or blotched with shades of red on yellow and orange ground, forming a combination of exceeding brilliancy and beauty. About four feet high. Half hardy annual. Oz. 15c; ¼ Lb. 40c. Pkt. 5c.

Chameleon Nasturtiums Almost every shade of color and marking known to nasturtiums; continually changing from day to day. Attractive strains.

Dwarf Chameleon. Oz. 20c; ¼ Lb. 50c. Pkt. 5c.

Trailing Chameleon. Oz. 15c; ¼ Lb. 40c. 5c. 5c.

Nicotiana Handsome bedding plants of the tobacco family, valuable for long and free blooming. The flowers are salvershaped, with long tubular corollas.

Sow outdoors when ground is warm and dry or for earlier blooming start in boxes indoors early in spring and transplant to open ground after danger of frost is past. Cover the fine seed one-eighth inch deep. Half hardy annuals; about three feet high.

ffinis. Flowers large, white and fully expanded only in evening or cloudy days. Very fragrant. Oz. 30c. Pkt. 5c.

Sanderæ, Mixed. Flowers white, carmine-rose or violet, a little smaller than Affinis and unlike it, in full bloom during the day. Very floriferous.

 ${\tt NIGELLA-}(See\ Love-in-a-Mist)\quad {\tt CENOTHERA-}(See\ Primrose)$

Oxalis Very pretty, spreading herbaceous plants with clover-like leaves and richly colored blossoms. They are especially desirable for house culture as hanging-basket or window plants and are cultivated also in borders and rockeries.

Sow seed in gentle heat in early spring and when well started transplant where they are desired to flower. The plants thrive well in a mixture of loam and sand. They require an abundance of water during the growing season and should have plenty of sunlight. Half hardy perennial; six to nine inches high.

Rosea. Rose colored or light purple flowers, star-shaped, borne in large clusters on long stems......Pkt. 10c

Pansies are now produced in an almost infinite variety of colors and markings. Their brilliancy of shading, extended season of blooming and long keeping characteristics make them general favorites. The strains now offered are far superior to the old Heart's Ease or Viola Tricolor and the esteem in which they were held by older generations has been heightened by the greater forward of advanced types of very large varieties in this country as well as in Europe, and our stocks are the very best obtainable. We spare neither pains nor expense to satisfy the most critical trade. Every year we visit the gardens of the most expert specialists and are in position to give our customers the benefit of their knowledge.

We have annually both out of doors and under glass extensive trials of Pansies from the most successful European growers and from prominent seedsmen. While the variations in shades of color and markings appear almost limitless our list includes the very best strains the world produces.

Seed may be sown indoors very early in spring, or a little later in the open ground, and transplanted when an inch high. Such plants will commence to bloom in June. If sown in July, the plants will bloom in the fall, or if sown in September, the following spring. Well pulverized soil should be used and the seeds covered one-eighth to one-fourth inch deep with fine soil firmly pressed down. The largest and best flowers are produced by young plants which have been grown rather slowly in a partially shaded situation, and in very rich soil; coolness and moisture are necessary. A situation sheltered from high winds and exposed to the morning sun is most favorable and frequent sprinklings are advantageous. Grown indoors pansies make a good winter blooming pot plant. Hardy perennial but usually grown as an annual or biennial. Four to six inches high.

LARGE FLOWERING

Pkt. 10c. Oz. \$1.25....

Meteor. Flowers are large, rich, velvety red or mahogany. Excellent for massing or edgings. Very hardy. Oz. \$1.50.Pkt. 10c.

Choice Mixed

hoice Mixed. Seeds saved from large flowering sorts. A special mixture in a wide range of colors, shades and markings. Oz. \$1.00. Pkt. 5c. Collection of eight splendid varieties......50c.

GIANT FLOWERING

Bugnot's Very Large Stained Mixed. An exceptionally attractive mixture of very large, blotched and stained flowers of fine circular form and usually somewhat ruffled. Each petal distinctly blotched, and its margin usually veined. Sturdy plants. Many shades. 1/2 Oz. \$1.25. Pkt. 15c. Emperor William. Deep lavender-blue petals, dark Prussian blue about the eye; very large flowering. Oz. \$1.25...Pkt. 10c.


Giant Trimardeau Mixed. Our stock of this variety produces as large pansies as can be grown. Flowers of richest, most varied shades, well rounded form and generally marked with three large blotches. Plants very hardy and vigorous. We recommend this mixture as one sure to give general satisfaction where conditions are at all suitable for pansy growth. Oz. \$2.00....Pkt. 5c.

Lord Beaconsfield. The lower petals are very deep violet-purple, shading in upper petals to white, slightly tinted with purple. The flowers are very large and finely formed. Oz. \$1.25.Pkt. 10c.

Peas, Everlasting (Lathyrus latifolius) An easily grown, hardy perennial climber with smaller flowers lacking the fragrance of Sweet Peas, but producing for many weeks a succession of blossoms in clusters of eight to ten each. Only a few flowers can be expected the second season but in the third and fourth, the plants then being well established, an abundance of foliage and blooms is afforded. The plants die down late in the fall and start again in the spring. the fall and start again in the spring.

Sow the seed outdoors early in spring, using well prepared soil and covering the seed about one inch deep with fine soil firmly pressed down. The perennial sorts are suitable for covering stumps and fences, and on a trellis will often grow five to six feet. to six feet.

PELARGONIUM—(See Geranium)



PEAS, EVERLASTING



GIANT TRIMARDEAU PANSIES

Petunias are unsurpassed for massing in beds. They are also used along walks and driveways and are often grown in window boxes. Their richness of color, duration of bloom and easy culture will always make them popular. They endure drought exceptionally well. The seed we offer is the result of careful hybridization and can be depended upon to give as large a propor-

offer is the result of careful hybridization and can be depended upon to give as large a proportion of double flowers as any.

In some strains the flowers are very large, measuring four to five inches across; in others, they are deeply fringed; still others have star-like markings radiating from the throat and extending nearly or quite to the outer margin of the blossom; again, others have full, double flowers. The colors range from white to deep red-purple and are variously striped and blotched. Plant the seed, which is exceedingly fine, in a warm, open, sunny place. Seeds may be sown directly in the open ground; or for early results the plants may be started in cold-frame, hotbed or in pots indoors, in a temperature averaging sixty to seventy degrees. Water with a fine spray and do not permit the seedlings to dry out. The plants are tender and should not be trusted in the open until danger of frost is over. Any good, friable garden soil, well pulverized and in good condition may be used, and the seed covered with about one-eighth to one-fourth inch of fine soil firmly pressed down. The rows should be two feet apart. Thin to eighteen inches apart. The plants begin to bloom when small and continue until cut off by frost. Tender perennial, blooming the first year; about one and one-half feet high.

Petunias may also be grown under glass in winter. The best method is to sow seeds late in summer and grow stocky plants in pots, but old plants can be lifted on the approach of cold weather, cut back and taken inside for winter bloom.

Nyctaginiflora. Flowers white, fragrant. A good white bedding variety; very floriferous.

Finest Striped and Blotched. Includes striped or blotched flowers in a wide range of colors. A fine bedder. Oz. 90c...

Fine Mixed. An excellent variety of markings including white, stripes and shades of rose, red and purple. Oz. 50c...

Double Mixed. The seed we offer will produce a large percentage of double flowers in a good range of colors...... 5c. 5c. 5c.

LARGE FLOWERING PETUNIAS

Superbissima Mixed. Flowers of immense size, superbly colored with throats beautifully veined. We have carefully compared other strains sold as "Giants of California," etc., and have found none superior and many of them not equal to our strain

Grandiflora Robusta, fl. pl. Dwarf, of robust growth, forming a compact, upright, branched bush about ten inches in height and fourteen inches in width, with large flowers, many double and in all shades of colors existing in petunias. The latest of the varieties to bloom.....Pkt. 25c.

Pentstemon Handsome, half hardy, herbaceous perennials about two feet high and very desirable for bedding and borders, They usually bloom the first year, especially if started early. The flowers are bell-shaped or tubular, an inch and a half long, and are borne in racemes or spikes. The colors include white and various shades of rose and purplish red striped with white.
Sow outdoors after danger of frost is past. It is well to use some mulching for protection through winter.

Gloxinoides Mixed Pkt, 10c,

(Pæonia herbacea Chinensis) Well known herbaceous perennial plants with very double flowers and abundant Peony dark green foliage, which may be grown either from seed or roots.

(Peony Roots are listed in our autumn Bulb Catalogue.)

PERIWINKLE-(See Vinca)

Phlox Drummondi Flowering) Un-

equalled in the magnificent display of their many equated in the magnificent display of their many and brilliantly colored flowers. The plants are hardy bush-like annuals with many broad flat-topped clusters of nearly round and star-shaped flowers. They are of easiest culture and bloom profusely through a long season. Especially attractive in masses or ribbon beds of contrasted colors; useful as window-garden plants and very desirable for combining in mixed bouquets.

Seed is usually sown very early in spring outdoors in rows one foot apart. A sunny situation is desirable. Well pulverized soil, preferably rich and mellow, should be used and the seed, which germinates rather slowly, covered with about one-fourth inch of fine soil firmly pressed down. Thin to four inches apart. For very early blooming, seed may be sown outdoors in fall, or started indoors and transplanted early in April. Hardy annual; one foot high.

Alba. Pure white, very desirable. Oz. 90c.

Black Warrior. Very deep maroon. Oz. 90c.

Isabellina. Creamy yellow. Oz. 90c.

Kermesina Alba Oculata. Rosy crimson, white eye. Oz. 90c.

Lilac. With white center. Oz. 90c.


Rosea. Rose, with distinct eye. Oz. 90c.

Rosea. Rose, with distinct eye. Oz. 90c.


Rosy Chamois. Deep salmon-rose, Oz. 90c.. Scarlet. With maroon center. Oz. 90c....

Splendens. Crimson, pure white eye; one of the finest of this strain. Oz. 90c......

Violet. Deep violet-blue, white eye. Oz. 90c. Extra Choice Mixed. Best large flowered varieties. Our mixture is unexcelled for profusion of bloom and wide range of brilliant colors. Oz. 75c.



5c.



PHLOX DRUMMONEI

Pinks

(Dianthus) The Pinks are old-fashioned favorites and as a class are more varied in color than the Carnations but lack their fragrance. Both the single and double Pinks are well adapted for bedding and borders, and are suitable also for flowers, often one and one-half to two inches across, contrast vividly with the rather narrow bright light green leaves.

Seed may be sown in the open ground in spring after danger of frost is past, in the place where the plants are wanted to bloom. Use well pulverized soil, preferably sandy loam. Make the rows one foot of fifteen inches apart and cover the seed with one-fourth inch of fine soil firmly pressed down. When two inches high, thin six to eight/inches apart. Earlier blooming is obtained, in the north, if plants are started in the house. Plants compact, bushy, usually about one foot high. Where climate permits they may be treated as perennials, but practically are hardy annuals. When grown however for spring blooming, if in a well drained situation and protected by a light mulch of straw, cut fodder or leaves, the plants are less likely to winter kill than if in a moist unprotected part of the garden during the colder months. The plants thus wintered over will produce more and better blooms than those of the first season. those of the first season.

light shades of redupon lighter ground. Border of petals finely cut or laciniated.

Royal Pinks (Heddewigi nobilis) These very large, single flowers afford a wide range of colors. Petals deeply cut and fringed and flowers in splendid shades from blood-red to carmine, pink and even white. Plants dwarf and very free flowering.

Pkt. 10c.

Heddewig's Single Mixed. A splendid mixture of single flowers of the best shades and beautifully marked. Plants dwarf; very free flowering. Oz. 50c.

Pkt. 5c.

Double Brilliant Maroon. A beautiful variety easily cultivated; rich, deep red flowers.


Pkt. 10c.

Double Dark Purple. An attractive and particularly useful color in pinks. The flowers are double, of large size, fine form and are suitable for cutting.

Pkt. 15c.



POPPY, DOUBLE FRINGED



SINGLE PINKS

Poppy

(Papawer) These well-known hardy annuals and perennials flower in great profusion throughout the summer. Both the single and double varieflowers are remarkable for bedding and borders. The flowers are remarkable for their large size, delicacy of tissue and wide range of bright dazzling colors.

As early in spring as ground can be worked sow the seed, which is quite small, where the flowers are to bloom as the annual varieties do not bear transplanting. Pulverized soil, preferably light sandy loam, should be used. Make rows fifteen inches apart and cover seed one-fourth inch deep. When two inches high, thin from six inches to one foot. To insure continuous bloom during a long season the flowers should be cut regularly and no seed pods allowed to form.

Annual Varieties

Annual Varieties


Perennial Varieties

Perennial poppies do best in rows one and one-half feet apart and one foot apart in the row. Seed may be sown outdoors either in spring or fall.

Bracteatum. Flowers very large, single brilliant orange-crimson; base of petals bluish black. A garden perennial of most striking appearance; about two feet high.

ennial of lines satisfies approximately in the lines of petals bluish black. One of the most showy garden perennials; about two feet high. Oz. \$2.00.

The Carnation Poppy is an improved double form of the single Papaver Somniferum, used for the extraction of opium. We do not furnish seed of the opium poppy.



PORTULAÇA

Portulaca
Sometimes called Moss Rose. Few flowers make such a dazzling display of color in the bright sunshine as a bed of portulacas. The glossy cup-shaped single flowers and roselike double flowers, about one inch across, range through many shades of red, white, pink, orange, yellow, striped, etc. Plants low growing or creeping with thick, fleshy stems tinged with red and small Sow seed outdoors, after weather is warm and settled, where the plants are to stand in rows one foot apart. They should have a sunny situation. Well pulverized soil should be used but it does not need to be rich. Cover seed about one-eighth inch deep. Thin to two inches apart. For massed beds seed can be sown broadcast, the soil sifted on and the whole bed carefully pressed with a board. For earliest blooming start under glass and transplant to place after danger of killing frost is over. Tender annual; about nine inches high.

Single Varieties

Double Varieties

The seed we offer can be depended upon for a large proportion of fine, very double flowers and the few that come single can be pulled out if desired.

POOR MAN'S ORCHID-(See Schizanthus)

Primrose, Evening (*Enothera*) Large, showy ally fully expanded only towards and during evening. The blossoms are yellow or white and are very freely produced.

blossoms are yellow or white and are very treety produced.

Acaulis Alba (Low White Evening) Plants of prostrate habit, the leaves lying on the ground, smooth and divided unequally like a dandelion leaf. This sort produces many large flowers about three inches across which open clear white and turn to deep primrose pink. Sow in open ground early in spring. Make rows fifteen inches apart; thin six inches apart in row. Hardy perennial; six inches high......Pkt. 5c.

apart in row. Hardy perennial; six inches nigh. ... Pkt. bc.

Lamarckiana. (Showy Evening) Superb spikes of large, bright yellow blossoms about three inches across. Sow in open ground early in spring, or if blooms are wanted the first season, start very early in hotbed and transplant. For best development make rows two and one-half feet apart and thin fifteen inches apart in the row. Plants branching, with lanceolate to oblong dark green leaves, somewhat roughened and pubescent. Hardy perennial but blooms the first year; height four feet. Oz. 20c. ... Pkt. 5c.

Primula Sinensis

Primula Sinensis

Plant is especially valuable in that its brightly colored and finely formed flowers and prettily cut foliage may be had in perfection from November until late in spring. The splendid salver-formed flowers are produced in large clusters.

Sow seed indoors in well drained, shallow pans or boxes from April to last of July, to insure flowering the following winter. For best results use finely sifted leaf mold, loam and sand in equal parts. Cover slightly and place the pans in a temperature of about 60° F. Water with a fine spray. If covered too deeply or if allowed to dry after being wet the seed will not germinate. Transplant into pots and keep in a cool place so that the plants will grow slowly until ready to bloom. Seed may also be sown in fall. Greenhouse perennial, six to ten inches high.

Single Fringed, Scarlet. A deep shade; very attractive Pkt. 25c.

Very ornamental, both foliage and Pyrethrum Septing as soon as ground can be worked, or for best results start the seed indoors and transplant after danger from frost is past. (See also Matricaria)

Parthenifolium Aureum (Golden Feather) Beautiful dwarf gold leaved bedding plant. Flowers white. Half hardy perennial, often treated as an annual; height one foot. Oz. 50c. Pkt. 5c.

Rhodanthe One of the most beautiful everlastings. Sometimes called Straw Flower. The flower-heads are somewhat bell-shaped, becoming when mature fully expanded and sometimes reflexed. They are gracefully poised on slender stems. The mixture we offer includes rose with golden center and white with yellow disc. Blooms should be gathered before fully expanded and dried in the shade. The leaves are glaucous, clasping and are oval or elliptical in shape.

RICINUS-(See Castor Bean)

Rocket, Sweet (Hesperis matronalis) Produces loose clusters of flowers very fragrant during the evening and useful for cutting. Flowers cruciform, somewhat resembling the single Stock but smaller.

Seed germinates readily in open ground if sown after danger from frost is past. Hardy perennial.

Purple. Plants two and one-half to three feet high.....Pkt. 5c. White. About two feet high..... " 5c.

Rose Multiflora Dwarf Perpetual, Mixed. Plants under good care will commence to flower when six inches grow and bloom until they form compact bushes about sixteen inches high, well covered with single and double flowers.

Open the berries and separate the seeds, sowing in pots of

Salpiglossis
on long graceful stems.
crimson, yellow, buff, blue
or almost black are beautifully
are easily grown and are most desirable for beds or borders.

Very showy bedding or border
plants with richly colored, funnelshaped flowers which are borne
The flowers of purple, scarlet,
or almost black are beautifully
are easily grown and are most desirable for beds or borders. (See colored plate opposite)

For early blooming seed may be started indoors as early as the middle of March and the young plants set out in the garden one foot apart, or seed may be sown outdoors after settled warm weather. Blooms from August to October. Half hardy annual; about two feet high.

Fine Mixed. Hybrids. Easily grown large, long stemmed flowers, in many beautiful shades and markings. Oz. 50c. Pkt. 5c.

Large Flowering Mixed. A mixture of improved dwarf, very large flowering sorts, more compact than ordinary varieties and with much larger, more richly colored flowers. Pkt. 10c.



Salvia (Flowering Sage) Among the most brilliantly colored of garden flowers and extremely useful for bedding; also valuable for pot culture and cuttoliage and are of flery red, crimson or blue, continuing in flower a long time. The densely filled flower spikes are often eight to ten inches long and include thirty or more tube-like florets, one to two inches in length. (See front cover)

Start early in heat and transplant into light soil one to two feet apart; or seed can be sown outdoors after danger from frost is past. Tender perennial, but blooms the first season; height one and one-half to three feet


Sold also as "Splendens Bonfire." The large, plendens, Soid also as "Spiendens Bonnie." The large, brilliant scarlet flowers are in very striking contrast with the rich, dark green background of dense foliage. This variety is most generally used in parks and on extensive lawns, as it is more vigorous than the dwarf varieties. One of the most distinct and effective bedding plants. Two and one-half to three feet high. Oz. \$2.00...Pkt. 10c.

Patens. One of the finest blue flowers known: not as well suited for bedding as the other varieties of salvia, but very attractive in the mixed border or in the greenhouse. Height of plant, about one and one-half to two feet.Pkt. 15c.

Fireball. Many strains of Salvia Splendens have been offered under different names claiming they are larger flowered or more floriferous than the old type. We have found none more valuable than this strain in which the plant is more uniformly dwarf, and comes into bloom earlier than most sorts and remains covered with brilliant red flower spikes a remarkably long time. Height of the plant shout two feat.

SCABIOSA-(See Mourning Bride) SCARLET FLAX-(See Linum)

Scarlet Runner Beans A rapid growing annual climber, bearing sprays of brilliant scarlet pea shaped blossoms. Used either as a snap or shell bean for eating as well as being desirable for ornamental purposes. Seed may be planted out of doors as soon as danger of frost is past. Vines ten to twelve feet high. Pkt. 5c.



SNAPDRAGON



SALVIA

Schizanthus Retusus Trimaculatus. Also known as Butterfly Flower or Poor Man's Orchid. Dainty compact branching plants with finely cut foliage, covered when in bloom with clusters or spikes of brilliantly colored butterfly-like flowers. Valuable for garden decoration or pot culture. Petals bright yellow with margins and tube of carmine or purple-rose, shading from lighter to darker shades.

The seed may be sown outdoors after danger of frost is past, where the plants are to remain; or start inside and transplant when weather is suitable. Hardy annual; about twenty inches high.

Pkt. 15c.

SENSITIVE PLANT-(See Mimosa Pudica)

(Antirrhinum) This

Majus album. Pure white, light yellow throat......Pkt. 5c. Majus brilliant. Crimson and yellow, throat white.... " 5c. Majus Delila. Reddish-violet, white throat.....

(Mathiola) Sometimes called Gilliflower. Con-

Stock (Mathiola) Sometimes called Gilliflower. Considered almost indispensable where a find display of flowers is wanted and particularly valued for edgings, bedding and pot culture. The improved varieties we offer of this fabeautiful rosette-like double flowers in a wide range of attractive colors. They are suitable for cutting, being produced on stems of good length in pleasing contrast with the dark green foliage of the bushy plants. Each of the four types is of long flowering period, and if the earlier ones are started indoors, a profusion of fragrant and pleasing flowers is afforded for the entire season.

Sow outdoors early in spring, using well fertilized, carefully pulverized soil and cover seed with one-fourth inch of fine soil firmly pressed down. Make the rows fifteen inches apart; thin to six inches apart. For earlier blooming start indoors and transplant. Height of plants, one to one and one-half feet.

Early Flowering Brompton

A decidedly superior, large-flowering annual strain with the splendid foliage and bloom of the older type but flowering with the German Ten Weeks and decidedly superior in length of stem and size of flower spike. This group is also called Beauty Stocks, Giants of Nice, "Cut and Come Again" and Victoria Stocks.

Belle of Naples. Old rose or light pur	rplish rosePkt. 15c.
Camaldoli. Dark violet or light purp	lish red
Snow White (Victoria)	" 10с.
Vesuvius. Blood-red or deep purpli	sh red " 15c.
Early Flowering Brompton Mixed.	Includes shades of white, old
rose, blood-red, purple and violet.	Oz. \$3.00Pkt. 5c.

Double German Ten Weeks (Large Flowering)

This favorite half-hardy summer blooming annual has deliciously fragrant flowers and is very desirable for cutting.

Intermediate or Autumnal Stocks


Sown at the same time as the Ten Weeks, the Intermediate sorts will succeed them in bloom, thus affording flowers continuously until late in the fall. The flowers are larger and are produced on longer, bolder spikes. For indoor blooming, if sown in pots late in summer the plants will bloom the following spring.

Winter or Biennial Brompton Stocks

These require a longer time than the Intermediate to grow and cannot endure our winters unless protected.

rompton Mixed. This mixture of Winter or Biennial Brompton Stocks forms bushy plants flowering in the fall outdoors if started in hotbed early in spring and transplanted, or blooming well in winter from seed sown outdoors in summer if plants are taken up in the fall and given cool airy quarters indoors; half hardy biennial. Oz. \$4.00..........Pkt. 10c.

STRAW FLOWER-(See Helichrysum and Rhodanthe)



SUNFLOWER, DOUBLE CHRYSANTHEMUM FLOWERED



STOCK, DOUBLE GERMAN TEN WEEKS

Sunflower (Helianthus) These stately, old fashioned flowers

fashioned flowers with the newer improved varieties are coming into special favor as a background for lawns and in front of high fences. Valuable also as a screen to hide unsightly places and sometimes used to mitigate the evil of adjacent swamp holes. Their very tall dense growth and bright yellow disc-like flowers of very large size and long blooming period make them one of the most deserving and useful of hardy annuals.

Sunflowers grow readily in almost any soil but do best on light, rich limestone or alluvial land well supplied with moisture and not shaded by trees or buildings. Sow the seed outdoors in spring after danger of frost is over, preferably in well pulverized soil either broadcast or in rows two to three feet apart and rover about one-half inch deep. When the young plants are about four inches high, thin one-half to two feet apart to secure the best development.

Double Chrysanthemum Flowered. The most attractive of the very double sunflowers. Plant tall, growing seven feet high and blooming protall, growing seven feet fight and dooming pro-fusely all summer. Flowers very large, often eight to ten inches across, very double, with long fringed petals and resemble chrysanthe-nums. The color is a splendid, rich, golden-yel-low, free from any black center. Oz. 30c. Pkt. 5c.

Globosus Fistulosus (Globe, or Dahlia Sunflower)
This desirable variety produces very large, exceedingly double flowers, often six to eight inches in diameter and of bright yellow color. The plants are usually about five feet high. Oz. 20c. Pkt. 5c.

Stella. The plant of this fine Miniature (cucumeri-

(Lathyrus odoratus) No garden is too small for a row of Sweet Peas and no estate, however extensive or magnificent, should fail to include many varieties of this most popular flower. Its long blooming season usually extends from early summer until very hot dry weather and no other climber equals it for cutting, either for use in bou-

quets or for table decoration.

In describing varieties, by "standard" is meant the wide petal at the top of the flower; the "wings" are the two petals below.

the "wings" are the two petals below.

In addition to the classification by colors, there are two typical forms of grandifloras recognized, the "open form" and the "hooded form," referring to the shape of the standard. In the open form, illustrated by Blanche Ferry, Katherine Tracy and King Edward VII., the standard is nearly round, smooth and straight on the edges. The standard in the hooded form, of which well known examples are Dorothy Eckford, Countess of Radnor and Othello, has slightly rolling sides at the top, giving the flower a shell shaped appearance. shaped appearance.

For Outdoor Planting there are two general classes. The more generally known general classes. The more generally known is the Grandiflora or large flowering division. This class, owing to its vigor of growth, its freedom of blooming and extremely wide range of colors, is well suited for most conditions of growth and location.

The Spencers are of exceptionally large size, the standard and wings waved or frilled and the general effect remarkably graceful and attractive. The plants are of vigorous growth and remain in bloom for a longer time than the Grandiflora sorts. The Spencers are decidedly shy seeders, hence the price will doubtless always be higher than for the older types.

The early flowering division in both the Grandiflora and the Speucers is composed of varieties that are most desirable for forc-ing under glass or for early flowering out of doors. Our list contains many varieties of exceptional merit.

Culture. Early in spring make a trench three to four inches deep in rich, mellow soil, so arranged that no water can stand in it and so arranged that no water can stand in and plant the seed in the bottom, covering at first only one inchdeep. Sweet Peas, particularly the white seeded sorts, are often a little difficult to start. If the soil is too dry they will remain a long time without germinating; will remain a long time without germinating; if it is too wet and cold they will not sprout at all. In soils at all heavy, or composed largely of clay, put about one inch of sand in the bottom of the trench and sow the seed on this, covering with more sand. Cover the row with a board to shed the rain and protect the soil from the hot sun but remove this as soon as the young plants appear.

When the plants are two inches high, cultivate and as they grow gradually fill up the trench. When the plants are about five inches high it is desirable to furnish some support for the vines to run upon, preferably a wire netting firmly supported by stakes to prevent sagging, but strings or brush are often used with satisfactory results.


Where plantings are made as early as possible, deep spading or plowing, the placing of manure deeply in the soil to draw the roots downward, a sunny situation with the rows running where possible north and south the removal in the early stages of growth of all but two branches and the thinning of the plants eight to twelve inches apart—these conditions are usually essential for the largest and most finely formed blossoms.

The roots should not be allowed to become too dry. Water applied thoroughly once or twice a week, preferably early in the morning or in the evening, is usually better than light sprinkling more frequently.

For the aphis or plant louse, spraying with solutions of some tobacco extract or whale-oil soap is usually effective; and for the Red Spider, which also causes trouble at times, spraying with pure water is usually sufficient. A frequent change of location has the bear found important. also been found important.

A better growth of the vines and earlier blooming often result from planting seed late in the fall instead of early in the spring.

The blooms should be picked before they form pods or the plants will soon stop flowering.



SWEET PEAS, WHITE SPENCER

SWEET PEAS-Continued

SPENCER VARIETIES

This group includes the largest and most beautifully formed sweet peas. The Spencers have are produced abundantly on long strong stems, making the blossoms most desirable for cutting. The Spencers have very large waved flowers which

The plants of Spencer varieties when grown outdoors are usually in bloom much longer than other sweet peas, as most of the blossoms fall off after maturity without setting pods. A characteristic of the best Spencers is an "open keel." The petal or envelope enclosing the pistil, stamens and anthers is called the keel. In a typical Spencer flower grown under favorable conditions the anthers and stigma are not clamped together and the envelope of the keel is large and baggy and open at the top.

- BLOSSOM SPENCER. PPLE BLOSSOM SPENCER. Bright rose standard with wings of very light primrose flushed or tinted rose-carmine. Very large Spencer form. A free blooming sort and a re-liable bicolored sweet pea of robust growth. Pkt. 5c; Oz. 25c; 1/4 Lb. 75c.
- Suffused lavender or tinted mauve sometimes with pinkish tinge. Spencer form, large and wavy. Among the very best of the deeper lavender Spencers. Pkt. 5c; Oz. 25c; 1/4 Lb. 75c.
- AURORA SPENCER. Flowers brilliant orange-rose, striped and flaked on white. One of the most attractive very large striped Spencers. Pkt. 5c; Oz. 25c; ¼ Lb. 75c.
- BLANCHE FERRY SPENCER. This is similar in color to the old Blanche Ferry but like all Spencers the type is not unalter-ably fixed. Rose-pink standard; wings white, suffused and tinted with light pink. It is a very pleasing bi-colored sweet pea. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
- CAPTAIN OF THE BLUES SPENCER. Purple, with blue wings, beautifully waved: margin of petals marbled. Flowers of large Spencer form, but lighter shade than Captain of the Blues; more truly Waverly Spencer in color. Pkt. 5c; Oz. 25c; 1/4 Lb. 75c.
- COUNTESS SPENCER. Bright clear pink, sometimes darker towards the edges; very large, open form; long stems. The first variety introduced of the Spencer type and still considered the best deep pink sweet pea. Pkt. 5c; Oz. 25c; 1/4 Lb. 75c.
- DAINTY SPENCER. White suffused and edged with rose-pink; large Spencer form; picotee edged; very free blooming. Pkt. 5c; Oz. 25c; ¼ Lb. 75c.
- DOBBIE'S CREAM. We consider this one of the very best primrose Spencers yet introduced. A strong growing, profuse blooming variety, with large, much waved flowers, often duplexed and with many four-blossomed sprays. Pkt. 5c; Oz. 25c; 1/4 Lb. 75c.
- ELFRIDA PEARSON. A very large light pink on white ground, beautifully edged and shaded. Plants sturdy and very vigorous. A most useful pink Spencer for decoration and exhibition One of the very best light blush pinks. Pkt. 5c; Oz. 30c; 1/4 Lb. 85c.
- GEORGE HERBERT. A bright, rose-crimson or rose-carmine Spencer variety of large size suffused with magenta and showing veins in wings. Both standard and wings beautifully waved. This is one of the very best carmine and rose sweet peas. Pkt. 5c; Oz. 25c; 1/4 Lb. 75c.
- HELEN LEWIS. A rich crimson-orange, with wings of orange rose or orange-salmon-pink. Large, fine Spencer form. One of the finest reliable orange sweet peas. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
- ILLUMINATOR. Bright glowing salmon tinged with orange. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00
- KING EDWARD SPENCER. Brilliant crimson-scarlet; very large size and of open form. One of the very best of the pure red or crimson Spencers. Pkt. 5c; Oz. 30c; ¼ Lb. 85c.

- Bright rose standard with the dor timed rose carmine. The form, size, vigor, waviness and purity of color, give pre-eminence to its claim as the best Spencer yet introduced. Seed white. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00
 - LOYALTY SPENCER. Bright blue flaked and striped on white ground. Flowers of large Spencer form. This is one of the very best blue striped sorts yet introduced. Pkt. 5c; Oz. 35c; 1/4 Lb. \$1.00
 - MARGARET ATLEE. Rich glowing pink on cream ground The flowers are of largest size, beautifully frilled or waved and freely produced in "fours" on long strong stems. Many of the flowers are duplex or double. Pkt. 5c; Oz. 35c; 1/4 Lb. \$1.00
 - IIRIAM BEAVER. A leading light cream pink sweet pea. Flowers exceptionally large and wavy with the standard often duplexed or doubled. Coloring very dainty and pleasing, soft shell salmon pink on cream ground. Pkt. 10c; Oz. 75c; 1/4 Lb. \$2.00
 - MRS. HUGH DICKSON. Buff, apricot and rose. Flowers of the largest size borne on long stems; mostly four blossoms on each stem. Pkt. 5c; Oz. 35c; 1/4 Lb. \$1.00
 - NEW MARGARET MADISON. A self-colored soft light azure blue or pale lavender Spencer. The form and coloring when grown under favorable conditions are exquisite. One of the very best of its class. Pkt. 10c; Oz. 50c; ½ Lb. \$1.50
 - UBIAN. A large deep maroon of exceptional merit. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00
 - OTHELLO SPENCER. A beautiful, deep, pure maroon of very large Spencer type. One of the most reliable of the maroon large Spencer type. One of the most reliable of t shades of Spencers. Pkt. 5c; Oz. 30c; ¼ Lb. 85c.
 - PRIMROSE SPENCER. One of the best primrose, or cream and ivory sweet peas. Spencer type, large wavy petals, clear, distinct color. Seed white. Pkt. 5c; Oz. 30c; ¹/₄ Lb. 85c.
 - ROSABELLE. A very rich bright rose with a faint tinge of purple. Flowers beautifully waved or fluted and of extra large size. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
 - ROYAL PURPLE. Rich royal purple. The best purple yet introduced. Pkt. 5c; Oz. 35c; 1/4 Lb. \$1.00
 - SCARLET EMPEROR. Brilliant deep scarlet. Flowers of large size and very attractive. Pkt, 5c; Oz. 25c; ½ Lb. 75c.
 - STIRLING STENT. A rich deep metallic salmon, suffused with orange. A beautiful Spencer, especially in artificial light, requiring shading to show true color. Pkt. 5c; Oz. 30c; 1/4 Lb. 85c.
 - THOMAS STEVENSON. Brillant orange-scarlet of large Spencer form, the standard showing more orange than the wings. Vines vigorous and very floriferous. The intense coloring is heightened by shading. Pkt. 5c; Oz. 30c; 1/4 Lb. 85c.
 - WEDGWOOD. Bright silvery blue. Large, well waved flowers on long stems. An attractive and very desirable shade. Pkt. 10c; Oz. 50c; ¼ Lb. \$1.50
 - WHITE SPENCER. Standard and wings of pure white, beautifully waved and fluted. An especially attractive variety of very large size. Seed white. One of the very best white sweet peas. (See cut on page 94) Pkt. 5c; Oz. 30c; 1/4 Lb. 85c.

EARLY FLOWERING SPENCER VARIETIES

A comparatively new class of Sweet Peas that are rapidly becoming prominent for winter flowering indoors. The flowers are large, of the same form as the Spencers and are beautifully waved or frilled. They remain in bloom for a much longer time than the Early Flowering Grandiflora sorts. When planted out of doors they will commence blooming a month or more earlier than the later flowering varieties planted at the same time. (See further description in Supplement)

- EARLY MELODY. Rose pink on white ground, resembling Countess Spencer in color. Very floriferous and flowers of excellent form. Pkt. 25c.
- EARLY MORNING STAR. Deep orange scarlet standard with rich orange pink wings. Flowers large, of the best Spencer form and are borne in threes and fours in wonderful profusion. Pkt. 25c.
- ARLY SONG BIRD. An excellent pale pink variety which is very desirable for cutting. The flowers are borne on long stems with mostly four large well waved blossoms to each stem. Pkt. 25c. EARLY SONG BIRD.
- EARLY HEATHER BELL. The color is a rich and pleasing mauve, changing to a beautiful mauve lavender after cutting. Flowers are very large, borne in threes and fours on long stout stems and are of beautiful bold Spencer form.

 EARLY SNOW FLAKE. An early flowering white variety of distinctive merit. The blossoms are large, of the best Spencer form and are borne in profusion on long stems. The most desirable Early Flowering White Sweet Pea. Plt 25c. cer form and are borne in profusion on long stems. The desirable Early Flowering White Sweet Pea. Pkt. 25c.
 - **EARLY SPRING MAID.** A bright pink on cream ground, color being very similar to that of Mrs. Hugh Dickson. A most attractive variety and like the other Early Flowering Spencers it furnishes a wealth of blossoms borne in threes and fours on long stems. Pkt. 25c.
 - YARRAWA. One of the most desirable of the Early Flowering Spencers. Color a bright rose pink with a clear creamy base, the wings being slightly lighter in color. Flowers large, beautifully waved and many of them duplex or double. (See cut on page 97) Pkt. 15c.

SWEET PEAS-Continued

EARLY FLOWERING GRANDIFLORA VARIETIES

The Early Flowering Grandiflora sorts are especially recommended for florists who grow sweet peas under glass. The group is sometimes called "Winter-Flowering." It includes the earliest blooming sweet peas such as florists supply for Thanksgiving and Christmas trade. They are also largely planted for early flowering out of doors.

Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

EARLIEST WHITE. The earliest blooming white sweet pea.
The flowers are of hooded form and hold their size and form well. Seed black. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

IONT BLANC. The flowers are of open form, good size, very clear white and bloom very early. This is considered the best forcing white sweet pea. Seed white. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

XTRA EARLY BLANCHE FERRY. Vines vigorous and hardy though of dwarf habit. It will be found to be the first to furnish flowers either in greenhouse or out of doors.

MRS. CHAS. H. TOTTY. A most desirable early lavender for forcing and is also recommended for out of door planting. Flowers of large size, shell shaped. Vines strong growing Flowers of large size, shell shaped. Vines strong growing with flowers borne on long stems. One of the very best Early Flowering or Christmas sorts. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

> MRS. F. J. DOLANSKY. The best early, pure light pink. An excellent sort for early flowering indoors. Vines vigorous with flowers borne on long stems. A very desirable variety for cutting. Pkt. 5c; Oz. 20c; 1/4 Lb. 40c; Lb. \$1.50

GRANDIFLORA VARIETIES

The Grandifloras, sometimes called the Eckford class, are an older type than the Waved or Spencer sorts and the flowers are not so large. They are usually not so long in bloom, but are decidedly cheaper and more easily grown.

WHITE

DOROTHY ECKFORD. The flowers are of large grandiflora form, pure white, shell shaped and are of extra good substance. The variety is considered the best of this class. Seed white. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 75c.

EARLIEST WHITE. (See Early Flowering Class)

EMILY HENDERSON. A desirable clear white grandiflora sweet pea of open form. This sort is an early and free bloomer. Seed white. Pkt. 5c; Oz. 10c; ½ Lb. 25c; Lb. 75c.

MONT BLANC. (See Early Flowering Class)

PRIMROSE OR VERY LIGHT YELLOW

HON, MRS. E. KENYON. Clear primrose; large semi-hooded flower. White seeded. Pkt. 5c; Oz. 10c; ½ Lb. 25c; Lb. 85c.

RS. COLLIER. A lighter shade of primrose than Mrs. Kenyon. Seed white. Pkt. 5c; Oz. 10c; ½ Lb. 25c; Lb. 80c.

LIGHT PINK

DAINTY. The flowers of this grandiflora variety are white shaded lightly and edged with light pink. They are of good size, hooded form and are borne on very long stems. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 90c.

KATHERINE TRACY. Flowers soft but brilliant pink; open form. The plants are vigorous, and give a profusion of flowers which continue of good size until the end of the season. Pkt. 5c; Oz. 10c; 1/4 Lb. 30c; Lb. \$1.00

MRS. F. J. DOLANSKY. (See Early Flowering Class)

RIMA DONNA. One of the very best of the hooded pink grandiflora varieties. The flowers are of good size, clear soft shade; self-colored. The vines are of vigorous growth, often with three or four flowers on a stem. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 75c.

ROSE WITH WHITE WINGS

BLANCHE FERRY. Blooms very early and continues to produce abundantly through a long season. The standard is medium sized, of open form, and bright rose-pink; wings large, rounded, nearly white. The typical pink and white sweet pea. Pkt. 5c; Oz. 10c; ¼ Lb. 25c; Lb. 75c.

EXTRA EARLY BLANCHE FERRY. (See Early Flowering

ORANGE-PINK

MISS WILLMOTT. A fine orange-pink, showing veins of deeper tint Flowers semi-hooded, good size, on long stems; plant very vigorous. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 80c.

ST. GEORGE. Flowers flame color. The brightest of the orange-pinks: large, of open form and slightly waved Unwin type; wonderfully brilliant. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.25

SHADES OF RED

KING EDWARD VII. Superior to Firefly. A bright crimson-scarlet or pure red of largest grandiflora size; open form. One of the very best of the grandiflora varieties. Pkt. 5c; Oz. 10c; 1/4 Lb. 30c; Lb. \$1.00

PRINCE OF WALES. Flowers large, shell shaped; pure rose-crimson, A very attractive sort, larger and finer than Her Majesty. Pkt. 5c; Oz. 10c; 1/4 Lb. 30c; Lb. \$1.00

QUEEN ALEXANDRA. Flowers very bright red, large, semi-hooded. Unsurpassed in brilliancy of color. The nearest scarlet in sweet peas. Pkt. 5c; Oz. 10c; ¼ Lb. 25c; Lb. 85c.

PINK AND RED STRIPES

AMERICA. Carmine striped and splashed on white ground. Open form, good size. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 75c.

AURORA. Large, hooded form; striped and flaked with orangesalmon-pink over white. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 85c.

LAVENDER AND LIGHT BLUE

COUNTESS OF RADNOR. A beautiful lavender of hooded form, nearly self colored. Pkt. 5c; Oz. 10c; 1/4 Lb. 25c; Lb. 75c.

HELEN PIERCE. Flowers veined and finely mottled bright blue on ivory-white; semi-hooded form. Very attractive in it "gloxinia-like" coloring. Pkt. 5c; Oz. 10c; ¼ Lb. 25c; Lb. 90c.

LADY GRISEL HAMILTON. A large soft lavender, tinted mauve; similar to Countess of Radnor but nearer blue; hooded form. One of the best. Pkt. 5c; Oz. 10c; ¼ Lb. 25c; Lb. 75c.

LOTTIE ECKFORD. Picotee edged with magenta-blue; standard white, heavily shaded lilac; wings with lighter shade of lilac. Large, hooded form. Better than Maid of Honor. Pkt. 5c; Oz. 10c; ¼ Lb. 30c; Lb. \$1.00

MRS. CHAS. H. TOTTY. (See Early Flowering Class)

MRS. GEORGE HIGGINSON, JR. A very clear delicate shade of lilac-blue, self colored; medium size, semi-hooded form. Pkt. 5c; Oz. 10c; ¼ Lb. 25c; Lb. 90c.

MAUVE AND PURPLE

MRS. WALTER WRIGHT. A large, hooded, rosy purple. Superior to Dorothy Tennant. Pkt.5c; Oz.10c; ¼ Lb. 25c; Lb.80c.

BLUE AND MAROON STRIPES

SENATOR. Purplish maroon and indigo heavily striped and splashed on light ground; medium size, hooded form. Pkt. 5c; Oz. 10c; 1/4 Lb. 30c; Lb. \$1.00

BLUE AND PURPLE

COUNTESS OF CADOGAN. Purple, soon turning to blue; wings bright blue; medium size, hooded form. A little darker than Navy Blue and of better form. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

DUKE OF WESTMINSTER. Purple standard, with wings shading to violet; large size, hooded form. Pkt. 5c; Oz. 10c; ¼ Lb. 30c; Lb. \$1.00

FLORA NORTON. Flowers light clear blue; medium size, hooded form. Pkt. 5c; Oz. 10c; ¼ Lb. 30c; Lb. \$1.00

LORD NELSON (Brilliant Blue) Deeper in color than Navy Blue; good size; semi-hooded. This is considered the best grandifiora dark blue. Pkt. 5c; Oz. 10c; 1/4 Lb. 30c; Lb. \$1.00

VIOLET AND MAROON

BLACK KNIGHT. Glossy deep maroon, one of the darkest; medium size, open form. Better than Boreatton. Pkt. 5c; Oz. 10c; ¹/₄ Lb. 30c; Lb. \$1.00

OTHELLO. A very dark maroon, practically self colored with almost black veining. Large size, hooded form, very attractive. Pkt. 5c; Oz. 10c; ¼ Lb. 25c; Lb. 75c.



SPENCER SWEET PEAS, EARLY FLOWERING YARRAWA

SWEET PEAS—Continued

Mixtures of Sweet Peas

Most people obtain more satisfaction from planting Sweet Peas in mixture than from growing named sorts, but to be successful it is necessary that the seed be of the best quality obtainable. Often what is offered as mixed seed is stock harvested from plants that have come up as volunteers on ground where Sweet Peas have been grown before, or a lot of seed which has been grown, saved or handled so carelessly that it cannot be sold as any distinct variety. The use of such seeds will not give satisfactory results. We assure our customers the Mixtures of Sweet Peas which we offer are the results of as great care in selecting as any stocks we grow and as fine flowers are obtained from them as from any seed that can be bought. We invite comparison with any and all others, no matter under what name or at how high prices offered and are certain that a trial will demonstrate the superiority of our mixtures.

Choice Mixed

This mixture has been most carefully grown from our selected stock seed and it will afford a splendid variety of blooms of improved forms and in the widest possible range of desirable colors. Many of the most pleasing and brilliant colors are included. Pkt. 5c; Oz. 10c; 1/4 Lb. 30c; Lb. \$1.00

Ferry's Superb Mixed

We make up this mixture by combining in carefully considered proportions twenty-one fully considering the desirability of color, form and freedom of blooming in our many trials of nearly two hundred different named sorts. Nowhere else can one procure a more magnificent mixture of finely formed and beautifully colored, large flowering Sweet Peas. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

Spencers Mixed A splendid mixture of Spencer varieties grown for us by the most careful methods from proven stocks.

A splendid mixture of Spencer varieties grown for us by the most careful methods from proven stocks.

A wide range of colors is thus assured in this comparatively new class of Sweet Peas of such remarkably large size and wonderfully attractive form. Pkt. 5c; Oz. 30c; ¼ Lb. 90c; Lb. \$3.00

Ferry's Superb Spencers Mixed We make up this magnificent mixture by combining eighteen separate named Spencer sarrieties, each of which our trials have repeatedly shown to be the very best of its class. Unsurpassed as a mixture of this superb class and showing the most desirable range of colors and the finest forms. No better mixture in all the world than this. Pkt. 10c; Oz. 50c; 1/4 Lb. \$1.50

Sweet William

(Dianthus barbatus) A well known, extensively used, sweet scented perennial for bedding and borders, forming fine clumps in any good garden soil and under proper conditions lasting for several seasons. It is one of the most desirable for display in the garden. The plants are easily grown, hardy and free handsomely colored and marked, and are borne on stiff stems in great profusion, forming dense round topped heads or clusters, often three to four inches across. The colors are exceedingly varied, ranging from white through many shades of rose, lilac, red, carmine, crimson and marcon to nearly black, usually two shades to each plant. The petals are barbed or bearded and the leaves are lanceolate in shape, and grow opposite or conduplicate.

Sow outdoors very early in spring, preferably in rich, mellow soil, in rows one foot apart. Cover seed with one-fourth inch of fine soil firmly pressed down. When two inches high, thin to six inches apart. In the more northerly latitudes, protect with mulching in winter. Seed can also be sown in fall. There are usually no flowers until the second season, but if seed is started very early under glass and transplanted, blooms may be had late in autumn. The old clumps may be divided but it is usually more satisfactory to start vigorous young plants every year or two. Hardy perennial; one and one-half feet high.

Velvety Marcon. Flowers velvety dark marcon; very desirable on account of its rich, deep color. Oz. 25c. Pkt. 5c. White, pure. Beautiful white flowers, sometimes faintly marked about the eye. Oz. 25c. "5c. Fine Mixed. This mixture will be found especially satisfactory. Oz. 25c. "5c. Double Mixed. Double flowers in a great variety of colors and shades. Oz. 50c. "5c. TAGETES—(See Marigold)

TROPÆOLUM CANARIENSE—(See Canary Bird Flower)

TROPÆOLUM LOBBIANUM—(See Nasturtium, Trailing)
TROPÆOLUM MINOR—(See Nasturtium, Dwarf)

This well known annual of low growing decumbent habit of growth is very desirable for massing in beds on the lawn. It is suitable also for borders and window boxes. Large clusters of showy flowers are borne in succession through a long season until frost. Each truss or cluster is about two to three inches across, and includes a dozen or more single flowers about three-fourths of an inch across, tubular with five spreading lobes. The length of stem and texture of the flowers make them of value for bouquets and table decorations. There is a wide range of colors, shades and stripes usually running from pure white to deep purple.

Verbenas usually flower well in August from seed sown in open ground in May. Germination will be hastened if the seed is soaked in lukewarm water before planting. It is desirable to have the soil well fertilized and carefully pulverized. Cover seed about one-fourth inch deep. When the young plants have three or four leaves transplant in rows two feet apart and about twenty-four inches apart in the row, choosing preferably a sunny situation. At this distance the plants, if conditions are favorable, will spread so as to cover the ground completely.

Earlier blooming may be had if plants are started indoors and transplanted in the open ground after danger of killing frost is over. Half hardy perennial trailer, one foot high, usually treated as an annual.

Montana (Drummondi) This variety is hardy and exceptionally vigorous in growth of plant; flowers rose changing to lilae; fragrant.....Pkt. 5c.

Hybrida Defiance. May be relied upon to produce the true, deep scarlet color. No variety gives a more brilliant effect when used as a bedding plant. Oz. \$1.25...........Pkt. 10c.

Hybrida Blue. All shades of blue. Oz. 75c...... " 10c.

ybrida Auriculæflora. Various shades of pink, red, purple and blue, all with distinct white eye. Oz. \$1.00......Pkt. 10c. Hybrida Auriculæflora.

Mammoth White. The largest trusses of the finest formed and clearest white flowers of any named sort. It comes absolutely true from seed, thus enabling us to secure the greater vigor and more abundant bloom of the seedling, united with the fine flowers of the named varieties.....Pkt. 10c.

Hybrida White. Produces large, pure white flowers; very floriferous, fine for florists; comes true from seed. Oz. \$1.25.Pkt. 5c.

Hybrida Italian Striped. A strikingly attractive and beautiful sort, producing large, brilliant, striped blossoms in great abundance. Oz. \$1.25. Pkt. 10c.

This extra choice mixture includes a wide range of very beautiful colors, shades and stripes usually running from pure white to deep purple. The clusters are of largest

Vinca

(Periwinkle) These very attractive bushy plants with glossy green foliage produce in abundance handsome round or salver shaped single flowers, suitable either for culture in pots or boxes or for summer bedding and borders. If sown early under glass and transplanted in a warm, sheltered situation will bloom in summer and autumn and may be potted for the house before frost. The plants require no trimming, are in continuous bloom from setting out until frost and are entirely free from the attacks of insects. These desirable features account for the increasing demand for Vincas in parks and private grounds for summer bedding and borders. Tender perennial, blooming the first season, about fifteen inches high.

VIOLA TRICOLOR-(See Pansy)

Virginian Stock (Cheiranthus maritimus, Malcomia maritima) The plants are of more branching and decidedly more open in habit than the common Stock (Mathiola) and are very useful for border or edging. Sow early in spring, or for very early blooming sow in fall or start indoors and transplant. A continual succession of blossoms may be kept up by sowing at intervals through spring and summer. Hardy annual; about nine inches high.


Red and white, mixed. Clusters of beautiful single cruciform flowers.

Pkt. 5c.

Wallflower (Cheiranthus cheiri) This is a favorite European garden flower. The long, fragrant terminal spikes of the Wallflower when properly grown are very conspicuous in beds and borders and are very useful in making bouquets.

Sow seed early in hotbed and while plants are small prick them out into pots and sink in the earth. On approach of cold weather remove the pots to the house and the plants will bloom all winter. Tender bushy biennial or perennial that will live through the winter in a mild climate; height of plants about one and one-half feet.

Double Mixed. Deliciously fragrant, perfectly double, and combine many shades of color, the orange, purple and chocolate predominating. Oz. \$2.50...



Wild Cucumber (Echinocystis lobata) This is a useful climber where a rapid and vigorous growth of vine is desired. To cover or to screen an unsightly building, there is perhaps no annual climber better adapted for the purpose. The vine has abundant foliage and is thickly covered with sprays of small white fragrant flowers followed by numerous prickly. small white, fragrant flowers, followed by numerous prickly seed pods.

Wistaria Chinensis One of the most beautiful and rapid growing of the hardy perennial climbers. When well established in good soil it will often grow fifteen to twenty feet during the season and frequently blooms both in spring and fall. The flowers are very fragrant, single, pale blue, peashaped and are borne in long, drooping grape-like clusters, often over a foot in length. Foliage light green, pinnate.

The seed should be sown in mellow loam early in the spring, or in greenhouse or hotbed in winter and when plants are one foot high transplanted into permanent situations.....Pkt. 20c.

Zinnia

Sometimes called Youth and Old Age. The well known bush-like plants of Zinnias produce a proflexion of large double imbricated flowers, borne on stiff stems. They and for cutting.

and for cutting.

There is much satisfaction in a bed of Zinnias with their twisted and recurved petalled flowers in many bright colors, and when nearly every other flower has been killed by frost this plant is still in full bloom. Few flowers are more easily grown or bloom more abundantly throughout the season, and the wide range of color is not less remarkable than their unusual depth and richness.

Sow the seed early in spring, in open ground in good, rich soil, preferably in rows one and one-half feet apart and covering about one-fourth inch deep. When the young plants are one to two inches high thin to six inches apart. Start under glass for earlier blooming. Half hardy annual; tall growing, usually about one and one-half to two feet birth. high

Elegans	Double	Yellow. Oz. 40c	Pkt.	5c.
4.6	66	Scarlet. Oz. 40c	46	5c.
44	44	Deep Red. Oz. 40c	44	5c.
6.6	44	Magenta, Oz. 40c	46	5c.
4.6	66	Orange, Oz. 40c	44	5c.
46	44	White, Oz. 40c	66	5c.
66	66	Black Purple. Oz. 40c	66	5c.
66	44	Dark Crimson, Oz. 40c	44	5c.
66	44	Striped or Zebra Mixed. Oz. 60c	44	5c.

Elegans Large Flowered Double Mixed. An improved strain which produces flowers of very large size in an extremely wide range of colors. The plants are hardy, of vigorous growth and are in bloom from early summer until killed by severe frost......Pkt. 10c.

Lilliput Double Mixed. This strain grows about one foot high and bears a profusion of comparatively small, very double, globular flowers about one inch in diameter, very brilliant in color

Haageana Double. Dwarf variety with double flowers of a deep orange color, about one and one-quarter inches in diameter; fine for cut flowers; height one foot.Pkt. 10c.

ZINNIA

FOR SPRING

Included in this class are some of our most showy garden flowers and their culture is very easy. In the spring, after danger from frost is over, plant in a rich, loamy soil, having a sunny position and flowers the same season are assured.

All bulbs and roots will be sent by mail or express, charges prepaid, when ordered at single or dozen rates. At the 100 rate they will be sent by express or freight, the purchaser paying the charges unless otherwise stated. Not less than six of any one variety supplied at dozen rates and not less than 25 at the 100 rate. Orders with money should be sent to us as early as possible and they will be filled in rotation. Bulbs subject to injury by frost will not be sent until such danger is over.

Begonia Tuberous Rooted. The tubers which we offer are of the very best quality and with proper care will give a beautiful display early in the summer. For growing in pots or boxes in the house, plant in rich. sandy soil, give good drainage and water freely after the leaves start but do not let the soil become sour or soggy from over-watering. If it is desired to have a bed outdoors, select a shady, from frost is over. After the plants start into vigorous growth keep well watered

vigorous growth keep well watered.

	EACH	DOZ.
Single	Pink10c.	65c.
17	Scarlet10c.	65c.
4.6	White10c.	65c.
44	Yellow 10c.	65c.
	Mixed10c.	65c.
	Pink	\$1.00
66	Scarlet 10c.	1.00
44	White 10c.	1.00
66	Yellow10c.	1.00
	Mixed10c.	1.00

Caladium

Esculentum. Known also as Elephant's Ear. This is one of

the finest tropical plants which can be grown in

the finest tropical plants which can be grown in the open air in the north. It can be made to produce three to ten leaves three to four feet long and nearly as wide, on stalks four to six feet high. The soil best suited to Caladiums is a mixture of fibrous loam, leaf mold, peat and well rotted cow or sheep manure in equal parts, with a sprinkling of sand added. Bulbs may be planted outdoors as soon as danger of frost is over, covering about three inches deep; or for largest growth start early indoors in pots and set out when the weather is warm and settled. But little water must be given to the roots till active growth commences when, as the plants develop, they require an abundance. Humidity and warmth are necessary for their best development.

ment.

First Size Bulbs. Nine inches and over in circumference. Each 25c; doz. \$2.50

Second Size Bulbs. Seven to nine inches in circumference. Each 15c; doz. \$1.50

Third Size Bulbs. Under seven inches in circumference.

Each 10c; doz. \$1.00 cumference.

There are few flower that compare with the Dahlia in charming diversity of form and wide range of

brilliant colors, and certainly no other surpasses it for autumn display in the garden as well as for cutting.

The "Decorative" types are characterized by gracefully formed flowers of large size with broad petals, being intermediate in form between the compact "Show" sorts which are nearly round and the "Cactus" varieties which have loosely formed blossoms with long twisted petals.

varieties which have loosely formed blossoms with long twisted petals.

The roots are tender and easily injured by frost. They should be set out three feet apart, after all danger of frost is over. The best blooms are sometimes obtained if planting is deferred until about June 1. The soil should be deeply dug and well drained but only moderately enriched with thoroughly rotted barnyard manure. A stiff clay should be avoided A sunny situation is desirable as well as plenty of space and air. Place the roots horizontally, covering two to three inches deep. Give thorough cultivation and during dry weather water well once a week. Larger blossoms are usually obtained if most of the side shoots are removed. Dahlias usually do not require much fertilizer and fresh barnyard manure especially should not be used. The plants should be supported by tying to stakes. The roots should be placed during winter in a cool cellar but not allowed to freeze.

Countess of Lonsdale (Cactus) Apricot shaded salmon-red. An early, very attractive cactus variety. Each 20c; doz. \$2.00 Delice (Decorative) One of the very best bright rose-pink decorative dahlias; long stems for cutting. Each 25c; doz. \$2.50

General Buller (Cactus) Rich deep crimson tipped with white. Very attractive. Each 15c; doz. \$1.50

Genista (Cactus) Deep amber shaded gold. Each 15c; doz. \$1.50 J. H. Jackson (Cactus) Very large, rich velvety maroon.

Each 20c; doz. \$1.50 Jack Rose (Decorative) Large brilliant crimson. One of the best decorative dallilas for garden or cutting. Each 20c; doz. \$2.00

Mme. Viger (Colarette) Richest garnet with smaller collar
of white. Exceptionally attractive. Each 20c; doz. \$2.00

Merlin (Show) Bright orange scarlet. Early flowering Each 20c; doz. \$2.00

Queen Victoria (Show) Clear canary yellow. An early and profuse bloomer. Each 20c; doz. \$1.50

Queen Wilhelmina (Paeony Flowered) The best large pure white. Each 25c; doz. \$2.50



CACTUS DAHLIA

Robert Bloomfield (Show) Pure white, large and free flowering. Each 15c; doz. \$1.50

Souv. de Gustave Douzon - (Decorative) Beau scarlet. One of the best. Each 20c; doz. \$1.50 Beautiful orange

Sylvia (Decorative) Deep pink shading to flesh pink at center; best decorative form. Each 15c; doz. \$1.50

Twentieth Century (Single) Intense rosy crimson, white tips and white disc around yellow center. Each 20c; doz. \$2.00

				- DOZ.
Dahlia.	Double	Pink	15c.	\$1.50
44	66	Scarlet		
4.6	6.6	White		
4.6	6.6	Yellow		
4.6	4.6			
4.6	6.6	Mixed		

Dielytra (Bleeding Heart. Dicentra Spectabilis) A hardy perennial plant, with finely cut foliage, blooming in the spring. Flowers graceful, heart-shaped, pink and white; borne in long racemes. Each 15c; doz. \$1.50

LADIOLUS

The Gladiolus is one of the most decorative plants in the garden, and as a cut flower lends itself readily to any arrangement. If the spikes are cut when the lowest flower is in bloom, the others will open in succession and remain fresh a week or ten days. No flower has gained more rapidly in public favor than the Gladiolus; this could not well be otherwise, for in addition to the great intrinsic merit of the flower, it is hardy and blooms the first season from bulbs.

Gladioli will thrive in almost any good soil except a stiff clay. They require full sunlight and are liable to injury only from rank manure. Plant the bulbs six to nine inches apart, the large ones four inches and the small ones two inches deep. Make an early planting of the smallest bulbs first as soon as the ground is sufficiently dry and warm. Continue to plant at intervals of two weeks during the spring and early summer; in this way a succession of bloom may be had from midsummer until frost. A free use of water during the season of active growth and particularly as the buds begin to show color will be beneficial in producing fine blossoms. In the autumn, before freezing, they should be dug up and the tops allowed to dry down, after which the dry tops, earth and old bulbs can be removed. Store in a cool, dry place, secure from frost until spring.

GIANT FLOWERED VARIETIES

A class of hybrids between Gladiolus Gandevensis and Gladiolus Saundersoni which for varied and exquisite beauty has never been equaled. The flowers are of very large size, frequently eight inches across, borne on spikes four to five feet high, the upper two feet covered with flowers.



GLADIOLUS

America. Very light pink, exquisitely tinted with lavender. Much valued for freedom of bloom and size of flower spike. Each 5c; doz. 50c.

Attraction. Bright deep rich crimson with large white center and throat. One of the One of most pleasing sorts. Each 10c; doz. \$1.00

Baron Hulot. Flowers dark velvety purple and of the Lemoine type. One of the very best so-called blues. Each 10c; doz. \$1.00

Columbia. Very attractive, light orange-scarlet blotched and penciled with bluish purple. Each 10c; doz. \$1.00

Dawn. Flowers large, very beautiful shell pink, slightly penciled in throat. Excellent for cutting. Each 25c; doz. \$2.50

Jane Dieulafoy. Flowers creamy white, lower petals stained maroon. Remains in bloom a long time. Each 15c; doz. \$1.50

iagara. Delicate creamy yellow shaded or splashed with rosy carmine in the throat. Each 15c; doz. \$1.50

Panama. Rich rosy pink. Large fine flowers. Each 15c; doz. \$1.50

Sunlight. Light rosy crimson with canary yellow throat; attractively blotched flowers. Each 10c; doz. \$1.00

Giant Flowered, Fine Mixed. Each 5c; doz. 50c.

CHOICE NAMED VARIETIES

These named varieties are selected with special reference to beauty of flower, range of color and habit of plant.

Augusta. Pure white, with blue anthers. Strong, straight spikes. Each 5c; doz. 50c.

Brenchleyensis. Rich, brilliant, dark scarlet.
Much used on account of its brilliant color,
and distinct marking. Each 5c; doz. 50c.
Ceres. Beautiful white flowers, spotted rose
on lower petals. Each 5c; doz. 40c.

on lower petals. Each 5c; doz. 40c.

Eugene Scribe. Flowers very large and wide, perfect, tender rose, blazed with carminate red; beautiful. Each 10c; doz. \$1.00

Kunderdi Glory (Ruffled) A very striking variety with fluted or ruffled petals. Flowers very large, delicate cream pink with a crimson stripe on each lower petal; fine spike. Each 15c; doz. \$1.50

Mrs. Francis King. A most effective variety for decorations. Spikes extra long; flowers brilliant pink, blazed with vermilion.

for decorations. Spikes extra long; flowers brilliant pink, blazed with vermilion.

Each 5c; doz. 40c.

Madam Monneret. Bright, clear pink. A late variety and very popular. Each 6c; doz. 60c.

doz. 60c.

May. Pure white, finely flaked with bright, rosy crimson, superb spike. Fine for forcing. Each 6c; doz. 60c.

Shakespeare. A very delicate white, blazed with rosy-carmine, large rose-colored stain.

Each 10c; doz. \$1.00

GLADIOLUS MIXTURES

These choice assortments must not be confounded with the common mixed sorts. We recommend this stock with perfect confidence, as it is composed only of choice varieties and purchasers can depend upon having a magnificent variety of colors. Single and dozen prices include postage. The 100 rate is by express at purchaser's expense.

		PER 100	EACH DOZ. PER 100)
Shades of Pink and Rose	40c.	\$2.00	Extra Fine American Hybrids Mixed 5c. 50c. \$3.00	
" Scarlet and Red4c.	40c.	1.50	Groff's Hybrid Seedlings. A great variety of shades and markings	
" Orange and Yellow6c.	60c.	4.00	of shades and markings)
White and Light Varieties4c.	40c.	2.75	Lemoine's Butterfly Varieties Mixed.	
Striped and Variegated Mixed5c.	50c.	3.00	Throats very distinctly marked3c. 25c. 1.75	5

LILIES

No flower is more expressive of the idea of queenly beauty and faultless purity than the Lily. Nearly every variety we offer will, with a little care, endure the severity of our winters, and some are among the most hardy of our garden flowers. Most lilies last a long time after cutting and are admirably suited for decorative

and are admirably suited for decorative purposes.

Bulbs should be planted as soon as the frost is out of the ground; the earlier the better. Select a well-drained spot, dig the soil deep and make it fine, enriching it abundantly with well-rotted cow manure, adding a liberal mixture of sand. Set the bulbs from three to five inches deep according to size. During the winter it is advisable to cover the surface of the bed with a thin layer of manure which will afford a slight protection to the bulbs and also materially enrich the soil. In spring the manure may be removed or dug in between the rows. Care should be taken that they have proper drainage, no water being allowed to stand around the roots. Once firmly established, they should not be disturbed oftener than once in five be disturbed oftener than once in five years.

To produce extra fine specimens, plant bulbs in pots early in spring and grow them in the house or under glass.

Auratum (Gold-Banded Lily of Ja-pan) This favorite garden lily is one of the grandest plants in cultiration. Its immense ivory-white flowers are thickly studded with yellow and crimson spots, while in the center of each petal is a golden band, fading at its edges into the white. Such choice bulbs as we offer, if well cared for, will give from five to ten magnificent flowers the first year and under good cultivation will, after be-coming well established, give many more. Height outdoors in the open, usually three to five feet. 20c. each; \$2.00 per doz.

Longiflorum (Giganteum) Beautipet-shaped flowers, similar in form to Lilium Harrisii. the well-known Bermuda Easter Lily, and preferred by some to that variety. It does not come into bloom as early, but the flowers are of better substance. Extensively used by florists for cut flowers. When grown in the open ground it blooms in June or July. Height outdoors in the open, usually two to three feet. 15c. each; \$1.50 per doz.

\$1.50 per doz.

Speciosum Rubrum (Roseum) The Speciosum or Lancifolium are among the most charming and brilliantly beautiful of the Japanese Lilies. The six broad, white or pink petals are thickly dotted with rose or crimson spots, Especially thrifty and hardy. One of the best for garden culture. Height, two to four feet. 20c. each; \$1.50 per doz.


Speciosum Album

Pure white flowers with a greenish band through the center of each petal: of great substance, very fragrant. One open usually two to four feet.

20c. each; \$2.00 per doz.

Madeira Vine Sometimes called Mignonette Vine. This tuberous rooted climber of dense, branching growth has thick, heart-shaped. glossy green leaves and delightfully fragrant, small feathery, white blossoms produced in long hanging racemes. It is of rapid growth, and is fine for porches and covering arbors in a single season. Perennial, but take up roots in fall as the plant will not endure frost. Each 5c; doz. 40c.

Tritoma Pfitzeri. An improved variety of the plant sometimes called Red Hot Poker. The handsometimes called Red Hot Poker. The handsome flowers are produced in large spikes of rich orange-red tinted flower tubes. Plant two feet apart. Tritomas are hardy south of Cincinnati when well covered in winter. In the north, dig up the plants in November, place in boxes with dry earth and store in a cellar. In spring place in a warm, sheltered, well drained spot, preferably with a background of shrubbery. Each 15c; doz. \$1.50



LILIUM AURATUM

Tigrinum Splendens (Improved Single Tiger Lily)
pearance with very large, nodding flowers of excellent form;
color, orange-salmon with dark spots. The plants are of
more robust habit, with longer flower spikes than the older
type and are highly recommended. Height outdoors in the
open usually three to four feet, sometimes taller. 12c. each;
\$1.25 per doz. \$1.25 per doz.

Tigrinum Flore Pleno (Double Tiger Lily) This magnificent lily is of stately habit, bearing immense clusters of very large, double livers on tall, strong stems; color, bright orange-red spotted with black. Height outdoors in the open usually three to five feet. 125 pages \$1.25 pages down feet. 12c. each; \$1.25 per doz.

Tuberose
The flowers of this well-known tuberous rooted plant are waxywhite, double and exceedingly fragrant. They are very useful in bouquets and house docoration.

If early flowers are wanted fill five-inch pots half full of If early nowers are wanted fill five-inch pots half full of well-rotted cow manure and the remainder with good, rich, sandy soil. Plant the bulbs in this in March or April, water moderately and hasten growth by putting in a warm, light place. When weather has become warm, plunge the pots in the earth out of doors. They will usually flower before cold weather; if they do not, the pots can be brought in and bulbs will bloom in the house.

Double Dwarf Pearl, first size bulbs, 4c. each; 40c. per doz; \$2.00 per 100. We will supply second size Tuberose bulbs 3 for 10 cents, 25 cents per dozen. The 100 rates are by express at purchaser's expense.

About September First next we will issue our Annual Catalogue of CHOICE DUTCH BULBS AND SEEDS FOR FALL PLANTING. It will be sent free to all customers without ordering it, and to others who apply for it.

Planet Jr. Garden Tools

Space will permit our describing only a few Planet Jr. Tools, but we will send to all who ask for it a fully illustrated catalogue of Planet Jr. Garden Implements. We deliver at depot or express office in Detroit, Mich., at prices given herein.

Planet Jr. No. 3 Hill and Drill Seeder, \$12.50

15 inch steel driving wheel. Hopper holds 3 qts.

Planet Jr. No. 4, \$13.25 Combined Hill and Drill Seeder, Wheel Hoe, Cultivator and Plow

Price, as a Seeder only, \$10.75

Planet Jr. No. 5, \$15.50 Hill and Drill Seeder

Built on the same lines as No. 3 Drill, but larger.

Planet Jr. No. 25, \$16.00

Combined Hill and Drill Seeder and Double Wheel Hoe, Cultivator and Plow

Planet Jr. No. 31, \$8.50 Combined Drill Seeder and Wheel Hoe

Planet Jr. No. 11, \$11.00 Double Wheel Hoe

With 2 pairs hoes, 2 pairs cultivator teeth, 2 pairs rakes, 1 pair plows and 1 pair leaf lifters.

Planet Jr. No. 12, \$8.75 Double Wheel Hoe

With 1 pair hoes, 2 pairs cultivator teeth, 1 pair plows and 1 pair leaf lifters.

Planet Jr. No. 13, \$6.00

Double Wheel Hoe With 1 pair hoes only.

Planet Jr. No. 16, \$7.25

Single Wheel Hoe

With 1 pair hoes, 3 cultivator teeth, 2 rakes, 1 plow and 1 leaf guard.

Planet Jr. No. 17, \$6.25

Single Wheel Hoe

With 1 pair hoes, 3 cultivator teeth and 1 plow.

Planet Jr. No. 18, \$4.50

Single Wheel Hoe

With 1 pair hoes only.

Planet Jr. No. 19, \$4.25

Single Wheel Hoe

With 1 large garden plow, 1 ten-inch sweep, 1 six-inch sweep, 1 four-inch cultivator tooth, 1 two-inch cultivator tooth.

Planet Jr. No. 38, \$8.50


Single Wheel Disc Hoe, Cultivator and Plow

mes


New Universal ::: Hand :::

Garden Tools

Space will permit our showing and describing only a few of the Ames New Universal Tools, but we will send a fully illustrated catalogue free to all who ask for it. We deliver at depot or express office in Detroit, Mich., at prices given herein.



New Universal No. 17, \$6.50 Garden Drill



The Iron King Seed Drill, \$8.00 With Fertilizer Attachment, \$10.00

> Pressed Steel Garden Trowel Price 25 cts, Postpaid




New Universal Constellation No. 19, \$8.25

Seeder, Hoe, Cultivator, Plow, Rake and Marker



Hazeltine Hand Weeder and Scraper Price 25 cts. Postpaid



The Christy Garden Weeder Price 25 cts, Postpaid

Excelsior Weeding Hook Price 20 cts, Postpaid

ANT BED CLOTH

Medium Grade, 20 yards or over, 15 cents per yard At purchaser's expense for transportation

REFERENCE TABLES

Number of plants to the	acre at given distances	Standard weights of
Dis. apart. No. plants, 12 x 1 In 522,720 Dis. apart. No. plants, 24 x 24 In 10,890	Dis. apart. No. plants. 36 x 36 In 4.840 Dis. apart. No. plants. 60 x 60 In 1.743	various articles
12 x 3 " 174,240 30 x 1 " 209,088 12 x 12 " 43,560 30 x 6 " 34,848 16 x 1 " 392,040 30 x 12 " 17,424	42 x 12 " 12.446 8 x 1 Ft 5.445	Per bu
12 x 12 "	42 x 12 " 12,446 8 x 1 Ft 5,445 42 x 24 " 6,223 8 x 3 " 1,815 42 x 36 " 4,148 8 x 8 " 680 48 x 12 " 10,890 10 x 1 " 4,356 48 x 18 " 7,790 10 x 6 " 726	Barley48 lbs
12 x 12 " 43,560 30 x 6 " 34,848 16 x 1 " 392,040 30 x 12 " 17,424 18 x 1 " 348,480 30 x 16 " 13,068 18 x 3 " 116,160 30 x 20 " 10,454 18 x 15 " 90,040 20 x 20 " 27,145	42 x 36 " 4,148 8 x 8 " 680	Beans 60 "
18 x 1 "348,480 30 x 16 "13,068	48 x 12 " 10,890 10 x 1 " 4,356	Buckwheat48 "
18 x 3 "116,160 30 x 20 "10,454 18 x 12 "29,040 30 x 24 "8,712	48 x 18 " 7,790 10 x 6 " 726	Canary seed
10 7 10 46 10 260 20 70 46 6 000	48 X 24 5,445 10 X 10 435	Castor Bean
20 x 1 "313,635 36 x 3 " 58,080	48 x 36 " 3,630 12 x 5 " 736	Corn, Field, shelled56 "
90. \$\square\$ 90. \text{\tin}\text{\tin}\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\text{\text{\texi\texi{\text{\ti}\til\tint{\tet{\text{\text{\text{\text{\text{\texi}\text{\text{\texi}\ti	48 x 24 " 5,445 10 x 10 " 435 48 x 30 " 4,356 12 x 1 " 3,630 48 x 36 " 3,630 12 x 5 " 736 48 x 48 " 2,723 12 x 12 " 302	" on ear70 "
94 v 1 " 961 360 36 v 18 " 9 680	60 x 36 " 2,901 16 x 1 " 2,722 60 x 48 " 2,178 16 x 16 " 170	" Sweet45 "
24 x 18 "15,520 36 x 24 " 7,260	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Flax56 "
Quantity of seed requisite to produce a	given number of plants and sow an acre	Grass, Timothy45
Quantity per acre.	Quantity per acre.	Hemp
Artichoke, 1 oz. to 500 plants 6 oz.	Grass, Timothy 10 to 15 lbs.	Millet, Common50 "
Asparagus, 1 oz. to 800 plants4 lbs.	" Orchard, Perennial Rye and	Millet, German or Gold-
Asparagus roots	Wood Meadow 25 to 35 lbs. Hemp	en50 "
Beans, dwarf, 1 lb. to 100 ft. of drill60	Horse Radish roots	Peas, smooth60 "
Beans, pole, 1 lb, to 100 hills	Kale, 1 oz. to 5,000 plants, or 200 feet of	" wrinkled56 "
Beet, garden, 1 oz. to 100 feet of drill 7 "	drill	Rape 50 "
Beet, Mangel, 1 oz. to 100 feet of drill 5 "	Kohl Rabi, 1/3 oz. to 100 feet of drill 4 lbs.	Rye56 "
Broccoli, 1 oz. to 5,000 plants	Leek, $\frac{1}{3}$ oz. to 100 feet of drill 4 " Lettuce, $\frac{1}{4}$ oz. to 100 feet of drill 3 "	Sorghum50 "
Buckwheat	Melon, Musk, 1 oz. to 100 hills1 to 3	Vetch or Tare60 "
Cabbage, 1 oz. to 5,000 plants	" Water, 4 oz. to 100 hills1½ to 4 "	All of the above are sold
Carrot, ¼ oz. to 100 feet of drill 2½ lbs.	Nasturtium, 2 oz. to 100 feet of drill 15 "	by weight.
Cauliflower, 1 oz. to 5,000 plants	Okra, 1 oz. to 100 feet of drill 8 "	by weight.
Celery, 1 oz. to 15,000 plants Chicory	Onion seed, ½ oz. to 100 ft. of drill 4 to 5 " for sets	
Clover, Alsike	" sets, 2 lbs. to 40 feet of drill250 "	
" Alfalfa or Lucerne	Parsnip, ¼ oz. to 100 feet of drill 3 "	
" Mammoth8 to 12 "	Parsley, ¼ oz. to 100 feet of drill 3 "	377 77 7 7 7 7
" Medium	Peas, garden, 1 lb. to 100 ft. of drill. 55 to 120 " field "	We sell the following
"White Dutch	" field	articles by weight
Corn, rice (shelled)	Pumpkin, 34 lb. to 100 hills3 to 4 lbs.	Cross Phode Island Pout
Corn. sweet, 1/2 lb, to 100 hills	Radish, % oz. to 100 ft, of drill10 to 12 "	Grass, Rhode Island Bent "Creeping Bent
Cowpea, in drills	Ruta Baga2 to 4 "	" Red Top Fancy
Cress, 34 oz. to 100 feet of drill	Rye	" Awnless Brome
Cucumber, 1 oz. to 100 hills	Sage in drills	" Orchard
Egg Plant, 1 oz. to 2,000 plants 4 oz.	Spinach, ½ oz. to 100 feet of drill 8 "	" Hard Fescue
Endive, 4 oz. to 100 feet of drill 4½ lbs.	Summer Savory	" Red or Creeping
Flax broadcast30 "	Sunflower 8 "	" Fescue
Garlie, bulbs, 1 lb. to 10 feet of drill	Squash, summer, 4 oz. to 100 hills 4 "	" Sheep's Fescue
Gourd, 2 oz. to 100 hills Grass, Blue, Kentucky	" winter, 8 oz. to 100 hills 2 " Tomato, 1 oz. to 2,000 to 3,000 plants	" Perennial Rye
"Millet	Tobacco, 1 oz. to 5,000 plants	" Westerwold Rye
" Mixed Lawn	Turnip, 1 oz. to 250 feet of drill 1 to 3 lbs.	" Wood Meadow
" Red Top Fancy 8 to 10 "	Vetch, Spring	" Kentucky Blue
" Rhode Island Bent25 to 40 "	" Hairy or Sand 30 to 60 "	" Canadian "
EODEIGN NAME	EC OF MEGETARIES AND IN	TDDC
FOREIGN NAM	IES OF VEGETABLES AND HI	TKR2

ENGLISH GERMAN	FRENCH	SPANISH		DANISH-NORWEGIAN POLISH
AniseAnis, Grüner Anis ArtichokeArtischoke	Anis	Anis, Matalahuga	Aniso, Anacio	Anis Anyz.
Artichoke Artischoke	. Artichaut	Alcachofa	Articiocca	Artiskok Karczochy.
Asparagus Spargel Citronen-Melisse.	. Asperge	Esparrago	Sparagio	Asparges Szparagi.
Balm Citronen- Melisse.	Melisse citronelle	Toroniil, Citronella.	Melissa	Balsamurt Balsam.
BasilBasilikum	. Basilic grand	Albaca	Basilico	Basilikum Bazylia.
Beans Bohnen	Haricots	Habichuela	Faginoli	Boenner Fasola.
Beans	Betterave	Remolacha	Barbabietola	Boedbede Buraki.
Borage Boretsch	Bourrache	Borraia	Boragine	Borago Boraz.
Broccoli Spargelkohl	Chou Brocoli	Broculi	Brocoli.	Broccoli-Kaal Brokuly.
Brussels Sprouts. Rosenkohl	Chou de Bruvelles	Bretones de Bruselas	Cavolo di Brussello	es Rosenkaal Latorvil
CabbageKopfkohl, Kraut.	Chou nommá	Col repello	Cavolo cappuccio	Hovedkaal Kanusta
Cabbage, Savoy Wirsing	Chou de Milan	Col de Milan	Cavolo di Milano	Savoikaal Sahaudzka
Cabbago, Davoy Wilsing	Chod de minan	COI de Milan	Cavolo al minuto.	Kapusta
Caraway Feld-Küminel	Cumin des prés	Comino	Carvi	Karve Kminek
CarrotCarotten, Möhren	Carotta	Zanahoria	Carota	Gulerod Marchew
Cauliflower Blumenkohl	Chou flour	Coliflor	Carolaflore	Rlomkaal Kalafiory
Calary Sallaria	Cálori	Anio	Sedeno	Selleri Selery
CeleriacKnoll-Sellerie	Cálori ravo	Apio nobo	Sedano rono	Knoncelleri Selery
Celeriac Knoir-belierie	Celeii-lave	Арю-паво	Sedano-rapa	(Korzen)
Chervil Kerbel	Conford	Davifalla	Confordio	Vicerval Czechrzyca
Chicory Cichorien wurzel	Chicania courage	A chicoria	Ciccuia colvetica	Cichoria Cykorya
Coriander Coriander	Chicoree sauvage	Culontus	Cicoria servanca	Clefforte Vykoryu.
Corn Salad Feldsalat	Coriandre	Cananigas	Volcarione	Voorselet Zierne Selety
CornMais	Mache	Wai-	Valeriana	Mois Kukuwydza
Cross Carton Vrogge	Chass alimais	Madz	Mais	Voyce Pzerzueha
Cress, Water Brunnenkresse	Cresson arenois	Mastuerzo	Agretto	Propositions Provincia
Cress, waterbrunnenkresse	Cresson de fontaine	Berro	Nasturzio aquatico) Droenukarse nzerznena
Cutoumbon		O.l.	Clatestala	A months
Cucumber Gurken	Concombre	Conombro	Cetriolo	Agurk Ogorek.
DandelionLöwenzahn	Pissenlit	Diente de leon	Dente di leone	Loevetand Fapawa.
Dill Dill	Aneth	Eneldo	Aneto	Dil
Egg Plant Eierpflanze	Aubergine	Berengena	Petronciano	Aegplante Gruszka
Ending Carled Endining	Clare Control	TO	TN- 31-1-	milosna.
Engive, Curied Engivien	Unicoree Engive	Engivia	Engivia	Eddivie Eddy wia.
Endive, Broad Leaf. Escariol	Chicorée-Scarole		T 11 1 0 1 1	
Broad Lear. Escariol	Ronde	Escarolo	Endivia Scariola .	The Man Warm
Fennel Fenchel	Fenouil	Hinojo	Finocchio	Fennikel Koper.

FOREIGN NAMES OF VEGETABLES AND HERBS-Continued

	ENGLISH	GERMAN	FRENCH	SPANISH	ITALIAN	DANISH-NORWEGIA	POLISH
Ga	rlic	Knoblauch	Ail	Ajo	Aglio	Hvidloeg	Czosnek.
Ho	rehound	Andorn	Marrube blanc	Marrubio	Marrubio		Marubium.
Ho	rse Radish	Meer Rettig	Raifort sauvage	Taramago	Rafano	Peberrod	Chrzan.
Hy	880D	Isop	Hyssope	Hisopo	Issopo	Isop	Hyzop.
Ka	le	Blätterkohl	Chou vert	Breton, Berza	Cavolo verde	Groenkaal	Solanka.
Ko	hl Rabi	Knollkohl	Chou-rave	Col rabano	Cavolo rapa	Kaalrabi	Kalarepa.
La	vender	Lavendel	Lavende	Espliego	Lavanda	Layendel	Lawenda.
Le	ek	Porree, Lauch	Poireau	Puerro	Porro	Purre	Porv.
Le	ttuce	Lattich, Kopfsalat	Laitue	Lechuga	Lattuga	Salat	Salata.
Ma	rjoram	Majoran	Marjolaine	Mejorana	Maggiorana	Merian	Majeranek.
Me	lon	Melone	Melon	Melon	Popone	Melon	Melon.
		Wasser-Melone					
Mu	shroom	Schwamm	Champignon	Seta	Fungo pratajolo.	Champignon	Grzyb.
Na	sturtium	Kapuciner Kresse	Capucine	Capuchina	Nasturzio	Blomkarse	Nasturcya.
Ok	ra	Ocher	Gombaud	Gombo	Ocra	Hibiskus	
On	ion	Zwiebel	Ognon	Cebolla	Cipollo	Roedloeg	Cebula.
Pai	rsley	Petersilie	Persii	Perejii	Prezzemolo	Persille	Pietruszka.
Par	rsnip	Pastinake	Panais	Chirivia	Pastinaca	Pastinak	Pasternak.
Per	as	Erbsen	Pols.	Guisante	Pisello	Erter	Groch.
Pel	pper	Pfeffer	Piment	Calabatto	Peperone	Spansk Peder	Pieprz.
Pu	mpkin	Melonen-Kürbiss Radies	Pouron	Calabaza totanera	Zucca	Graeskar	Bania.
Ka	dish	Rhabarber	Radis	Rabanito	Ravanello	Reddik	RZOGKIEW.
RII	uoaro	Rosmarin	Rindoarde	Domaro	Deamerine	Posmania	Rubarbarum.
RO	semary	Raute.	Pug	Pude	Rosmarino	Pudo	Rozmaryn.
Du	to Duco	Kohlrübe, Wrucken	Chou nevet	Col nabo Mahigal	Carolo parono	Poo	nuta.
Ru	va Daga	Safran	Cafron	Agofron	Zafforano	Cofwon	Crofnon
Sai	11011	Salbei	Sance	Salvia	Salvia	Salvia	Szalwija
Sal	oifs	Haferwurzel.	Saleifie	Saleifi hlango	Saccafrica	Harrand	Jaran Octavica
		Sauerampfer					
Sur	nmer Savory	Bohnenkraut	Sarriette annuelle	A jedrea comun	Santoreggia	Sar	Coher
Du	minor Davorg		Dai i i conc dalla delle	njedred coman	Surror egg ia		ogradowy
Spi	nach	Spinat	Eninard	Espinaca	Spinace	Sningt	Szninak
Sar	ash	Kürbiss	Courge	Calabaza	Zucca	Squash-graeskar	Miekurz
Sw	iss Chard	Beisskohl	Poiree	Bleda	Bieta	Blad hede	STICILOR DI
Thy	vme	Thymian	Thym	Tomillo	Timo	Timian	Macierzanka.
Toi	nato	Liebesapfel	Pomme d'Amour.	Tomate	Pomo d'oro	Tomat	Pomidor.
Tu	rnip.	Weisse-Rübe	Navet	Nabo	Navone	Turnips	Rzena brukiew
Wo	rmwood	Wermuth	Absinthe	Ajenjo	Assenzio	Malurt	Piotun.

BOOKS

These books have been carefully selected and we believe they are the best moderate priced publications on the subjects treated, and in so far as they do not conflict with our own directions as heretofore given, we recommend them to our customers.

ASPARAGUS. By F. M. Hexamer. Culture for Home Use and for Market. Planting, Cultivation, Harvesting, Marketing, Forcing, etc. Illustrated. 174 pages. Cloth. Price 50c.

BEAN CULTURE. By Glenn C. Sevey. A Practical Treatise on the Production and Marketing of Beans. Illustrated, 144 pages. Cloth. Price 50c.

CABBAGES, CAULIFLOWER, ETC. By C. L. Allen. Gives complete instructions from sowing the seed till harvest, including Brussels Sprouts, Kohl Rabi, Kale, etc. Illustrated. 125 pages. Cloth. Price 50c.

CATECHISM OF AGRICULTURE, THE. By T. C. Atkeson. This book aims to impart the fundamental principles of agriculture by means of practical questions and answers in simple language. Illustrated. 100 pages. Cloth. Price 50c.

CELERY CULTURE. By W. R. Beattie. A practical guide for beginners and a standard reference for experienced celery growers. Fully illustrated. 150 pages. Cloth. Price 50c.

FARM AND GARDEN RULE-BOOK. By L. H. Bailey. A valuable, authoritative and up-to date compilation of rules and reference tables for farm and garden, planting distances, seed tables, fertilizers. insecticides, weeds, plant diseases, horses, cattle, poultry, etc. 587 pages. Cloth. Price \$2.20

FARMER'S CYCLOPEDIA OF AGRICULTURE. By E. V. Wilcox and C. B. Smith. A practical, concise and thorough presentation of agriculture. Farm, ore-hard and garden crops, animals, feeding, dairying, poultry, fertilizing, spraying, etc. 6000 topics. 500 illustrations. 700 pages. Cloth. Price \$3.50

GARDENETTE (THE), or City Back Yard Garden by The Sandwich System. By Benj. F. Albaugh. A Guide for the Amateur Gardener, setting forth a unique method intended especially for those who have limited areas available for this purpose. Illustrated. Paper. Price 60c.

GRASSES AND HOW TO GROW THEM. By Prof. Thos. Shaw. A practical discussion of the economic grasses of the United States and Canada from the standpoint of the stockman and farmer. Characteristics, adaptation to climate and soil, rotation, sowing, pasturing and harvesting are treated fully. Illustrated 454 pages. Cloth. Price \$1.50

HOME FLORICULTURE. By Eben E. Rexford. A Practical Guide to the Treatment of Flowering and Other Plants in the House and Garden. Illustrated 312 pages. Cloth. Price \$1.00

MANUAL OF CARDENING. By L. H. Bailey. A Practical Guide to the Making of Home Grounds and the Growing of Flowers, Fruits and Vegetables for Home Use. This authoritative book treats fully of the growing of vegetables, fruits and ornamental plants, the handling of the land and of the plants, their protection, etc., keeping in mind the special needs of the home-maker. Illustrated. 541 pages. Cloth. Price \$2.20

MELON CULTURE. By James Troop. The Production of Melons for Home Use and for Market, Forcing, Insects, Diseases and their Control, etc. Illustrated. 118 pages. Cloth. Price 50c.

MUSHROOM CULTURE. This contains very complete yet easily understood directions for growing mushrooms from Pure Culture spawn. It is a practical book for the amateur as well as the experienced grower. Illustrated. Paper. Price 35c.

ONIONS ON MUCK SOIL. By C. C. Taylor. A concise pamphlet on how to grow onions on muck soil. Paper. Price 10c.

ONION RAISING. By Jas. J. H. Gregory. What Kinds to Raise, and the Way to Raise Them. Twentieth Edition (Revised). Illustrated. 66 pages. Paper. Price 30c.

PEAS AND PEA CULTURE. By Glenn C, Sevey. A Practical and Scientific Discussion of Peas. Garden Varieties. Cultural Methods, Insect and Fungous Pests, Peas as Forage and Soiling Crops, Sweet Peas, etc. Illustrated. 102 pages. Cloth. Price 50c.

SCHOOL AGRICULTURE. By Milo N. Wood. This treats of the fundamental laws of husbandry in a way valuable for all, and especially for those desiring a general knowledge of elementary agriculture. Illustrated. 340 pages. Cloth. Price 90c.

TOBACCO CULTURE. Plain Directions as Given by 14 Experienced Growers Residing In Different Parts of the United States. Illustrated. 50 pages. Paper. Price 25c.

TOMATO CULTURE. By Will W. Tracy. Contains the most complete and reliable information yet published on the Tomato, its planting, cultivation in field, garden and greenhouse, harvesting, packing, marketing, also insect enemies and diseases and their control. Illustrated. 150 pages. Cloth. Price 50c.

VEGETABLE GARDENING. By Samuel B. Green. A Manual on the Growing of Vegetables for Home Use and Marketing. For Farmers and Gardeners. Twelfth Edition (Revised). Illustrated. 252 pages. Paper. Price 50c.

ADDRESS ALL ORDERS TO D. M. FERRY & CO.,

All Books sent postpaid on receipt of price.

DETROIT, MICH.

